



T&B Cross Reference

Competitor	Minerallac	Description
501	701	5/16"-18" Beam Clamp (Malleable Iron), Up to 3/4" Flange, 5/16"-18 Tapped Holes Bottom and Back Of Beam Clamp, Malleable Iron
502	702	3/8"-16 Beam Clamp (Malleable Iron), Up To 3/4" Flange, 3/8"-16 Tapped Holes Bottom and Back Of Beam Clamp, Malleable Iron
503SC	703	1/2"-13 Beam Clamp (Malleable Iron), Up to 7/8" Flange, 1/2"-13 Tapped Holes Bottom and Back Of Beam Clamp, Malleable Iron
510	700	1/4" Beam Clamp (Malleable Iron), Up to 5/8" Flange, 1/4"-20 Tapped Holes Bottom and Back Of Beam Clamp, Malleable Iron
511SC	70010	10-24" Beam Clamp (Malleable Iron), Up to 3/4" Flange, #10-24 Tapped Holes Bottom and Back Of Beam Clamp, Zinc Plated
6H0B	0B	1/2" Conduit Hanger With Bolt & Nut, 1/2" EMT Or 3/8 To 1/2" Rigid/RMC, Zinc Plated
6H0BSS	0SB	1/2" Conduit Hanger With Bolt and Nut, 1/2" EMT Or 3/8 To 1/2" Rigid/RMC, Hanger-Type 304 SS, Bolt and Nut-Type 18-8 Stainless Steel
6H0TB	K0B	1/2" EMT Or 3/8 To 1/2" Rigid/RMC, Conduit Hanger With Bolt, Keyholed - No Nut Required, Pre-Galvanized
6H1B	1B	3/4"Conduit Hanger With Bolt and Nut, 3/4" EMT Or 3/4" Rigid/RMC, Zinc Plated
6H1BSS	1SB	3/4"Conduit Hanger With Bolt and Nut, 3/4" EMT Or 3/4" Rigid/RMC, Hanger-Type 304 SS, Bolt and Nut-Type 18-8 Stainless Steel
6H1TB	K1B	3/4" EMT Or 3/4" Rigid/RMC, Conduit Hanger With Bolt, Keyholed - No Nut Required, Pre-Galvanized
6H2B	2-1/2B	1-1/4"Conduit Hanger With Bolt and Nut, 1-1/4" EMT, Zinc Plated
6H2BSS	3SB	1-1/2" EMT Conduit Hanger With Bolt and Nut, 1-1/2" EMT Or 1-1/4" Rigid/RMC, Hanger-Type 304 SS, Bolt and Nut-Type 18-8 Stainless Steel
6H3B	3B	1-1/2" EMT Conduit Hanger With Bolt & Nut, 1-1/2" EMT Or 1-1/4" Rigid/RMC, Zinc Plated
6H3BSS	2-1/2SB	1-1/4"Conduit Hanger With Bolt and Nut, 1-1/4" EMT, Hanger-Type 304 Stainless Steel, Bolt and Nut-Type 18-8 Stainless Steel
6H4B	4B	1-1/2"RMC Conduit Hanger With Bolt and Nut, 1-1/2" Rigid/RMC, Zinc Plated
6H4BSS	4SB	1-1/2"RMC Conduit Hanger With Bolt and Nut, 1-1/2" Rigid/RMC, Hanger-Type 304 SS, Bolt and Nut-Type 18-8 Stainless steel





T&B Cross Reference

Competitor	Minerallac	Description
6H5B	5B	2" Conduit Hanger With Bolt and Nut, 2" EMT Or 2" Rigid/RMC, Zinc Plated
6H5BSS	5SB	2" Conduit Hanger With Bolt and Nut, 2" EMT Or 2" Rigid/RMC, Hanger-Type 304 Stainless Steel, Bolt and Nut-Type 18-8 Stainless Steel
6H6B	6B	2-1/2"Conduit Hanger With Bolt & Nut, 2-1/2" EMT Or 2-1/2" Rigid/RMC, Zinc Plated
6H6BSS	6SB	2-1/2"Conduit Hanger With Bolt and Nut, 2-1/2" EMT Or 2-1/2" Rigid/RMC, Hanger-Type 304 Stainless Steel, Bolt and Nut-Type 18-8 Stainless Steel
6H7B	7B	3"Conduit Hanger With Bolt and Nut, 3" EMT Or 3" Rigid/RMC, Zinc Plated
6H7BSS	7SB	3"Conduit Hanger With Bolt and Nut, 3" EMT Or 3" Rigid/RMC, Hanger-Type 304 Stainless Steel, Bolt & Nut-Type 18-8 Stainless Steel
6H8B	8B	3-1/2"Conduit Hanger With Bolt and Nut, 3-1/2" EMT Or 3-1/2" Rigid/RMC, Zinc Plated
6H8BSS	8SB	3-1/2"Conduit Hanger With Bolt and Nut, 3-1/2" EMT Or 3-1/2" Rigid/RMC, Hanger-Type 304 SS, Bolt and Nut-Type 18-8 Stainless Steel
6H9B	9B	4"Conduit Hanger With Bolt and Nut, 4" EMT Or 4" Rigid/RMC, Zinc Plated
6H9BSS	C9B	4"Conduit Hanger With Bolt and Nut, 4" EMT Or 4" Rigid/RMC, Zinc Plated
70212SS	CCR050S4	Conduit Strut Clamp, 1/2" Rigid, Type 304 Stainless Steel
7021SS	CCR100S4	Conduit Strut Clamp, 1" Rigid, Type 304 Stainless Steel
7022SS	CCR200S4	Conduit Strut Clamp, 2" Rigid, Type 304 Stainless Steel
7024EG	CCR400EG	Conduit Strut Clamp Rigid 4
A1001/2SS	SN050S6	SPRING NUT 1/2-13 3/8THK 316SS
A1001/4SS	SN025S6	Spring Nut 1/4 -20 1/4 THK 316 Stainless Steel
A208EG	UFS4H162EG	Ufitting Splice 4 Hole 1-5/8 Channel, Zinc Plated





T&B Cross Reference

Competitor	Minerallac	Description
A213	SJI162EG	Inside Strut Joiner 1-5/8 Channel, Zinc Plated
AB227	CAO2H45EG	2 Hole Open 45 Degree Corner Angle, Zinc Plated
AB2411/2SS	SW050S4	1/2" Square Washer, Type 304 Stainless Steel
AB241L3/8	SWN037EG	Square Washer Notched 3/8, Zinc Plated
AB253	XP5HEG	5 Hole Cross Plate, Zinc Plated
AB277	CAO2H45EG	2 Hole Open 45 Degree Corner Angle, Zinc Plated
AP232SQ	PBS4H350SQEG	Post Base Single Channel, 4 Hole Square 3-1/2, Zinc Plated
BC1TB	600	1/4" Beam Clamp, Up to 1/2" Flange, 1/4"-20 Tapped Holes Bottom and Back Of Beam Clamp, Zinc Plated
BC2TB	602B	3/8" Beam Clamp, Up to 3/4" Flange, 3/8"-16 Tapped Holes Bottom and Back Of Beam Clamp, Zinc Plated
FS100SC	MINE28	3/8" Flexible Conduit, Min-E Clip, One Hole Strap, Pre-Galvanized
HS101	MED40	1/2" Rigid/RMC Conduit, Jiffy Clip, Medium Duty, One Hole Strap, Zinc Plated
HS102	MED50	3/4" Rigid/RMC Conduit, Jiffy Clip, Medium Duty, One Hole Strap, Zinc Plated
HS103	MED60	1" Rigid/RMC Conduit, Jiffy Clip, Medium Duty, One Hole Strap, Zinc Plated
HS104	MED70	1-1/4" Rigid/RMC Jiffy Clip, Medium Duty, One Hole Strap, Conduit, Zinc Plated
HS105	MED80	1-1/2" Rigid/RMC Conduit, Jiffy Clip, Medium Duty, One Hole Strap, Zinc Plated
HS106	MED90	2" Rigid/RMC Conduit, Jiffy Clip, Medium Duty, One Hole Strap, Zinc Plated
HS107	H92	2-1/2" EMT & Rigid/RMC Conduit, Jiffy Clip, Heavy Duty, One Hole Strap, Zinc Plated





T&B Cross Reference

Competitor	Minerallac	Description
HS108	H94	3" EMT & Rigid/RMC Conduit, Jiffy Clip, Heavy Duty, One Hole Strap, Zinc Plated
HS109	H95	3-1/2" EMT & Rigid/RMC Conduit, Jiffy Clip, Heavy Duty, One Hole Strap, Zinc Plated
HS110	H96	4" EMT & Rigid/RMC Conduit, Jiffy Clip, Heavy Duty, One Hole Strap, Zinc Plated
HS901	240	1/2" RMC Two Hole Strap, 1/2" Rigid/RMC Conduit & Ser Cable #2, Pre-Galvanized
HS902	250	1/2" RMC Two Hole Strap, 3/4" Rigid/RMC Conduit & Ser Cable 2/0, Pre-Galvanized
HS903	260	1" RMC Two Hole Strap, 1" Rigid/RMC Conduit & Ser Cable 4/0, Pre-Galvanized
HS904	270	1-1/4" RMC Two Hole Strap, 1-1/4" Rigid/RMC Conduit, Pre-Galvanized
HS905	280	1-1/2" RMC Two Hole Strap, 1-1/2" Rigid/RMC Conduit, Zinc Plated
HS906	290	2" RMC Two Hole Strap, 2" Rigid/RMC Conduit, Zinc Plated
HS907	292	2-1/2" EMT Two Hole Strap, 2-1/2" EMT & Rigid/RMC Conduit, Zinc Plated
HS908	294	3" EMT Two Hole Strap, 3" EMT & Rigid/RMC Conduit, Zinc Plated
HS909	HD295	3-1/2" EMT & Rigid/RMC Conduit, Heavy Duty, Two Hole Strap, Zinc Plated
HS910	HD296	4" EMT & Rigid/RMC Conduit, Heavy Duty, Two Hole Strap, Zinc Plated
N101SC	90108	1/2" EMT Or 3/8" Rigid Conduit, Flat Nail Straps, 12 Gauge, Stamped, PG
N102SC	90112	3/4" EMT Or 1/2" Rigid Conduit, Flat Nail Straps, 12 Gauge, Stamped, PG
N103SC	90116	1" EMT Or 3/4" Rigid Conduit, Flat Nail Straps, 12 Gauge, Stamped, PG
SE100	MED7	#6 & #4 Cable, Service Entrance One Hole Strap, Type Seu, Zinc Plated





T&B Cross Reference

Competitor	Minerallac	Description
SE101	H12	Inside Diameter 1.209", Type Seu, Service Entrance One Hole Strap, Zinc Plated
SE102	MED13	1/0 & 2/0 Cable, Type Seu, Service Entrance One Hole Strap, Zinc Plated
SE103	MED16	1.675", Type Seu, Service Entrance One Hole Strap, Inside Diameter Zinc Plated
SE902	2203	1, 1/0, 2/0 Two Hole Strap, Cable #1, 1/0, 2/0 Type Seu, Pre-Galvanized
SE903	2403	3/0, 4/0 Two Hole Strap, Cable 3/0, 4/0, Type Seu, Pre-Galvanized
SSFBA1/4	ABC25	1/16-1/4" Flange (Z Purlin 13 to 16 Gauge), 1/4" Mounting Hole, Spring Steel
SSFBA1/4A1/4 T	ABC25R14T	1/4 Rod Hangr ,1/16-1/4 Z Purln Clip Hammer On, Spring Steel
SSFBA1/4A3/8	ABC25R1438N	1/16-1/4" Flange (Purlin 13 To 16 Gauge) With 1/4 Or 3/8" Threaded Rod Hanger, Hammer On Nut Required, Spring Steel load Rating: 160Lbs
SSFBA1/4A3/8 T	ABC25R38T	Hammer On Z Purlin Hanger (Angled), Fits 1/16-1/4" Flange, 3/8"-16 Threaded Rod Hanger, 3/8"-16 Thread Impression, Spring Steel
SSFBBC	500	Beam Clamp Up to 1/2" Flange, Pass Hole For 1/4" And 3/8" Threaded Rod, 1/4"-20 Bottom and Back, #10-24 Back, Spring Steel
SSFBBC1/23/ 4H	500KC1234B	Beam Clamp And Closed Conduit Clip (Back Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
SSFBBC1/23/ 4V	500KC1234	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1/2" and 3/4" Conduit, Spring St
SSFBBC112H	500KC112B	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1-1/2" Conduit, Spring Steel
SSFBBC112V	500KC112	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1-1/2" Conduit, Spring Steel
SSFBBC114H	500KC114B	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1-1/4" Conduit, Spring Steel
SSFBBC114V	500KC114	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1-1/4" Conduit, Spring Steel
SSFBBC1H	500KC1B	Beam Clamp And Closed Conduit Clip (Back Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1" Conduit, Spring Steel





T&B Cross Reference

Competitor	Minerallac	Description
SSFBBCC1V	500KC1	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1" Conduit, Spring Steel
SSFBBCC2H	500KC2B	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 2" Conduit, Spring Steel
SSFBBCC2V	500KC2	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 2" Conduit, Spring Steel
SSFBBCS1/2V	50050	Beam Clamp And Push In Conduit Clip (Bottom Mount), Beam Clamp Up to 1/2" Flange and Conduit Clip 1/2" EMT, Spring Steel
SSFBBCS1V	500100	Beam Clamp (Bottom Mount) Assembly, Beam Clamp Up to 1/2" Flange and Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
SSFBBCS3/4V	50075	Beam Clamp And Push In Conduit Clip (Bottom Mount) , Beam Clamp Up To 1/2"Flange & Conduit Clip 3/4"EMT & 1/2"Rigid/RMC, Sp
SSFBF1/2	SFC516	Side Mount Flange Clamp, 5/16 to 1/2" Flange, Hammer On, 1/4" Mounting Hole, Spring Steel
SSFBF1/2C1	SFC516KC1	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1" Conduit, Spring Steel
SSFBF1/2C1/2 3/4	SFC516KC1234	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
SSFBF1/2C11/ 2	SFC516KC112	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
SSFBF1/2C11/ 4	SFC516KC114	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
SSFBF1/2C2	SFC516KC2	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 2" Conduit, Spring Steel
SSFBF1/2C3/8	SFC516KC38	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
SSFBF1/2S1	SFC516100	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
SSFBF1/2S1/2	SFC51650	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1/2" EMT, Spring Steel
SSFBF1/2S3/4	SFC51675	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
SSFBF1/4	SFC18	Side Mount Flange Clamp, 1/8 to 1/4" Flange, Hammer On, 1/4" Mounting Hole, Spring Steel





T&B Cross Reference

Competitor	Minerallac	Description
SSFBF1/4C1	SFC18KC1	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1" Conduit, Spring Steel
SSFBF1/4C1/2 3/4	SFC18KC1234	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
SSFBF1/4C11/ 2	SFC18KC112	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
SSFBF1/4C11/ 4	SFC18KC114	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
SSFBF1/4C2	SFC18KC2	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 2" Conduit, Spring Steel
SSFBF1/4C3/8	SFC18KC38	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
SSFBF1/4S1	SFC18100	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
SSFBF1/4S1/2	SFC1850	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1/2" EMT, Spring Steel
SSFBF1/4S3/4	SFC1875	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
SSFBF1/8	SFC332	Side Mount Flange Clamp, 3/32" to 9/64" Flange, Hammer On, 1/4" Mounting Hole, Spring Steel, Black
SSFBF3/4	SFC916	Side Mount Flange Clamp, 9/16 to 3/4" Flange, Hammer On, 1/4" Mounting Hole, Spring Steel
SSFBF3/4C1	SFC916KC1	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1" Conduit, Spring Steel
SSFBF3/4C1/2 3/4	SFC916KC1234	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
SSFBF3/4C11/ 2	SFC916KC112	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
SSFBF3/4C11/ 4	SFC916KC114	Side Mount Flange Clamp with Closed Conduit Clip, Hammer On Clamp Fits 9/16 to 3/4" Flange, Conduit Clip Fits 1-1/4" Conduit, Spring Steel
SSFBF3/4C2	SFC916KC2	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 2" Conduit, Spring Steel
SSFBF3/4C3/8	SFC916KC38	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel





T&B Cross Reference

Competitor	Minerallac	Description
SSFBF3/4S1	SFC916100	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
SSFBF3/4S1/2	SFC91650	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1/2" EMT, Spring Steel
SSFBF3/4S3/4	SFC91675	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
SSFBH1/2	BC516	Hammer On Beam Clamp, 5/16-1/2" Flange, 1/4"-20 Thread Impression On Bottom and Back Of Clamp, Spring Steel
SSFBH1/2C1	BC516KC1	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1" Conduit, Spring Steel
SSFBH1/2C1/2 3/4	BC516KC1234	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
SSFBH1/2C11/ 2	BC516KC112	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
SSFBH1/2C11/ 4	BC516KC114	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
SSFBH1/2C2	BC516KC2	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 2" Conduit, Spring Steel
SSFBH1/2C3/8	BC516KC38	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
SSFBH1/2S	BC516ST	Hammer On Beam Clamp With 1/4"-20 and 3/8" Stud, 5/16-1/2" Flange, 1/4"-20 Thread Impression On Bottom & Back Of Clamp, Spring Steel
SSFBH1/4	BC18	Hammer On Beam Clamp, 1/8-1/4" Flange, 1/4"-20 Thread Impression On Bottom and Back Of Clamp, Spring Steel
SSFBH1/4C1	BC18KC1	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1" Conduit, Spring Steel
SSFBH1/4C1/2 3/4	BC18KC1234	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
SSFBH1/4C11/ 2	BC18KC112	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
SSFBH1/4C11/ 4	BC18KC114	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
SSFBH1/4C2	BC18KC2	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 2" Conduit, Spring Steel





T&B Cross Reference

Competitor	Minerallac	Description
SSFBH1/4C3/8	BC18KC38	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
SSFBH1/4S	BC18ST	Hammer On Beam Clamp With 1/4"-20 x 3/8" Stud, 1/8-1/4" Flange, 1/4"-20 Thread Impression On Bottom & Back Of Clamp, Spring Steel
SSFBH3/4	BC916	Hammer On Beam Clamp, 9/16-3/4" Flange, 1/4"-20 Thread Impression On Bottom and Back Of Clamp, Spring Steel
SSFBH3/4C1	BC916KC1	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 1" Conduit, Spring Steel
SSFBH3/4C1/2 3/4	BC916KC1234	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
SSFBH3/4C11/ 2	BC916KC112	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
SSFBH3/4C11/ 4	BC916KC114	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
SSFBH3/4C2	BC916KC2	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 2" Conduit, Spring Steel
SSFBH3/4C3/8	BC916KC38	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
SSFBH3/4S	BC916ST	Hammer On Beam Clamp With 1/4"-20 x 3/8" Stud, 9/16-3/4" Flange, 1/4"-20 Thread Impression On Bottom and Back Of Clamp, Spring Steel
SSFBV1/16	FH116	Hammer On Vertical Flange Hanger, Flange 1/16-5/32", Spring Steel
SSFBV1/16B1/ 4	RF11614	Suspends #8 Wire, And 1/4" Or 3/8" Plain Rod From Vertical Flange 1/16" - 5/32" Thick, Spring Steel
SSFBZ1	PH	Hammer On Z Purlin Hanger, Z Purlin 13 To 16 Gauge, 1/4" Vertical Mounting Hole, Spring Steel
SSFBZ1A1/4T	PH14T	Hammer On Z Purlin Hanger And 1/4"-20 Threaded Rod Hanger Assembly, Z Purlin 13 To 16 Gauge, Rod Hanger With 1/4"-20 Thread Impression, Spring Steel
SSFBZ2	P	Hammer On Z Purlin Hanger, Z Purlin 13 To 16 Gauge, 1/4" Bottom (Horizontal) Mounting Hole, Spring Steel
SSFBZ2A3/8	PH1438N	1/4"-20 Threaded Rod Hanger Assembly, Z Purlin 13 To 16 Gauge, Used For Hanging Rod, 1/4 Or 3/8" Threaded Rod Hanger, Nut Required, Spring Steel
SSFBZ2A3/8T	PH38T	Hammer On Z Purlin Hanger And 3/8"-16 Threaded Rod Hanger Assembly, Z Purlin 13 To 16 Gauge, Rod Hanger With 3/8"-16 Thread Impression, Spring Steel





T&B Cross Reference

Competitor	Minerallac	Description
SSFBZ2C1	PKC1	Hammer On Z Purlin Hanger And Closed Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 1" Conduit, Spring Steel
SSFBZ2C1/23/4	PKC1234	Hammer On Z Purlin Hanger And Closed Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
SSFBZ2C11/4	PKC114	Hammer On Z Purlin Hanger And Closed Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 1-1/4" Conduit, Spring Steel
SSFBZ2C3/8	PKC38	Hammer On Z Purlin Hanger And Closed Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 3/8" Flexible Conduit, Spring Steel
SSFBZ2S1	P100	Hammer On Z Purlin Hanger And Push In Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
SSFBZ2S1/2	P50	Hammer On Z Purlin Hanger And Push In Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 1/2" EMT, Spring Steel
SSFBZ2S3/4	P75	Hammer On Z Purlin Hanger And Push In Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
SSFHA1/4ABT	RA14T	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 1/4" Threaded Rod (With Thread Impression), Pre-Galvanized/Spring Steel
SSFHA1/4F1/2 T	R51614T	Rod To Beam Assembly, 5/16 To 1/2" Flange and 1/4" Threaded Rod, Spring Steel
SSFHA1/4F1/4 T	R1814T	Rod To Beam Assembly, 1/8 To 1/4" Flange and 1/4" Threaded Rod, Spring Steel
SSFHA1/4F3/4 T	R91614T	Rod To Beam Assembly, 9/16 To 3/4" Flange and 1/4" Threaded Rod, Spring Steel
SSFHA1/4OBT	RA14T	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 1/4" Threaded Rod (With Thread Impression), Pre-Galvanized/Spring Steel
SSFHA1/4T	R14T	1/4"-20 Threaded Rod Hanger, 1/4"-20 Thread Impression, Spring Steel
SSFHA3/8	R1438N	1/4 Or 3/8" Threaded Rod Hanger, Nut Required, Spring Steel
SSFHA3/8AB	RA1438N	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 1/4-3/8" Threaded Rod (Nut Required), Pre-Galvanized/Spring Steel
SSFHA3/8ABT	RA38T	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 3/8" Threaded Rod (With Thread Impression), Pre-Galvanized/Spring Steel
SSFHA3/8F1/2 T	R51638T	Rod To Beam Assembly, 5/16 To 1/2" Flange and 3/8" Threaded Rod, Spring Steel





T&B Cross Reference

Competitor	Minerallac	Description
SSFHA3/8F1/4 T	R1838T	Rod To Beam Assembly, 1/8 To 1/4" Flange and 3/8" Threaded Rod, Spring Steel
SSFHA3/8F3/4 T	R91638T	Rod To Beam Assembly, 9/16 To 3/4" Flange and 3/8" Threaded Rod, Spring Steel
SSFHA3/8OB	RA1438N	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 1/4-3/8" Threaded Rod (Nut Required), Pre-Galvanized/Spring Steel
SSFHA3/8OBT	RA38T	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 3/8" Threaded Rod (With Thread Impression), Pre-Galvanized/Spring Steel
SSFHA3/8T	R38T	3/8"-16 Threaded Rod Hanger, 3/8"-16 Thread Impression, Spring Steel
SSFHB1/4	R14	Rod/Wire Hanger, #8 Wire Or 1/4" Plain Rod.
SSFHB1/4AB	RA14	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends #8-1/4" Plain Rod, Pre-Galvanized/Spring Steel
SSFHB1/4F1/2	R51614	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 5/16 To 1/2" Flange, Rod/Wire Hanger Suspends #8 Wire Or 1/4" Plain Rod, Spring Steel
SSFHB1/4F1/4	R1814	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 1/8 To 1/4" Flange, Rod/Wire Hanger Suspends #8 Wire Or 1/4" Plain Rod, Spring Steel
SSFHB1/4F3/4	R91614	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 9/16 To 3/4" Flange, Rod/Wire Hanger Suspends #8 Wire Or 1/4" Plain Rod, Spring Steel
SSFHB1/4OB	RA14	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends #8-1/4" Plain Rod, Pre-Galvanized/Spring Steel
SSFHB3/8	R38	Rod Hanger, 3/8" Plain Rod.
SSFHB3/8AB	RA38	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 3/8" Plain Rod, Pre-Galvanized/Spring Steel
SSFHB3/8F1/2	R51638	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 5/16 To 1/2" Flange, Rod/Wire Hanger Suspends 3/8" Plain Rod, Spring Steel
SSFHB3/8F1/4	R1838	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 1/8 To 1/4" Flange, Rod/Wire Hanger Suspends 3/8" Plain Rod, Spring Steel
SSFHB3/8F3/4	R91638	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 9/16 To 3/4" Flange, Rod/Wire Hanger Suspends 3/8" Plain Rod, Spring Steel
SSFHB3/8OB	RA38	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 3/8" Plain Rod, Pre-Galvanized/Spring Steel





T&B Cross Reference

Competitor	Minerallac	Description
SSFHR	PSR	Right Angle Strap Hanger 1"
SSFHRF1/2	PSF516R	Side Mount Flange Clamp With Right Angle Strap Hanger, 5/16 To 1/2" Flange, Suspends Strap Up To 1" Wide, Spring Steel
SSFHRF1/4	PSF18R	Side Mount Flange Clamp With Right Angle Strap Hanger, 1/8 To 1/4" Flange, Suspends Strap Up To 1" Wide, Spring Steel
SSFHRF3/4	PSF916R	Side Mount Flange Clamp With Right Angle Strap Hanger, 9/16 To 3/4" Flange, Suspends Strap Up To 1" Wide, Spring Steel
SSFHS	PSR	Right Angle Strap Hanger 1"
SSFHSF1/2	PSF516	Side Mount Flange Clamp With Strap Hanger, 5/16 To 1/2" Flange, Suspends Strap Up To 1" Wide, Spring Steel
SSFHSF1/4	PSF18	Side Mount Flange Clamp With Strap Hanger, 1/8 To 1/4" Flange, Suspends Strap Up To 1" Wide, Spring Steel
SSFHSF3/4	PSF916	Side Mount Flange Clamp With Strap Hanger, 9/16 To 3/4" Flange, Suspends Strap Up To 1" Wide, Spring Steel
TS101	MED30	1/2" EMT Conduit, Jiffy Clip, Medium Duty, One Hole Strap, Zinc Plated
TS102	MED45	3/4" EMT Conduit, Jiffy Clip, Medium Duty, One Hole Strap, Zinc Plated
TS103	MED55	1" EMT Conduit, Jiffy Clip, Medium Duty, One Hole Strap, Zinc Plated
TS104	MED65	1-1/4" EMT Conduit, Jiffy Clip, Medium Duty, One Hole Strap, Zinc Plated
TS105	275	1-1/2" EMT Two Hole Strap, 1-1/2" EMT Conduit, Pre-Galvanized
TS106	MED85	2" EMT Conduit, Jiffy Clip, Medium Duty, One Hole Strap, Zinc Plated
TS901	230	1/2" EMT Two Hole Strap, 1/2" EMT Conduit & Ser Cable #4, Pre-Galvanized
TS902	245	3/4" EMT Two Hole Strap, 3/4" EMT Conduit & Ser Cable #1,1/0, Pre-Galvanized
TS903	255	1" EMT Two Hole Strap, 1" EMT Conduit & Ser Cable 3/0, Pre-Galvanized





T&B Cross Reference

Competitor	Minerallac	Description
TS904	265	1-1/4" EMT Two Hole Strap, 1-1/4" EMT Conduit, Pre-Galvanized
TS906	285	2" EMT Two Hole Strap, 2" EMT Conduit, Pre-Galvanized
U501	BCSU325EG	Beam Clamp to Strut With Ubolt For 27/16" and 3-1/4" Channel, Zinc Plated

