



B-Line Cross Reference

Competitor	Minerallac	Description
1400	K0B	1/2" EMT Or 3/8 To 1/2" Rigid/RMC, Conduit Hanger With Bolt, Keyholed - No Nut Required, Pre-Galvanized
1410	K1B	3/4" EMT Or 3/4" Rigid/RMC, Conduit Hanger With Bolt, Keyholed - No Nut Required, Pre-Galvanized
1420	K2B	1" EMT Or 1" Rigid/RMC, Conduit Hanger With Bolt, Keyholed - No Nut Required, Pre-Galvanized
1425	2-1/2B	1-1/4" Conduit Hanger With Bolt and Nut, 1-1/4" EMT, Zinc Plated
1430	3B	1-1/2" EMT Conduit Hanger With Bolt & Nut, 1-1/2" EMT Or 1-1/4" Rigid/RMC, Zinc Plated
1440	4B	1-1/2" RMC Conduit Hanger With Bolt and Nut, 1-1/2" Rigid/RMC, Zinc Plated
1450	5B	2" Conduit Hanger With Bolt and Nut, 2" EMT Or 2" Rigid/RMC, Zinc Plated
1460	6B	2-1/2" Conduit Hanger With Bolt & Nut, 2-1/2" EMT Or 2-1/2" Rigid/RMC, Zinc Plated
1470	7B	3" Conduit Hanger With Bolt and Nut, 3" EMT Or 3" Rigid/RMC, Zinc Plated
1480	8B	3-1/2" Conduit Hanger With Bolt and Nut, 3-1/2" EMT Or 3-1/2" Rigid/RMC, Zinc Plated
1490	9B	4" Conduit Hanger With Bolt and Nut, 4" EMT Or 4" Rigid/RMC, Zinc Plated
2BR20T	634R	1" Diameter Bridle Ring, #10-24 Thread, Zinc Plated
8200ZN	SW025EG	Square Washer 1/4, Zinc Plated
8201ZN	SW037EG	3/8" Square Washer, Zinc Plated
ARW-37-100	61147J	1/4 x 1" Sammys® For Wood, Vertical Mounting, 3/8" Rod, Zinc Plated
B-212-1/4	BCSC251EG	Beam Clamp To Strut Ctype 1" Flange, Zinc Plated
B-305	BC5087EG	Beam Clamp 1/2" Rod 7/8" Flange
B-306	BCHD3787EG	Beam Clamp Heavy Duty 3/8" Rod 7/8" Flange, Zinc Plated
B-307	BCHD6287EG	Beam Clamp Heavy Duty 5/8" Rod 7/8" Flange, Zinc Plated
B-308	BCHD5087EG	Beam Clamp Heavy Duty 1/2" Rod 7/8" Flange, Zinc Plated
B-309	BCHD6287EG	Beam Clamp Heavy Duty 5/8" Rod 7/8" Flange, Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
B-312-12	BCAS12EG	Beam Clamp Anchor Strap, Pre-Galvanized
B-312-15	BCAS15EG	Beam Clamp Anchor Strap, Pre-Galvanized
B-312-6	BCAS6EG	Beam Clamp Anchor Strap, Pre-Galvanized
B-312-9	BCAS9EG	Beam Clamp Anchor Strap, Pre-Galvanized
B-321-1	BCHD37162EG	Beam Clamp Heavy Duty 3/8" Rod 3/4" to 1-5/8" Flange, Zinc Plated
B-321-2	BCHD50162EG	Beam Clamp Heavy Duty 1/2" Rod 3/4" to 1-5/8" Flange, Zinc Plated
B-321-3	BCHD62162EG	Beam Clamp Heavy Duty 5/8" Rod 3/4" to 15/8" Flange, Zinc Plated
B-751	BC075EG	Beam Clamps 3/4" Max Flange
B-751-J12	BCJH912EG	Beam Clamp With J Hook 9" Thru 12" Flange, Zinc Plated
B-751-J6	BCJH036EG	Beam Clamp With J Hook 3" Thru 6" Flange, Zinc Plated
B-751-J9	BCJH069EG	Beam Clamp With J Hook 6" Thru 9" Flange, Zinc Plated
B-752	BCSA	Beam Clamp Swivel Adaptor For BC075EG, Zinc Plated
B-760-224-6	BCSUJ162SEG	Beam Clamp to Shallow Strut With Ubolt and Jhook For 4" to 6", Zinc Plated
B101	CAX2HEG	2 Hole Cross Corner Angle, Zinc Plated
B101PLTD	CAX2HEG	2 Hole Cross Corner Angle, Zinc Plated
B101ZN	CAX2HEG	2 Hole Cross Corner Angle, Zinc Plated
B102	CA3H3WEG	3 Hole 3 Way Corner Angle
B102PLTD	CA3H3WEG	3 Hole 3 Way Corner Angle
B102ZN	CA3H3WEG	3 Hole 3 Way Corner Angle
B103	CA3HLEG	3 Hole Long Corner Angle
B103ZN	CA3HLEG	3 Hole Long Corner Angle





B-Line Cross Reference

Competitor	Minerallac	Description
B104	CA4H3WEG	4 Hole 3 Way Corner Angle, Zinc Plated
B104PLTD	CA4H3WEG	4 Hole 3 Way Corner Angle, Zinc Plated
B104ZN	CA4H3WEG	4 Hole 3 Way Corner Angle, Zinc Plated
B105	FZX2H162EG	Z Fitting Cross 2 Hole 1-5/8, Zinc Plated
B106-12	FZX2H243EG	Z Fitting Cross 2 Hole 2-7/16
B106-52	FZX2H81EG	Z Fitting Cross 2 Hole 1-3/16
B107	UFX5H162EG	Ufitting Cross 5 Hole 1-5/8, Zinc Plated
B107-22A	UFX3H325EG	Ufitting Cross 3 Hole 3-1/4, Zinc Plated
B107PLTD	UFX5H162EG	Ufitting Cross 5 Hole 1-5/8, Zinc Plated
B110	FZX2H325EG	Z Fitting Cross 2 Hole 3-1/4
B112	CAAG4H662EG	4 Hole 65/8" Adjustable Gusset Corner Angle, Zinc Plated
B113	CAA4H862EG	4 Hole 85/8" Adjustable Corner Angle, Zinc Plated
B115	CA4HEG	4 Hole Corner Angle, Zinc Plated
B115PLTD	CA4H3WEG	4 Hole 3 Way Corner Angle, Zinc Plated
B115ZN	CA4HEG	4 Hole Corner Angle, Zinc Plated
B116-12	UFX3H243EG	Ufitting Cross 3 Hole 2-7/16, Zinc Plated
B116-52	UFX3H81EG	Ufitting Cross 3 Hole 1-3/16, Zinc Plated
B118	CAP4HEG	4 Hole Parallel Corner Angle, Zinc Plated
B119	WFD4HEG	Wing Fitting Double Conrner 4 Hole, Zinc Plated
B120	WFD6HEG	Wing Fitting Double Conrner 6 Hole, Zinc Plated
B121	WFD8HEG	Wing Fitting Double Conrner 8 Hole, Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
B122	WFT6HEG	Wing Fitting Triple Corner 6 Hole, Zinc Plated
B122ZN	WFT6HEG	Wing Fitting Triple Corner 6 Hole, Zinc Plated
B123	WFT12HEG	Wing Fitting Triple Corner 12 Hole, Zinc Plated
B124	WFT9HEG	Wing Fitting Triple Corner 9 Hole, Zinc Plated
B125	CAGX3HEG	3 Hole Cross Gusset Corner Angle, Zinc Plated
B126	CAG4H3WEG	4 Hole 3 Way Gusset Corner Angle, Zinc Plated
B127	CAG5H3WEG	5 Hole 3 Way Gusset Corner Angle, Zinc Plated
B129	UFS4H162EG	Ufitting Splice 4 Hole 1-5/8 Channel, Zinc Plated
B129PAZN	SP2HEG	2 Hole Splice Plate, Zinc Plated
B132	XP5HEG	5 Hole Cross Plate, Zinc Plated
B132ZN	XP5HEG	5 Hole Cross Plate, Zinc Plated
B133	TP4HEG	4 Hole Tee Plate, Zinc Plated
B133PLTD	TP4HEG	4 Hole Tee Plate, Zinc Plated
B133ZN	TP4HEG	4 Hole Tee Plate, Zinc Plated
B134RPLTD	CAGR4HEG	4 Hole Gusset Corner Angle Right, Zinc Plated
B135	CGP3HEG	3 Hole Corner Gusset Plate, Zinc Plated
B136	TGP4HEG	4 Hole Tee Gusset Plate, Zinc Plated
B138	SWP2HEG	2 Hole Swivel Plate, Zinc Plated
B139	SWP3HEG	3 Hole Swivel Plate, Zinc Plated
B140	CP3HEG	3 Hole Corner Plate, Zinc Plated
B140PLTD	CP3HEG	3 Hole Corner Plate, Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
B140ZN	CP3HEG	3 Hole Corner Plate, Zinc Plated
B141	SP3HEG	3 Hole Splice Plate, Zinc Plated
B141PLTD	SP3HEG	3 Hole Splice Plate, Zinc Plated
B141ZN	SP3HEG	3 Hole Splice Plate, Zinc Plated
B142	CGP4HEG	4 Hole Corner Gusset Plate, Zinc Plated
B143	CP4HEG	4 Hole Corner Plate, Zinc Plated
B1434	CP4HEG	4 Hole Corner Plate, Zinc Plated
B143GRN	CP4HGR	4 Hole Corner Plate, Zinc Plated
B143PLTD	CP4HEG	4 Hole Corner Plate, Zinc Plated
B143ZN	CP4HEG	4 Hole Corner Plate, Zinc Plated
B1506S	CCOP37	One Piece Strut Clamp With Saddle, 3/8" EMT, Pre-Galvanized
B1508	CCOP50	One Piece Strut Clamp With Saddle, 1/2" EMT, Pre-Galvanized
B1508S	CCOP50	One Piece Strut Clamp With Saddle, 1/2" EMT, Pre-Galvanized
B1512	CCOP75	One Piece Strut Clamp With Saddle, 3/4" EMT and 1/2" RMC, Pre-Galvanized
B1512S	CCOP75	One Piece Strut Clamp With Saddle, 3/4" EMT and 1/2" RMC, Pre-Galvanized
B1516	CP4HEG	4 Hole Corner Plate, Zinc Plated
B1516S	CCOP100	One Piece Strut Clamp With Saddle, 1" EMT and 3/4" RMC, Pre-Galvanized
B1520S	CCOP125	One Piece Strut Clamp With Saddle, 1-1/4" EMT and 1" RMC, Pre-Galvanized
B1524S	CCOP150	One Piece Strut Clamp With Saddle, 1-1/2" EMT and 1-1/4" RMC, Pre-Galvanized
B1532S	CCOP200	One Piece Strut Clamp with Saddle, Fits 2" EMT and 1-1/2" RMC, Pre-Galvanized
B1534S	CCOP200R	One Piece Strut Clamp With Saddle, 2" RMC, Pre-Galvanized





B-Line Cross Reference

Competitor	Minerallac	Description
B154	CAO2H45EG	2 Hole Open 45 Degree Corner Angle, Zinc Plated
B1540S	CCOP250	One Piece Strut Clamp With Saddle, 2-1/2" EMT and 2-1/2" RMC, Pre-Galvanized
B1548S	CCOP300	One Piece Strut Clamp With Saddle, 3" EMT and 3" RMC, Pre-Galvanized
B154PLTD	CAC2H45EG	2 Hole Closed 45 Degree Corner Angle, Zinc Plated
B154ZN	CAO2H45EG	2 Hole Open 45 Degree Corner Angle, Zinc Plated
B155	CAC2H45EG	2 Hole Closed 45 Degree Corner Angle, Zinc Plated
B1556S	CCOP350	One Piece Strut Clamp With Saddle, 3-1/2" EMT and 3-1/2" RMC, Pre-Galvanized
B155ZN	CAC2H45EG	2 Hole Closed 45 Degree Corner Angle, Zinc Plated
B1564S	CCOP400	One Piece Strut Clamp With Saddle, 4" EMT and 4" RMC, Pre-Galvanized
B166-46-22	CSA4HTPEG	Channel Splice Assembly 4 Hole With Tapped Plate And Hardware
B167	UFS4H81EG	Ufitting Splice 4 Hole 1-3/16 Channel, Zinc Plated
B170	UFS2H162EG	Ufitting Splice 2 Hole 1-5/8 Channel, Zinc Plated
B171	UFS3H162EG	Ufitting Splice 3 Hole 1-5/8 Channel, Zinc Plated
B172	UFS4H162EG	Ufitting Splice 4 Hole 1-5/8 Channel, Zinc Plated
B172ZN	CSA4HTPEG	Channel Splice Assembly 4 Hole With Tapped Plate And Hardware
B187	BR3H0850EG	Bracket 3 Hole 8-1/2"Zinc Plated
B187ZN	BR3H0850EG	Bracket 3 Hole 8-1/2"Zinc Plated
B188	BR6H1250EG	Bracket 6 Hole 12-1/2"Zinc Plated
B188ZN	BR6H1250EG	Bracket 6 Hole 12-1/2"Zinc Plated
B189	BR6H1450EG	Bracket 6 Hole 14-1/2"Zinc Plated
B194	BRC162EG	Bracket 1-5/8 Channel, Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
B196-18	BRC162W18EG	Bracket 1-5/8 Channel Wrap Around 18" Zinc Plated
B196-24	BRC162W24EG	Bracket 1-5/8 Channel Wrap Around 24" Zinc Plated
B198-12	BRC162W12EG	Bracket 1-5/8 Channel Wrap Around 12" Zinc Plated
B198-6	BRC162W6EG	Bracket 1-5/8 Channel Wrap Around 6" Zinc Plated
B200	SW025EG	Square Washer 1/4, Zinc Plated
B2000ZN	CCOP37	One Piece Strut Clamp With Saddle, 3/8" EMT, Pre-Galvanized
B2001	CCE050EG	Conduit Strut Clamp EMT 1/2, Zinc Plated
B2001PAZN	CCE050EG	Conduit Strut Clamp EMT 1/2, Zinc Plated
B2001ZN	CCE050EG	Conduit Strut Clamp EMT 1/2, Zinc Plated
B2002	CCE075EG	Conduit Strut Clamp EMT 3/4, Zinc Plated
B2002PAZN	CCE075EG	Conduit Strut Clamp EMT 3/4, Zinc Plated
B2002ZN	CCU075EG	Conduit Strut Clamp Universal 3/4", Zinc Plated
B2003	CCE100EG	Conduit Strut Clamp EMT 1, Zinc Plated
B2003PAZN	CCE100EG	Conduit Strut Clamp EMT 1, Zinc Plated
B2003ZN	CCE100EG	Conduit Strut Clamp EMT 1, Zinc Plated
B2004	CCE125EG	Conduit Strut Clamp EMT 1-1/4, Zinc Plated
B2004PAZN	CCE125EG	Conduit Strut Clamp EMT 1-1/4, Zinc Plated
B2004ZN	CCE125EG	Conduit Strut Clamp EMT 1-1/4, Zinc Plated
B2005	CCE150EG	Conduit Strut Clamp EMT 1-1/2, Zinc Plated
B2005PAZN	CCE150EG	Conduit Strut Clamp EMT 1-1/2, Zinc Plated
B2005ZN	CCE150EG	Conduit Strut Clamp EMT 1-1/2, Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
B2006	CCE200EG	Conduit Strut Clamp EMT 2, Zinc Plated
B2006PAZN	CCE200EG	Conduit Strut Clamp EMT 2, Zinc Plated
B2006ZN	CCE200EG	Conduit Strut Clamp EMT 2, Zinc Plated
B2007	CCR037EG	Conduit Strut Clamp Rigid 3/8, Zinc Plated
B2008	CCR050EG	Conduit Strut Clamp Rigid 1/2, Zinc Plated
B2008DCU	CCC075CP	Conduit Strut Clamp Copper Tubing 3/4, Copperclad
B2008PAZN	CCR050EG	Conduit Strut Clamp Rigid 1/2, Zinc Plated
B2008SS4	CCR050S4	Conduit Strut Clamp, 1/2" Rigid, Type 304 Stainless Steel
B2008ZN	CCR050EG	Conduit Strut Clamp Rigid 1/2, Zinc Plated
B2009	CCR075EG	Conduit Strut Clamp Rigid 3/4
B2009PAZN	CCR075EG	Conduit Strut Clamp Rigid 3/4
B2009SS4	CCR075S4	Conduit Strut Clamp, 3/4" Rigid, Type 304 Stainless Steel
B2009ZN	CCR075EG	Conduit Strut Clamp Rigid 3/4
B200D	SWN025EG	Square Washer Notched 1/4, Zinc Plated
B200PLTD	SW031EG	Square Washer 5/16, Zinc Plated
B200SS4	CCR050S4	Conduit Strut Clamp, 1/2" Rigid, Type 304 Stainless Steel
B200ZN	SW031EG	Square Washer 5/16, Zinc Plated
B200ZN5/16	SW031EG	Square Washer 5/16, Zinc Plated
B201	SW037EG	3/8" Square Washer, Zinc Plated
B2010	CCR100EG	Conduit Strut Clamp Rigid 1
B2010PA1	CCR100EG	Conduit Strut Clamp Rigid 1





B-Line Cross Reference

Competitor	Minerallac	Description
B2010PAZN	CCR100EG	Conduit Strut Clamp Rigid 1
B2010SS4	CCR100S4	Conduit Strut Clamp, 1" Rigid, Type 304 Stainless Steel
B2010ZN	CCR100EG	Conduit Strut Clamp Rigid 1
B2011	CCR125EG	Conduit Strut Clamp Rigid 1 1/4
B20111 1/4	CCR125EG	Conduit Strut Clamp Rigid 1 1/4
B2011DCU	CCC150CP	Conduit Strut Clamp Copper Tubing 1-1/2, Copperclad
B2011PAZN	CCR125EG	Conduit Strut Clamp Rigid 1 1/4
B2011PAZN1-1/4	CCR125EG	Conduit Strut Clamp Rigid 1 1/4
B2011SS4	CCR125S4	Conduit Strut Clamp, 1-1/4" Rigid, Type 304 Stainless Steel
B2011ZN	CCR125EG	Conduit Strut Clamp Rigid 1 1/4
B2012	CCR150EG	Conduit Strut Clamp Rigid 1-1/2
B2012PAZN	CCR150EG	Conduit Strut Clamp Rigid 1-1/2
B2012PAZN1-1/2	CCR150EG	Conduit Strut Clamp Rigid 1-1/2
B2012SS4	CCR150S4	Conduit Strut Clamp, 1-1/2" Rigid, Type 304 Stainless Steel
B2012ZN	CCR150EG	Conduit Strut Clamp Rigid 1-1/2
B2013	CCR200EG	Conduit Strut Clamp Rigid 2
B2013/8	SW037EG	3/8" Square Washer, Zinc Plated
B2013PA2	CCR200EG	Conduit Strut Clamp Rigid 2
B2013PAZN	CCR200EG	Conduit Strut Clamp Rigid 2
B2013SS4	CCR200S4	Conduit Strut Clamp, 2" Rigid, Type 304 Stainless Steel
B2013ZN	CCR300EG	Conduit Strut Clamp Rigid 3





B-Line Cross Reference

Competitor	Minerallac	Description
B2014	CCR250EG	Conduit Strut Clamp Rigid 2 1/2
B2014PAZN	CCR250EG	Conduit Strut Clamp Rigid 2 1/2
B2014PAZN2-1/2	CCR250EG	Conduit Strut Clamp Rigid 2 1/2
B2014SS4	CCR250S4	Conduit Strut Clamp, 2-1/2" Rigid, Type 304 Stainless Steel
B2014ZN	CCR250EG	Conduit Strut Clamp Rigid 2 1/2
B2015	CCR300EG	Conduit Strut Clamp Rigid 3
B2015PA3	CCR300EG	Conduit Strut Clamp Rigid 3
B2015PAZN	CCR300EG	Conduit Strut Clamp Rigid 3
B2015SS4	CCR300S4	Conduit Strut Clamp, 3" Rigid, Type 304 Stainless Steel
B2015ZN	CCR300EG	Conduit Strut Clamp Rigid 3
B2016	CCR350EG	Conduit Strut Clamp Rigid 3 1/2
B2016PAZN	CCR350EG	Conduit Strut Clamp Rigid 3 1/2
B2016ZN	CCOD125EG	Conduit Strut Clamp O.D. 1-1/4, Zinc Plated
B2017	CCR400EG	Conduit Strut Clamp Rigid 4
B2017PAZN	CCR400EG	Conduit Strut Clamp Rigid 4
B2017SS4	CCR400S4	Conduit Strut Clamp, 4" Rigid, Type 304 Stainless Steel
B2017ZN	CCR400EG	Conduit Strut Clamp Rigid 4
B2018	CCOD500EG	Conduit Strut Clamp O.D. 5, Zinc Plated
B2019	CCR500EG	Conduit Strut Clamp Rigid 5
B2019PA5	CCR500EG	Conduit Strut Clamp Rigid 5
B2019PAZN	CCR500EG	Conduit Strut Clamp Rigid 5





B-Line Cross Reference

Competitor	Minerallac	Description
B201D	SWN037EG	Square Washer Notched 3/8, Zinc Plated
B201PLTD	SW037EG	3/8" Square Washer, Zinc Plated
B201SS4	SW037S4	3/8" Square Washer, Type 304 Stainless Steel
B201ZN	SW037EG	3/8" Square Washer, Zinc Plated
B201ZN3/8	SW037EG	3/8" Square Washer, Zinc Plated
B202	SW050EG	Square Washer 1/2, Zinc Plated
B202-1	SW062EG	Square Washer 5/8, Zinc Plated
B202-2	SW075EG	Square Washer 3/4, Zinc Plated
B202-3	SW087EG	Square Washer 7/8, Zinc Plated
B2020	CCR600EG	Conduit Strut Clamp Rigid 6
B2020PAZN	CCR600EG	Conduit Strut Clamp Rigid 6
B2020ZN	CCR600EG	Conduit Strut Clamp Rigid 6
B2021	CCOD762EG	Conduit Strut Clamp O.D. 7-5/8, Zinc Plated
B2022	CCR800EG	Conduit Strut Clamp, Fits 8" Rigid, Zinc Plated
B2023	CCOD025EG	Conduit Strut Clamp O.D. 1/4, Zinc Plated
B2024	CCOD037EG	Conduit Strut Clamp O.D. 3/8, Zinc Plated
B2024DCU	CCC025CP	Conduit Strut Clamp Copper Tubing 1/4, Copperclad
B2025	CCOD050EG	Conduit Strut Clamp O.D. 1/2, Zinc Plated
B2025DCU	CCC037CP	Conduit Strut Clamp Copper Tubing 3/8, Copperclad
B2026	CCOD062EG	Conduit Strut Clamp O.D. 5/8, Zinc Plated
B2026DCU	CCC050CP	Conduitstrut Clamp Copper Tubing 1/2, Copperclad





B-Line Cross Reference

Competitor	Minerallac	Description
B2027	CCOD075EG	Conduit Strut Clamp O.D. 3/4, Zinc Plated
B2028	CCOD087EG	Conduit Strut Clamp O.D. 7/8, Zinc Plated
B2029	CCOD100EG	Conduit Strut Clamp O.D. 1, Zinc Plated
B202D	SWN050EG	Square Washer Notched 1/2, Zinc Plated
B202PAZN	CCE075EG	Conduit Strut Clamp EMT 3/4, Zinc Plated
B202PLTD	SW050EG	Square Washer 1/2, Zinc Plated
B202SS4	SW050S4	1/2" Square Washer, Type 304 Stainless Steel
B202ZN	SW050EG	Square Washer 1/2, Zinc Plated
B2030	CCOD112EG	Conduit Strut Clamp O.D. 1-1/8, Zinc Plated
B2030DCU	CCC100CP	Conduit Strut Clamp Copper Tubing 1, Copperclad
B2031	CCOD125EG	Conduit Strut Clamp O.D. 1-1/4, Zinc Plated
B2032	CCOD137EG	Conduit Strut Clamp O.D. 1-3/8, Zinc Plated
B2032DCU	CCC125CP	Conduit Strut Clamp Copper Tubing 1-1/4, Copperclad
B2036	CCOD187EG	Conduit Strut Clamp O.D. 1-7/8, Zinc Plated
B2037	CCOD200EG	Conduit Strut Clamp O.D. 2, Zinc Plated
B2038	CCOD212EG	Conduit Strut Clamp O.D. 2-1/8, Zinc Plated
B2038DCU	CCC200CP	Conduit Strut Clamp Copper Tubing 2, Copperclad
B2039	CCOD225EG	Conduit Strut Clamp O.D. 2-1/4, Zinc Plated
B2041	CCOD250EG	Conduit Strut Clamp O.D. 2-1/2, Zinc Plated
B2042	CCOD262EG	Conduit Strut Clamp O.D. 2-5/8, Zinc Plated
B2042DCU	CCC250CP	Conduit Strut Clamp Copper Tubing 2-1/2, Copperclad





B-Line Cross Reference

Competitor	Minerallac	Description
B2043	CCOD275EG	Conduit Strut Clamp O.D. 2-3/4, Zinc Plated
B2045	CCOD300EG	Conduit Strut Clamp O.D. 3, Zinc Plated
B2046	CCOD312EG	Conduit Strut Clamp O.D. 3-1/8, Zinc Plated
B2046DCU	CCC300CP	Conduit Strut Clamp Copper Tubing 3, Copperclad
B2047	CCOD325EG	Conduit Strut Clamp O.D. 3-1/4, Zinc Plated
B2048	CCOD337EG	Conduit Strut Clamp O.D. 3-3/8, Zinc Plated
B205	EC16212GAEG	End Cap 15/8 Channel 12 Ga, Zinc Plated
B2050	CCOD362EG	Conduit Strut Clamp O.D. 3-5/8, Zinc Plated
B2050DCU	CCC350CP	Conduit Strut Clamp Copper Tubing 3-1/2, Copperclad
B2051	CCOD375EG	Conduit Strut Clamp O.D. 3-3/4, Zinc Plated
B2052	CCOD387EG	Conduit Strut Clamp O.D. 3-7/8, Zinc Plated
B2054	CCOD412EG	Conduit Strut Clamp O.D. 4-1/8, Zinc Plated
B2054DCU	CCC400CP	Conduit Strut Clamp Copper Tubing 4, Copperclad
B2055	CCOD425EG	Conduit Strut Clamp O.D. 4-1/4, Zinc Plated
B2056	CCOD437EG	Conduit Strut Clamp O.D. 4-3/8, Zinc Plated
B2058	CCOD462EG	Conduit Strut Clamp O.D. 4-5/8, Zinc Plated
B2059	CCOD475EG	Conduit Strut Clamp O.D. 4-3/4, Zinc Plated
B2060	CCOD487EG	Conduit Strut Clamp O.D. 4-7/8, Zinc Plated
B2062DCU	CCC500CP	Conduit Strut Clamp Copper Tubing 5, Copperclad
B2063	CCOD525EG	Conduit Strut Clamp O.D. 5-1/4, Zinc Plated
B2064	CCOD537EG	Conduit Strut Clamp O.D. 5-3/8, Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
B2065	CCOD550EG	Conduit Strut Clamp O.D. 5-1/2, Zinc Plated
B2066	CCOD562EG	Conduit Strut Clamp O.D. 5-5/8, Zinc Plated
B2067	CCOD575EG	Conduit Strut Clamp O.D. 5-3/4, Zinc Plated
B2068	CCOD587EG	Conduit Strut Clamp O.D. 5-7/8, Zinc Plated
B2069	CCOD600EG	Conduit Strut Clamp O.D. 6, Zinc Plated
B211	BCSZ371EG	Beam Clamp to Strut Ztype 1" Flange, Zinc Plated
B2110	CCOD612EG	Conduit Strut Clamp O.D. 6-1/8, Zinc Plated
B2110DCU	CCC600CP	Conduit Strut Clamp Copper Tubing 6, Copperclad
B2111	CCOD625EG	Conduit Strut Clamp O.D. 6-1/4, Zinc Plated
B2112	CCOD637EG	Conduit Strut Clamp O.D. 6-3/8, Zinc Plated
B2113	CCOD650EG	Conduit Strut Clamp O.D. 6-1/2, Zinc Plated
B2115	CCOD675EG	Conduit Strut Clamp O.D. 6-3/4, Zinc Plated
B2116	CCOD687EG	Conduit Strut Clamp O.D. 6-7/8, Zinc Plated
B2117	CCOD700EG	Conduit Strut Clamp O.D. 7, Zinc Plated
B2118	CCOD712EG	Conduit Strut Clamp O.D. 7-1/8, Zinc Plated
B2119	CCOD725EG	Conduit Strut Clamp O.D. 7-1/4, Zinc Plated
B212-3/8	BCSC371EG	Beam Clamp To Strut Ctype 1" Flange, Zinc Plated
B2120	CCOD737EG	Conduit Strut Clamp O.D. 7-3/8, Zinc Plated
B2121	CCOD750EG	Conduit Strut Clamp O.D. 7-1/2, Zinc Plated
B2123	CCOD775EG	Conduit Strut Clamp O.D. 7-3/4, Zinc Plated
B2124	CCOD787EG	Conduit Strut Clamp O.D. 7-7/8, Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
B2130	CCR1000EG	Conduit Strut Clamp, Fits 10" Rigid, Zinc Plated
B2132	CCR1200EG	Conduit Strut Clamp, Fits 12" Rigid, Zinc Plated
B218	PR14EG	Pipe Roller 1In-4In Pipe
B220	EC8114GAEG	End Cap 13/16 Channel 14 Ga, Zinc Plated
B2208	CCU050EG	Conduit Strut Clamp Universal 1/2", Zinc Plated
B220812	CCU050EG	Conduit Strut Clamp Universal 1/2", Zinc Plated
B2208PA-1/2	CCU050EG	Conduit Strut Clamp Universal 1/2", Zinc Plated
B2208PAZN	CCU050EG	Conduit Strut Clamp Universal 1/2", Zinc Plated
B2208ZN	CCR050EG	Conduit Strut Clamp Rigid 1/2, Zinc Plated
B2209	CCU075EG	Conduit Strut Clamp Universal 3/4", Zinc Plated
B220934	CCU075EG	Conduit Strut Clamp Universal 3/4", Zinc Plated
B2209PA-3/4	CCU075EG	Conduit Strut Clamp Universal 3/4", Zinc Plated
B2209PAZN	CCU075EG	Conduit Strut Clamp Universal 3/4", Zinc Plated
B2209PAZN3/4	CCU075EG	Conduit Strut Clamp Universal 3/4", Zinc Plated
B2209ZN	CCR075EG	Conduit Strut Clamp Rigid 3/4
B2210	CCU100EG	Conduit Strut Clamp Universal 1", Zinc Plated
B22101	CCU100EG	Conduit Strut Clamp Universal 1", Zinc Plated
B2210PAZN	CCU100EG	Conduit Strut Clamp Universal 1", Zinc Plated
B2210ZN	CCR100EG	Conduit Strut Clamp Rigid 1
B2210ZN1	CCU100EG	Conduit Strut Clamp Universal 1", Zinc Plated
B2211	CCU125EG	Conduit Strut Clamp Universal 1-1/4", Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
B2211PA1-1/4	CCU125EG	Conduit Strut Clamp Universal 1-1/4", Zinc Plated
B2211PAZN	CCU125EG	Conduit Strut Clamp Universal 1-1/4", Zinc Plated
B2211PAZN11/4	CCU125EG	Conduit Strut Clamp Universal 1-1/4", Zinc Plated
B2211ZN	CCR125EG	Conduit Strut Clamp Rigid 1 1/4
B2212	CCU150EG	Conduit Strut Clamp Universal 1-1/2", Zinc Plated
B2212PA1-1/2	CCU150EG	Conduit Strut Clamp Universal 1-1/2", Zinc Plated
B2212PAZN	CCU150EG	Conduit Strut Clamp Universal 1-1/2", Zinc Plated
B2212PAZN11/2	CCU150EG	Conduit Strut Clamp Universal 1-1/2", Zinc Plated
B2212ZN	CCR150EG	Conduit Strut Clamp Rigid 1-1/2
B2213	CCU200EG	Conduit Strut Clamp Universal 2", Zinc Plated
B2213PA2	CCU200EG	Conduit Strut Clamp Universal 2", Zinc Plated
B2213PAZN	CCU200EG	Conduit Strut Clamp Universal 2", Zinc Plated
B2213PAZN2	CCR200EG	Conduit Strut Clamp Rigid 2
B2213ZN	CCR200EG	Conduit Strut Clamp Rigid 2
B223	EC16214GAEG	End Cap 15/8 Channel 14 Ga, Zinc Plated
B230	CA2HEG	2 Hole Corner Angle, Zinc Plated
B23012ZN	130	1/2" Jiffy Clip, One Hole Strap, 1/2" EMT Conduit & Ser Cable 6 & 4, Pre-Galvanized
B2302-1	160	1"RMC Jiffy Clip, One Hole Strap, 1" Rigid/RMC Conduit & Ser 4/0, Zinc Plated
B2302-1-1/2	MED80	1-1/2" Rigid/RMC Conduit,Jiffy Clip, Medium Duty, One Hole Strap, Zinc Plated
B2302-2	MED90	2" Rigid/RMC Conduit,Jiffy Clip, Medium Duty, One Hole Strap, Zinc Plated
B2302-3/4	150	3/4"RMC Jiffy Clip, One Hole Strap, 3/4" Rigid/RMC Conduit, Ser 2/0 & 1" Tubing, Pre-Galvanized





B-Line Cross Reference

Competitor	Minerallac	Description
B230ZN	CA2HEG	2 Hole Corner Angle, Zinc Plated
B231	CANT2HEG	2 Hole No Twist Corner Angle, EG
B231ZN	CANT2HEG	2 Hole No Twist Corner Angle, EG
B232	CA3HEG	3 Hole Corner Angle
B238L	CAOFF4HLEG	4 Hole Offset Bent Tee (Left Hand), Zinc Plated
B238R	CAOFF4HREG	4 Hole Offset Bent Tee (Right Hand), Zinc Plated
B24001	HD260	1" Rigid/RMC Conduit, Heavy Duty, Two Hole Strap, Zinc Plated
B24002	HD290	2" Rigid/RMC Conduit, Heavy Duty, Two Hole Strap, Zinc Plated
B24003	HD294	3" EMT & Rigid/RMC Conduit, Heavy Duty, Two Hole Strap, Zinc Plated
B2400312	HD295	3-1/2" EMT & Rigid/RMC Conduit, Heavy Duty, Two Hole Strap, Zinc Plated
B248	CAO4H45EG	4 Hole Open 45 Degree Corner Angle, Zinc Plated
B248PLTD	CAO4H45EG	4 Hole Open 45 Degree Corner Angle, Zinc Plated
B248ZN	CAO4H45EG	4 Hole Open 45 Degree Corner Angle, Zinc Plated
B261-12	AB12EG	12" Angle Brace, Zinc Plated
B261-16	AB16EG	16" Angle Brace, Zinc Plated
B261-18	AB18EG	18" Angle Brace, Zinc Plated
B26118ZN	AB18EG	18" Angle Brace, Zinc Plated
B266	UFXD6H162EG	Ufitting Cross 6 Hole Double Channel 1-5/8, Zinc Plated
B267L	WFS2HLEG	Wing Fitting Single Corner 2 Hole Left, Zinc Plated
B267R	WFS2HREG	Wing Fitting Single Corner 2 Hole Right, Zinc Plated
B269L	WFS4HLEG	Wing Fitting Single Corner 4 Hole Left, Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
B269R	WFS4HREG	Wing Fitting Single Corner 4 Hole Right, Zinc Plated
B271	WFO5HEG	Wing Fitting Corner Connector 5 Hole Opposed, Zinc Plated
B272	WFO8HEG	Wing Fitting Corner Connector 8 Hole Opposed, Zinc Plated
B274L	WFSG6HLEG	Wing Fitting Single Corner 6 Hole Left, Zinc Plated
B274R	WFSG6HREG	Wing Fitting Single Corner 6 Hole Right, Zinc Plated
B278	PBSG4H350SQ EG	Post Base Single Channel, Gusset 4 Hole Square 3-1/2, Zinc Plated
B278ZN	PBSG4H350SQ EG	Post Base Single Channel, Gusset 4 Hole Square 3-1/2, Zinc Plated
B279	PBS4H162EG	Post Base Single Channel 4 Hole Standard 1-5/8, Zinc Plated
B279SQ	PBS4H162SQUE G	Post Base Single Channel, 4 Hole Square 1-5/8, Zinc Plated
B280FL	PBS2H350FLEG	Post Base Single Channel 2 Hole Flush 3-1/2, Zinc Plated
B280FLPLTD	PBS2H350FLEG	Post Base Single Channel 2 Hole Flush 3-1/2, Zinc Plated
B280FLZN	PBS2H350SQFL EG	Post Base Single Channel 2 Hole Square Flush 3-1/2, Zinc Plated
B280SQ	PBS4H350SQUE G	Post Base Single Channel, 4 Hole Square 3-1/2, Zinc Plated
B280SQPLTD	PBS4H350SQUE G	Post Base Single Channel, 4 Hole Square 3-1/2, Zinc Plated
B280SQZN	PBS4H350SQUE G	Post Base Single Channel, 4 Hole Square 3-1/2, Zinc Plated
B280ZN	PBS4H350EG	Post Base Single Channel, 4 Hole Standard 3-1/2, Zinc Plated
B281	PBS4H350EG	Post Base Single Channel, 4 Hole Standard 3-1/2, Zinc Plated
B281A	PBD4H162EG	Post Base Double Channel 4 Hole Standard 1-5/8, Zinc Plated
B281AFL	PBD2H162FLEG	Post Base Double Channel 2 Hole 1-5/8 Flush, Zinc Plated
B281ASQ	PBD4H162SQUE G	Post Base Double Channel 4 Hole Square 1-5/8, Zinc Plated
B281FL	PBD2H350FLEG	Post Base Double Channel 2 Hole 3-1/2 Flush, Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
B281SQ	PBD4H350SQE G	Post Base Double Channel 4 Hole Square 3-1/2, Zinc Plated
B281SQPLTD	PBD4H350SQE G	Post Base Double Channel 4 Hole Square 3-1/2, Zinc Plated
B289-12-ZN	BR6H1250EG	Bracket 6 Hole 12-1/2"Zinc Plated
B290	BRB6H1650EG	Bracket With Brace 6 Hole 16-1/2"Zinc Plated
B291	BRB6H1850EG	Bracket With Brace 6 Hole 18-1/2"Zinc Plated
B291ZN	BRB6H1850EG	Bracket With Brace 6 Hole 18-1/2"Zinc Plated
B292	BRB6H2050EG	Bracket With Brace 6 Hole 20-1/2"Zinc Plated
B293-12	BRC162NU12EG	Bracket 1-5/8 Channel Notched Up 12" Zinc Plated
B293-18	BRC162NU18EG	Bracket 1-5/8 Channel Notched Up 18" Zinc Plated
B293-24	BRC162NU24EG	Bracket 1-5/8 Channel Notched Up 24" Zinc Plated
B293-6	BRC162NU6EG	Bracket 1-5/8 Channel Notched Up 6" Zinc Plated
B293A-12	BRC162ND12EG	Bracket 1-5/8 Channel Notched Down 12" Zinc Plated
B293A-18	BRC162ND18EG	Bracket 1-5/8 Channel Notched Down 18" Zinc Plated
B293A-24	BRC162ND24EG	Bracket 1-5/8 Channel Notched Down 24" Zinc Plated
B293A-6	BRC162ND6EG	Bracket 1-5/8 Channel Notched Down 6" Zinc Plated
B294-36	BRC162D36EG	Bracket 1-5/8 Channel Double 36"Zinc Plated
B297-12	BRC162D12EG	Bracket 1-5/8 Channel Double 12"Zinc Plated
B297-18	BRC162D18EG	Bracket 1-5/8 Channel Double 18"Zinc Plated
B297-24	BRC162D24EG	Bracket 1-5/8 Channel Double 24"Zinc Plated
B297-30	BRC162D30EG	Bracket 1-5/8 Channel Double 30"Zinc Plated
B29724PLTD	BRC162D24EG	Bracket 1-5/8 Channel Double 24"Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
B3033	702	3/8-16 Beam Clamp (Malleable Iron), Up To 3/4" Flange, 3/8"-16 Tapped Holes Bottom and Back Of Beam Clamp, Malleable Iron
B3033-1/2	BCUM50PL	Beam Clamp Universal Malleable Iron 5/8" Flange 1/2" Rod, Plain
B3033-3/4	BCUM75PL	Beam Clamp Universal Malleable Iron 5/8" Flange 3/4" Rod, Plain
B3033-3/8	BCUM37PL	Beam Clamp Universal Malleable Iron 5/8" Flange 3/8" Rod, Plain
B3033-5/8	BCUM62PL	Beam Clamp Universal Malleable Iron 5/8" Flange 5/8" Rod, Plain
B30331/2	BCUM50EG	Beam Clamp Universal Malleable Iron 5/8" Flange 1/2" Rod, Zinc Plated
B30333/8	BCUM37EG	Beam Clamp Universal Malleable Iron 5/8" Flange 3/8" Rod, Zinc Plated
B30335/8	BCUMW62EG	Beam Clamp Universal Malleable Iron Wide Mouth 11/6" Flange 5/8" Rod, Zinc Plated
B3034-3/8ZN	702	3/8-16 Beam Clamp (Malleable Iron), Up To 3/4" Flange, 3/8"-16 Tapped Holes Bottom and Back Of Beam Clamp, Malleable Iron
B306	BC3787EG	Beam Clamp 3/8" Rod 7/8" Flange
B314	BCSW	Beam Clamp to Strut Window Type, Zinc Plated
B314ZN	BCSW	Beam Clamp to Strut Window Type, Zinc Plated
B333-1	UFX1H2S750EG	Ufitting Cross 1 Hole 2 Slot 1-5/8 x 7-1/4, Zinc Plated
B333-2	UFX1H2S850EG	Ufitting Cross 1 Hole 2 Slot 1-5/8 x 8-1/2, Zinc Plated
B333-3	UFX1H2S1050EG	Ufitting Cross 1 Hole 2 Slot 1-5/8 x 10-1/2, Zinc Plated
B334	XGP7HEG	7 Hole Cross Gusset Plate, Zinc Plated
B335	CAA4HEG	4 Hole Adjustable Corner Angle, Zinc Plated
B335 2-1/2	CAA3H50EG	L65 - 3 Hole Adjustable Corner Angle, Zinc Plated
B3351	CAA2HEG	2 Hole Adjustable Corner Angle
B335212ZN	CAA3H50EG	L65 - 3 Hole Adjustable Corner Angle, Zinc Plated
B335ZN	CAA3H50EG	L65 - 3 Hole Adjustable Corner Angle, Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
B340	SPP2HEG	2 Hole Splice Plate Parallel, Zinc Plated
B341	SP4HEG	4 Hole Splice Plate, Zinc Plated
B341PLTD	SP4HEG	4 Hole Splice Plate, Zinc Plated
B341ZN	SP4HEG	4 Hole Splice Plate, Zinc Plated
B342	SP5HEG	5 Hole Splice Plate, Zinc Plated
B342ZN	SP5HEG	5 Hole Splice Plate, Zinc Plated
B349	UFTS3HEG	Ufitting Trolley Support 3 Hole, Zinc Plated
B350	UFTS3HHDEG	Ufitting Trolley Support 3 Hole Heavy Duty, Zinc Plated
B355	BCSNTEG	Beam Clamp to Strut Notched Type, Zinc Plated
B355ZN	BCSNTEG	Beam Clamp to Strut Notched Type, Zinc Plated
B357	CAOFF4HEG	4 Hole Offset Corner Angle, Zinc Plated
B358-4	UFC2H4EG	Ufitting Clevis 2 Hole 4", Zinc Plated
B358-5	UFC2H5EG	Ufitting Clevis 2 Hole 5", Zinc Plated
B358-6	UFC2H6EG	Ufitting Clevis 2 Hole 6", Zinc Plated
B358-7	UFC2H7EG	Ufitting Clevis 2 Hole 7", Zinc Plated
B358-8	UFC2H8EG	Ufitting Clevis 2 Hole 8", Zinc Plated
B359	CA2H3LEG	2 Hole 3" Corner Angle, Zinc Plated
B360	CA2H350LEG	2 Hole 3 1/2" Corner Angle, Zinc Plated
B361	CA2H4LEG	2 Hole 4" Corner Angle, Zinc Plated
B362	WFDDG8HEG	Wing Fitting Double Corner 8 Hole Double Gusset, Zinc Plated
B368	CAC4H45EG	4 Hole Closed 45 Degree Corner Angle, Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
B370	BRC325EG	Bracket 3-1/4 Channel, Zinc Plated
B371-2	CAA3H262EG	L43 - 3 Hole Adjustable Corner Angle, Zinc Plated
B372	CAA2H262EG	2 Hole 25/8" Adjustable Corner Angle, Zinc Plated
B379	PRHD616EG	Pipe Roller Hd 6In-16In Pipe
B381	BRL0237EG	Ladder Bracket 2-3/8 Deep, Zinc Plated
B382	BRL0437EG	Ladder Bracket 4-3/8 Deep, Zinc Plated
B383	BRL0637EG	Ladder Bracket 6-3/8 Deep, Zinc Plated
B384	BRL0837EG	Ladder Bracket 8-3/8 Deep, Zinc Plated
B398-1	UFC4HEG	Ufitting 4 Hole Cup Support, Zinc Plated
B407-4R	FZS2H4EG	Z Fitting 2 Hole Support 4", Zinc Plated
B407-5R	FZS2H5EG	Z Fitting 2 Hole Support 5", Zinc Plated
B407-6	FZS2H6EG	Z Fitting 2 Hole Support 6", Zinc Plated
B407-7	FZS2H7EG	Z Fitting 2 Hole Support 7", Zinc Plated
B407-8	FZS2H8EG	Z Fitting 2 Hole Support 8", Zinc Plated
B409-12	BRC16212EG	Bracket 7-5/8 Channel 12"Zinc Plated
B409-18	BRC16218EG	Bracket 5-5/8 Channel 18"Zinc Plated
B409-24	BRC16224EG	Bracket 3-5/8 Channel 24"Zinc Plated
B409-6	BRC1626EG	Bracket 1-5/8 Channel 6"Zinc Plated
B409-9ZN	BRC1629EG	Bracket 1-5/8 Channel 9"Zinc Plated
B409-9ZN	BRC1629EG	Bracket 1-5/8 Channel 9"Zinc Plated
B410-11	FZCH325EG	Z Fitting Channel Hanger 3-1/4





B-Line Cross Reference

Competitor	Minerallac	Description
B410-12	FZCH243EG	Z Fitting Channel Hanger 2-7/16
B410-22	FZCH162EG	Z Fitting Channel Hanger 1-5/8
B420-378	CA1H387EG	1 Hole 37/8" Corner Angle, Zinc Plated
B420-578	CA1H587EG	1 Hole 57/8" Corner Angle, Zinc Plated
B420-778	CA1H787EG	1 Hole 77/8" Corner Angle, Zinc Plated
B420-978	CA1H987EG	1 Hole 97/8" Corner Angle, Zinc Plated
B422-1	RAC100HDG	Right Angle Clamp 1, Hot dipped Galvanized
B422-1 1/2	RAC150HDG	Right Angle Clamp 1-1/2, Hot dipped Galvanized
B422-1 1/4	RAC125HDG	Right Angle Clamp 1-1/4, Hot dipped Galvanized
B422-1/2	RAC050HDG	Right Angle Clamp 1/2, Hot dipped Galvanized
B422-2	RAC200HDG	Right Angle Clamp 2, Hot dipped Galvanized
B422-2 1/2	RAC250HDG	Right Angle Clamp 2-1/2, Hot dipped Galvanized
B422-3	RAC300HDG	Right Angle Clamp 3, Hot dipped Galvanized
B422-3 1/2	RAC350HDG	Right Angle Clamp 3-1/2, Hot dipped Galvanized
B422-3/4	RAC075HDG	Right Angle Clamp 3/4, Hot dipped Galvanized
B422-4	RAC400HDG	Right Angle Clamp 4, Hot dipped Galvanized
B425	UFX8H162EG	Ufitting Cross 8 Hole 1-5/8, Zinc Plated
B427	BCSCP37250EG	Beam Clamp to Strut Ctype Parallel 1-1/2" Flange, Zinc Plated
B428	FZB8HEG	Z Fitting Corner Brace 8 Hole, Zinc Plated
B436S	FSD	Fixture Stud Nut
B441-22	BCSU162EG	Beam Clamp To Strut With Ubolt For 13/16" and 1-5/8" Channel, Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
B441-22A	BCSU325EG	Beam Clamp to Strut With Ubolt For 27/16" and 3-1/4" Channel, Zinc Plated
B441-22AZN	BCSU325EG	Beam Clamp to Strut With Ubolt For 27/16" and 3-1/4" Channel, Zinc Plated
B441-22ZN	BCSU162EG	Beam Clamp To Strut With Ubolt For 13/16" and 1-5/8" Channel, Zinc Plated
B44122ZN	BCSU162EG	Beam Clamp To Strut With Ubolt For 13/16" and 1-5/8" Channel, Zinc Plated
B444-1/4	700	1/4" Beam Clamp (Malleable Iron), Up to 5/8" Flange, 1/4"-20 Tapped Holes Bottom and Back Of Beam Clamp, Malleable Iron
B444-3/8	702	3/8-16 Beam Clamp (Malleable Iron), Up To 3/4" Flange, 3/8"-16 Tapped Holes Bottom and Back Of Beam Clamp, Malleable Iron
B444-5/16	701	5/16-18" Beam Clamp (Malleable Iron), Up to 3/4" Flange, 5/16"-18 Tapped Holes Bottom and Back Of Beam Clamp, Malleable Iron
B4441/4	700	1/4" Beam Clamp (Malleable Iron), Up to 5/8" Flange, 1/4"-20 Tapped Holes Bottom and Back Of Beam Clamp, Malleable Iron
B4441/4ZN	700	1/4" Beam Clamp (Malleable Iron), Up to 5/8" Flange, 1/4"-20 Tapped Holes Bottom and Back Of Beam Clamp, Malleable Iron
B4443/8ZN	702	3/8-16 Beam Clamp (Malleable Iron), Up To 3/4" Flange, 3/8"-16 Tapped Holes Bottom and Back Of Beam Clamp, Malleable Iron
B4461/2	SWMF050EG	Swivel Malefemale 1/2"-13, Zinc Plated
B4463/8	SWMF037EG	Swivel Malefemale 3/8"-16, Zinc Plated
B446A1/2	SWF050EG	Swivel Female 1/2"-13, Zinc Plated
B446A3/8	SWF037EG	Swivel Female 3/8"-16, Zinc Plated
B446B1/2	SWM050EG	Swivel Male 1/2"-13, Zinc Plated
B446B3/8	SWM037EG	Swivel Male 3/8"-16, Zinc Plated
B446C1/2	SWFF050EG	Swivel Female Female 1/2"-13, Zinc Plated
B446C3/8	SWFF037EG	Swivel Female Female 3/8"-16, Zinc Plated
B447	CPC50EG	Conduit Connection Plate With Hardware 1/2, Zinc Plated
B447A	CPC75EG	Conduit Connection Plate With Hardware 3/4, Zinc Plated
B450-3/8ZN	UW37EG	Ushaped Washer 3/8, Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
B461	CAAG2HEG	2 Hole Adjustable Gusset Corner Angle, Zinc Plated
B477ZN	RT2BAEG	Roller Trolley 2 Bearing Assembly, Zinc Plated
B479	PRHD1624EG	Pipe Roller Hd 16In-24In Pipe
B494-12ZN	BRC162B12EG	Bracket 1-5/8 Channel With Brace 12"Zinc Plated
B49418	BRC162B18EG	Bracket 1-5/8 Channel With Brace 18"Zinc Plated
B49424	BRC162B24EG	Bracket 2-5/4 Channel With Brace 24"Zinc Plated
B495	WFODG10HEG	Wing Fitting Corner Connector 10 Hole Opposed Double Gusset, Zinc Plated
B496	CAA2H687EG	2 Hole 67/8" Adjustable Corner Angle, Zinc Plated
B496-1	CAA2H487EG	2 Hole 47/8" Adjustable Corner Angle, Zinc Plated
B504	SPP4HEG	4 Hole Splice Plate Parallel, Zinc Plated
B515	FZSSEG	Z Fitting Slotted Support, Zinc Plated
B516S	OBBD	Outlet Box Bolt Down With Hardware
B526	FZSO2HEG	Z Fitting Offset 2 Hole Support, Zinc Plated
B533	CAGX5HEG	5 Hole Cross Gusset Corner Angle, Zinc Plated
B541	BR3H1050EG	Bracket 3 Hole 10-1/2"Zinc Plated
B556	CGP5HEG	5 Hole Corner Gusset Plate, Zinc Plated
B556ZN	CGP5HEG	5 Hole Corner Gusset Plate, Zinc Plated
B588	UFX3H487EG	Ufitting Cross 3 Hole 4-7/8, Zinc Plated
B613	BCSSCHDEG	Beam To Strut Spreader Caps Heavy Duty, Zinc Plated
B614	BCSSCEG	Beam To Strut Spreader Caps, ZP
B616-22A7/8	FH32587EG	Hinged Flouresent Fixture Hanger 31/4 Channel 7/8 Hole





B-Line Cross Reference

Competitor	Minerallac	Description
B655	59608	1/2"-13 Rod Coupling, Hex, Zinc Plated
B655-1/4	59604J	1/4"-20 Rod Coupling, Hex, Zinc Plated
B655-3/8	59606	3/8"-16 Rod Coupling, Hex, Zinc Plated
B655-3/8ZN	59606J	3/8"-16 Rod Coupling, Hex, Zinc Plated
B6551/2	59608	1/2"-13 Rod Coupling, Hex, Zinc Plated
B718-4	JBU1EG	Junction Box Universal With 1 Connector, Zinc Plated
B766-22	SJI162EG	Inside Strut Joiner 1-5/8 Channel, Zinc Plated
B822	ECP162R	End Cap For 1-5/8 x 1-5/8 Channel Red
B822A	ECP325W	End Cap For 1-5/8 x 3-1/4 Channel White
B822GRY	ECP325W	End Cap For 1-5/8 x 3-1/4 Channel White
B822W	ECP162W	End Cap For 1-5/8 x 1-5/8 Channel White
B844	CAUG7HEG	7 Hole Universal Gusset Corner Angle, Zinc Plated
B852	ECP81W	End Cap For 1-5/8 x 13/16 Channel White
B852GRY	ECP81W	End Cap For 1-5/8 x 13/16 Channel White
BA1	DWC1	1" T-Bar Drop Wire Clip, 1/4"-20 x 5/8" Stud With Wing Nut Washer, Pre-Galvanized
BA12	TBAR	24" Electrical Box To T-Bar Assembly, Dual Height 3/4" For Flush Or Offset Mount, Includes Box Mounting Clip and Screw, Pre-Galvanized/Spring Steel
BA13	TBARA	24" Electrical Box To T-Bar Assembly, 8" Adjustable Height, Includes Box Mounting Clip and Screw, Zinc Plated/Spring Steel
BA13-41/4	TBARA	24" Electrical Box To T-Bar Assembly, 8" Adjustable Height, Includes Box Mounting Clip and Screw, Zinc Plated/Spring Steel
BA15	FT	T-Bar Clip, Positive Support For Troffers And Lay-In Fixtures, Round And Rectangular T-Bar, Spring Steel
BA20	LSBAR	24" Lighting Support Assembly, Lightoiler 5 and Calculite Series Fixtures, Includes T-Bar Clip and Screw, Pre-Galvanized/Spring Steel
BA311	EDWC	Electrical Drop Wire/Rod Securing Clip, Wire Size: #13 To #8, Spring Steel, Yellow





B-Line Cross Reference

Competitor	Minerallac	Description
BA311W4	EDWCAPS	Electrical Drop Wire/Rod Securing Clip, Wire Size: #13 to #8, Spring Steel
BA311W6	EDWCAPS	Electrical Drop Wire/Rod Securing Clip, Wire Size: #13 to #8, Spring Steel
BA416	SCT3	Twist On T-Bar Hanger, 1" T-Bar, 1/4"-20 x 5/8" Stud With Wing Nut Washer, Spring Steel
BA4WN	14WNW	1/4"-20 Wing Nut Washer, Zinc Plated
BA50	TBARHD	Hd Box Bracket For 24 In. T-Bar Grid, For Use With 1-1/2 In. Or 2-1/8 In. Electrical Box, Spring Steel.
BA500B24	FBST1624	Telescoping 1-1/2" Octagon Elec. Box Mounting Bracket, Stud Spacing 15-1/2 to 26 in.,
BA50A	TBARA	24" Electrical Box To T-Bar Assembly, 8" Adjustable Height, Includes Box Mounting Clip and Screw, Zinc Plated/Spring Steel
BA50D	TBARHD	Hd Box Bracket For 24 In. T-Bar Grid, For Use With 1-1/2 In. Or 2-1/8 In. Electrical Box, Spring Steel.
BA50E	TBARHDXT	3-5/8" Extension For Hd T-Bar Box Bracket (TBARHD), Provides 3-5/8 In. Spacing For 2-1/8 In. Box With 1-1/2 In. Extension Ring, PG
BA50OB24	FBST1624	Telescoping 1-1/2" Octagon Elec. Box Mounting Bracket, Stud Spacing 15-1/2 to 26 in.,
BA54T	TST	T-Bar Clip (Side Mount) with 1/4"-20 Thread Impression, SP
BA64T	TBT	Right Angle (Top Mount) T-Bar Clip With 1/4"-20 Thread Impression, Spring Steel
BAJ	95150	1/2"-1" Ground Clamps, Zinc Plated Die Cast, Copper and Aluminum Wire #2, 4, 6, 8 and 10 Awg Copper
BAJ2	95156	1-1/4"-2" Ground Clamps, Brass, For Bare Wire #2, 4, 6, 8 and 10 Awg Copper
BAJ2124	95158	2-1/2"-4" Ground Clamps, Brass, For Bare Wire #2, 4, 6, 8 and 10 Awg Copper
BAX416	SCX1W	1" T-Bar, 1/4"-20 x 5/8" Stud With Wing Nut Washer, Scissor Clip T-Bar Hanger, Zinc Plated
BAX41632	SCX1XL	1" T-Bar, 1/4"-20 x 2" Stud With Wing Nut Washer, Scissor Clip T-Bar Hanger, Zinc Plated
BB1	SS	Electrical Box To Stud Fastener, Screw On Stud Support With 5/32" (#8 Screw) Mounting Holes (3), Spring Steel
BB10	WB1	Low Voltage Mounting Bracket (Class 2 wiring), Mounts Standard Low Voltage Wall Plates without Electrical Box, Includes 1-5/8" Dry Wall Screws, Pre-Ga
BB10L	WBF1	Low Voltage Mounting Bracket, Mounts Standard Low Voltage Wall Plates Without Electrical Box, Includes 1-5/8" Screws, Pre-Galvanized
BB10P	WBF1P	Non-Metallic Single Gang Low Voltage Mounting Bracket, Mounts Standard Low Voltage (Class 2) Wall Plates without Electrical Box, Plastic





B-Line Cross Reference

Competitor	Minerallac	Description
BB15	WB1S	Single Gang Low Voltage Mounting Bracket (Class 2 wiring), Mounts Standard Low Voltage Wall Plates without Electrical Box, New Construction, Pre-Galva
BB18	BS18	12, 16 and 18" Lengths, Floor Channel Electrical Box Mounting Bracket, Break-Away Feature, Pre-Galvanized
BB20	WB2	Double Gang Low Voltage Mounting Bracket (Class 2 wiring), Mounts Standard Low Voltage Wall Plates without Electrical Box, Pre-Galvanized
BB20L	WBF2	Double Gang Low Voltage Mounting Bracket, Mounts Standard Low Voltage Wall Plates without Electrical Box, Includes 1-5/8" Dry Wall Screws, Pre-Galv
BB216	BMB16	16" Electrical Box Mounting Bracket, Mounts 1 1/2" Electrical Box to Studs 16" On Center, Pre-Galvanized
BB216D	BMB16D	16" Electrical Box Mounting Bracket, Mounts 2 1/2" Electrical Box To Studs 16" On Center, PG
BB216T	BMB16T	Telescoping 11-18" Box Mounting Bracket, For 1-1/2" Or 2-1/8" Deep Electrical Box, PG
BB216TS	BMBTSLDR	Box Bracket Slider for Minerallac BMB...T Series only, designed to be used with BMB16T, BMB1624T & BMB24T, allows box to slide into final position after
BB224	BMB24	24" Electrical Box Mounting Bracket, Mounts 1 1/2" Electrical Box To Studs 24" On Center, PG
BB224D	BMB24D	24" Electrical Box Mounting Bracket, Mounts 2-1/2" Electrical Box To Studs 24" On Center, PG
BB224T	BMB24T	Telescoping 17-26" Box Mounting Bracket, For 1-1/2" Or 2-1/8" Deep Electrical Box, PG
BB224TS	BMBTSLDR	Box Bracket Slider for Minerallac BMB...T Series only, designed to be used with BMB16T, BMB1624T & BMB24T, allows box to slide into final position after
BB25	WB2S	Double Gang Low Voltage Mounting Bracket (Class 2 wiring), Mounts Standard Low Voltage Wall Plates without Electrical Box, New Construction, Pre-Galva
BB27	BBC	Electrical Box To Bar Mounting Clip, Use With Bar, Rbar & Tbar, Includes 1/4-20 X 3/8" Screw, Spring Steel
BB2TSC	BMBTSLDR	Box Bracket Slider for Minerallac BMB...T Series only, designed to be used with BMB16T, BMB1624T & BMB24T, allows box to slide into final position after
BB32	OR	Outlet Retainer, Retains Standard Outlets In Oversize Openings, Pre-Galvanized
BB33	BST	Box Mount, Box Supported By Drywall, Break- Apart Design, Screwless, Pre-Galvanized
BB33L	BST	Box Mount, Box Supported By Drywall, Break- Apart Design, Screwless, Pre-Galvanized
BB33LZNPLT	BST	Box Mount, Box Supported By Drywall, Break- Apart Design, Screwless, Pre-Galvanized
BB38	CS1234	1/2-3/4" EMT & Mc/AC Cable Support For 1-1/2" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, SP
BB38D	CS121D	1/2-1" EMT & 14-2 to 12-3 MC/AC Cable Support for 2-1/8" Deep Electrical Box, Screw on to Wood or Metal Studs, Aligns conduit to standard box knockout





B-Line Cross Reference

Competitor	Minerallac	Description
BB3L	BST	Box Mount, Box Supported By Drywall, Break- Apart Design, Screwless, Pre-Galvanized
BB423	FBO23	Electrical Box Mounting Bracket, Box Support For 2-1/2 and 3-1/2" Wood Or Metal Studs, Pre-Galvanized
BB423208	WB2S	Double Gang Low Voltage Mounting Bracket (Class 2 wiring), Mounts Standard Low Voltage Wall Plates without Electrical Box, New Construction, Pre-Galva
BB423D	FBO23HD	Heavy Duty Electrical Box Mounting Bracket, For 2-1/2 and 3-1/2" Wood Or Metal Studs, 4" Or 4-11/16" Electrical Box, Pre-Galvanized
BB44	FBO234	Electrical Box Mounting Bracket, Box Support For 2-1/2, 3-1/2 and 4" Wood Or Metal Studs, Pre-Galvanized
BB46	FBO6	Electrical Box Mounting Bracket, Box Support For 6" Wood Or Metal Studs, Pre-Galvanized
BB510	SB58	Switch Box 2 Stud Support Clip, Box To Stud Support Offset For 5/8" Drywall, Spring Steel
BB6	S1900	Electrical Box To Metal Stud Support, Hammer On, Spring Steel
BB6A	SBC	Electrical Box To Metal Stud Support, Hammer On Stud Clip, Assembly Adjustable For 1/4-3/4" Drywall, Spring Steel
BB7	SBS	Adjustable Far Side Box Stabilizer, 2-1/2-4" Studs, Pre-Galvanized
BB716	BMBT16244SL	Telescoping Box Slider Wall Mounting Bracket for Wood or Metal Studs 16-24" on Center, Allows 4" or 4-11/16" Electrical Box to Slide into Position bet
BB724	BMBT16244SL	Telescoping Box Slider Wall Mounting Bracket for Wood or Metal Studs 16-24" on Center, Allows 4" or 4-11/16" Electrical Box to Slide into Position bet
BB73	FBO23DS	Double Sided Electrical Box Mounting Bracket, Mounts To Either Side Of 2-1/2 & 3-1/2" Wood Or Metal Studs, 4" Or 4-11/16" Electrical Box, PG
BB74	FBO234DS	2-1/2, 3-1/2, & 4 Stud Double Sided Box Support PG
BB8-16	BMB164S3P	16 In. Multi Box Mounting Bracket (Between Studs), Mounts Up To Three 4" Or 4-11/16" Electrical Boxes, PG
BB816	BMB164S3P	16 In. Multi Box Mounting Bracket (Between Studs), Mounts Up To Three 4" Or 4-11/16" Electrical Boxes, PG
BB824	BMB244S4P	Electrical Box Mounting Bracket, 24 In. Bracket, Mounts Up To Four 4 In. Or 4 11/16 In. Boxes/Plaster Rings, PG
BB9	S1900	Electrical Box To Metal Stud Support, Hammer On, Spring Steel
BC1	500	Beam Clamp Up to 1/2" Flange, Pass Hole For 1/4" And 3/8" Threaded Rod, 1/4"-20 Bottom and Back, #10-24 Back, Spring Steel
BC442	600	1/4"Beam Clamp , Up to 1/2" Flange, 1/4"-20 Tapped Holes Bottom and Back Of Beam Clamp, Zinc Plated
BC442-6	602B	3/8"Beam Clamp, Up to 3/4" Flange, 3/8"-16 Tapped Holes Bottom and Back Of Beam Clamp, Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
BC4426	602B	3/8" Beam Clamp, Up to 3/4" Flange, 3/8"-16 Tapped Holes Bottom and Back Of Beam Clamp, Zinc Plated
BCH12	J75	3/4" J-Hook, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
BCH12-C1	J75500	3/4 J-Hook W/Beam Clamp, Spring Steel
BCH12-C2	J75B500	3/4 J-Hook W/Beam Clamp, Spring Steel
BCH12-C442	J75B600	3/4 J-Hook W/Univ Beam Clamp ZP
BCH12-C442A	J75600	3/4 J-Hook W/Univ Beam Clamp ZP
BCH12-F3	J75VBC	3/4 J-Hook W/ 1/4 Vertical Flange, Spring Steel
BCH12-F4	J75ABC	3/4 J-Hook W/ 1/4 Purlin, Spring Steel
BCH12-U-2-4	J200BBC18	2" J-Hook, Right Angle Bracket And Hammer On Beam Clamp 1/8-1/4" Flange, W/ Plastic Wire Retaining Clip, PG/SP
BCH12-W2	J75APS	3/4 J-Hook W/MultiFnctn Clp SP
BCH12-W6	J75APS	3/4 J-Hook W/MultiFnctn Clp SP
BCH12C1	J75500	3/4 J-Hook W/Beam Clamp, Spring Steel
BCH12C2	J75B500	3/4 J-Hook W/Beam Clamp, Spring Steel
BCH12C442	J75B600	3/4 J-Hook W/Univ Beam Clamp ZP
BCH12C442A	J75600	3/4 J-Hook W/Univ Beam Clamp ZP
BCH12E24	J75SFC18	3/4" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 1/8-1/4" Flange, Includes Steel Retaining Pin, Pre-Galvanized
BCH12E58	J75SFC516	3/4" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 5/16-1/2" Flange, Includes Steel Retaining Pin, Pre-Galvanize
BCH12E912	J75SFC916	3/4" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 5/16-1/2" Flange, Includes Steel Retaining Pin, Pre-Galvanize
BCH12F3	J75VBC	3/4 J-Hook W/ 1/4 Vertical Flange, Spring Steel
BCH12F4	J75ABC	3/4 J-Hook W/ 1/4 Purlin, Spring Steel
BCH12PLTD	J75	3/4" J-Hook, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized





B-Line Cross Reference

Competitor	Minerallac	Description
BCH12RB	J75B	3/4" J-Hook and Right Angle Bracket Assembly, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
BCH12U24	J75BBC18	3/4" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 1/8-1/4" Flange & Rotates 360° degrees, Includes Steel Retaining P
BCH12U58	J75BBC516	3/4" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 5/16-1/2" Flange & Rotates 360° degrees, Includes Steel Retaining
BCH12U912	J75BBC916	3/4" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 9/16-3/4" Flange & Rotates 360° degrees, Includes Steel Retaining
BCH12W2	J75APS	3/4 J-Hook W/MultiFnctn Clp SP
BCH12W6	J75APS	3/4 J-Hook W/MultiFnctn Clp SP
BCH21	J131	1-5/16" J-Hook, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
BCH21-C1	J131500	1-5/16 J-Hook W/Beam Clamp Spring Steel
BCH21-C2	J131B500	1-5/16 J-Hook W/Beam Clamp Spring Steel
BCH21-C442	J131B600	1-5/16 J-Hook W/Unv Beam Clamp Zinc
BCH21-C442A	J131600	1-5/16 J-Hook With Unv BeamClamp Zinc Plated
BCH21-F3	J131VBC	1-5/16 J-Hook W/1/4 Vertical Flange Hanger Spring Steel
BCH21-F4	J131ABC	1-5/16 J-Hook W/1/4 Purlin Spring Steel
BCH21-W2	J131APS	1-5/16 J-Hook W/Multi-Function Clip
BCH21-W6	J131APS	1-5/16 J-Hook W/Multi-Function Clip
BCH21C1	J131500	1-5/16 J-Hook W/Beam Clamp Spring Steel
BCH21C2	J131B500	1-5/16 J-Hook W/Beam Clamp Spring Steel
BCH21C442	J131B600	1-5/16 J-Hook W/Unv Beam Clamp Zinc
BCH21C442A	J131600	1-5/16 J-Hook With Unv BeamClamp Zinc Plated
BCH21E24	J131SFC18	1-5/16" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 1/8-1/4" Flange, Includes Steel Retaining Pin, Pre-Galvani
BCH21E58	J131SFC516	1-5/16" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 5/16-1/2" Flange, Includes Steel Retaining Pin, Pre-Galvan





B-Line Cross Reference

Competitor	Minerallac	Description
BCH21E912	J131SFC916	1-5/16" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 9/16-3/4" Flange, Includes Steel Retaining Pin, Pre-Galvan
BCH21F3	J131VBC	1-5/16 J-Hook W/1/4 Vertical Flange Hanger Spring Steel
BCH21F4	J131ABC	1-5/16 J-Hook W/1/4 Purlin Spring Steel
BCH21RB	J131B	1-5/16" J-Hook and Right Angle Bracket Assembly, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
BCH21U24	J131BBC18	1-5/16" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 1/8-1/4" Flange & Rotates 360° degrees, Includes Steel Retaini
BCH21U58	J131BBC516	1-5/16" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 1/8-1/4" Flange & Rotates 360° degrees, Includes Steel Retaini
BCH21U912	J131BBC916	1-5/16" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 9/16-3/4" Flange & Rotates 360° degrees, Includes Steel Retain
BCH21W2	J131APS	1-5/16 J-Hook W/Multi-Function Clip
BCH21W6	J131APS	1-5/16 J-Hook W/Multi-Function Clip
BCH32	J200	2" J-Hook, 1/4" Mounting Hole, Includes Plastic Wire Retaining Clip, PG
BCH32C1	J200500	2" J-Hook, Beam Clamp , Beam Clamp Up To 1/2" Flange, Includes Plastic Wire Retaining Clip, PG/Spring Steel
BCH32C2	J200B500	2" J-Hook, Right Angle Bracket, Beam Clamp Up To 1/2" Flange, W/ Plastic Wire Retaining Clip, PG/Spring Steel
BCH32C442	J200B600	2" J-Hook, Right Angle Bracket, Beam Clamp Up To 1/2" Flange, W/ Plastic Wire Retaining Clip, PG/ZP
BCH32C442A	J200600	2" J-Hook, Beam Clamp , Beam Clamp Up To 1/2" Flange, Includes Plastic Wire Retaining Clip, Pre-Galvanized/Zinc Plated
BCH32E24	J200SFC18	2" J-Hook And Hammer On Side Mount Flange Clamp 1/8-1/4" Flange, W/ Plastic Wire Retaining Clip, PG/SP
BCH32E58	J200SFC516	2" J-Hook And Hammer On Side Mount Flange Clamp 5/16-1/2" Flange, W/ Plastic Wire Retaining Clip, PG/SP
BCH32E912	J200SFC916	2" J-Hook And Hammer On Side Mount Flange Clamp 9/16-3/4" Flange, W/ Plastic Wire Retaining Clip, PG/SP
BCH32F3	J200VBC25	2" J-Hook And Hammer On Vertical Flange Hanger 1/16-1/4" Flange, W/ Plastic Wire Retaining Clip, PG/SP
BCH32F4	J200ABC25	2" J-Hook, Hammer On, Z Purlin Hanger 1/16-1/4" Flange, Includes Plastic Wire Retaining Clip, PG/Spring Steel
BCH32RB	J200B	2" J-Hook, 1/4" Mounting Hole, W/ Plastic Wire Retaining Clip, PG
BCH32U24	J200BBC18	2" J-Hook, Right Angle Bracket And Hammer On Beam Clamp 1/8-1/4" Flange, W/ Plastic Wire Retaining Clip, PG/SP





B-Line Cross Reference

Competitor	Minerallac	Description
BCH32U58	J200BBC516	2" J-Hook, Right Angle Bracket And Hammer On Beam Clamp 5/16-1/2" Flange, W/ Plastic Wire Retaining Clip, PG/SP
BCH32U912	J200BBC916	2" J-Hook, Right Angle Bracket And Hammer On Beam Clamp 9/16-3/4" Flange, W/ Plastic Wire Retaining Clip, PG/SP
BCH32W2	J200APS	2" J-Hook, Multi-Function Clip 1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, W/ Plastic Wire Retaining Clip, PG/Sp
BCH32W6	J200APS	2" J-Hook, Multi-Function Clip 1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, W/ Plastic Wire Retaining Clip, PG/Sp
BCH64	J400	4" J-Hook Cable Support Pre-Galvanized
BCH64-C1	J400500	4 J-Hook W/Beam Clamp Spring Steel
BCH64-C2	J400B500	4 J-Hook W/Beam Clamp Spring Steel
BCH64-C442	J400B600	4 J-Hook W/Univ Beam Clamp Zinc
BCH64-C442A	J400600	4 J-Hook W/Univ Beam Clamp Zinc
BCH64-F3	J400VBC	4 J-Hook W/ 1/4 Vertical Flange Hanger Spring Steel
BCH64-F4	J400ABC	4 J-Hook W/ 1/4 Purlin Spring Steel
BCH64C1	J400500	4 J-Hook W/Beam Clamp Spring Steel
BCH64C2	J400B500	4 J-Hook W/Beam Clamp Spring Steel
BCH64C442	J400B600	4 J-Hook W/Univ Beam Clamp Zinc
BCH64C442A	J400600	4 J-Hook W/Univ Beam Clamp Zinc
BCH64E24	J400SFC18	4" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 1/8-1/4" Flange, Includes Steel Retaining Pin, Pre-Galvanized/S
BCH64E58	J400SFC516	4" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 5/16-1/2" Flange, Includes Steel Retaining Pin, Pre-Galvanized/
BCH64E912	J400SFC916	4" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 9/16-3/4" Flange, Includes Steel Retaining Pin, Pre-Galvanized/
BCH64F3	J400VBC	4 J-Hook W/ 1/4 Vertical Flange Hanger Spring Steel
BCH64F4	J400ABC	4 J-Hook W/ 1/4 Purlin Spring Steel
BCH64RB	J400B	4" J-Hook and Right Angle Bracket Assembly, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized





B-Line Cross Reference

Competitor	Minerallac	Description
BCH64U24	J400BBC18	4" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 1/8-1/4" Flange & Rotates 360° degrees, Includes Steel Retaining Pi
BCH64U58	J400BBC516	4" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 5/16-1/2" Flange & Rotates 360° degrees, Includes Steel Retaining P
BCH64U912	J400BBC916	4" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 9/16-3/4" Flange & Rotates 360° degrees, Includes Steel Retaining P
BD40	M740	Hammer On - Pipe Sleeve Positioner, Fits Schedule #40, #80 and smaller wall thickness, Sleeve Diameter 4-6in., Spring Steel
BDH1	SBD	1-1/2" Standoff Bracket for Decking (Complies NEC® Sec. 300.4(E)), 1/4" Mounting Holes, Pre-Galvanized
BE12	SFC332	Side Mount Flange Clamp, 3/32" to 9/64" Flange, Hammer On, 1/4" Mounting Hole, Spring Steel, Black
BE24	SFC18	Side Mount Flange Clamp, 1/8 to 1/4" Flange, Hammer On, 1/4" Mounting Hole, Spring Steel
BE58	SFC516	Side Mount Flange Clamp, 5/16 to 1/2" Flange, Hammer On, 1/4" Mounting Hole, Spring Steel
BE912	SFC916	Side Mount Flange Clamp, 9/16 to 3/4" Flange, Hammer On, 1/4" Mounting Hole, Spring Steel
BF1	FH116	Hammer On Vertical Flange Hanger, Flange 1/16-5/32", Spring Steel
BF12	PH	Hammer On Z Purlin Hanger, Z Purlin 13 To 16 Gauge, 1/4" Vertical Mounting Hole, Spring Steel
BF13	P	Hammer On Z Purlin Hanger, Z Purlin 13 To 16 Gauge, 1/4" Bottom (Horizontal) Mounting Hole, Spring Steel
BF140	SBS2.5	Far Side Box Stabilizer For 2-1/2" Studs, Pre-Galvanized/Spring Steel
BF156	SBS3.5	Far Side Box Stabilizer For 3-1/2" Studs, Pre-Galvanized/Spring Steel
BF164	SBS4	Far Side Box Stabilizer For 4" Studs, Pre-Galvanized/Spring Steel
BF196	SBS6	Far Side Box Stabilizer For 6" Studs, Pre-Galvanized/Spring Steel
BF2	VBC25	Hammer On Vertical Flange Hanger, 1/16-1/4" Flange (C Purlin 13 to 16 Gauge), 1/4" Mounting Hole, Spring Steel
BF3	VBC25	Hammer On Vertical Flange Hanger, 1/16-1/4" Flange (C Purlin 13 to 16 Gauge), 1/4" Mounting Hole, Spring Steel
BF4	ABC25	1/16-1/4" Flange (Z Purlin 13 to 16 Gauge), 1/4" Mounting Hole, Spring Steel
BG12S18U24	CBS18KC123418	1/2" and 3/4" Conduit, Beam Clamp 1/8-1/4" Flange, 18" Bar Support, Spring Steel
BG16	KC1	1" Conduit, 1/4" Mounting Hole, Closed Conduit Clip, Spring Steel





B-Line Cross Reference

Competitor	Minerallac	Description
BG164T	KC1T	Closed Conduit Clip with 1/4"-20 Thread Impression, Fits 1" Conduit, Squeeze Closed to Engage Locking Tab, Spring Steel
BG16A5	TSKC1	T-Bar Clip (Side Mount) With Closed Conduit Clip For 1" Conduit, Spring Steel
BG16A6	TBKC1	Right Angle (Top Mount) T-Bar Clip With Closed Conduit Clip For 1" Conduit, Spring Steel
BG16B1	SSKC1	Conduit To Stud Fastener, Screw On Stud Support With 5/32" (#8 Screw) Mounting Holes (3), Closed Conduit Clip 1" Conduit, Spring Steel
BG16B5	SBKC1	Conduit To Metal Stud Fastener, Hammer On Stud Clip, Closed Conduit Clip 1" Conduit, Spring Steel
BG16C1	500KC1B	Beam Clamp And Closed Conduit Clip (Back Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1" Conduit, Spring Steel
BG16C2	500KC1	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1" Conduit, Spring Steel
BG16E24	SFC18KC1	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1" Conduit, Spring Steel
BG16E58	SFC516KC1	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1" Conduit, Spring Steel
BG16E912	SFC916KC1	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1" Conduit, Spring Steel
BG16F13	PKC1	Hammer On Z Purlin Hanger And Closed Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 1" Conduit, Spring Steel
BG16G16	KC1KC1	1" Conduit Closed Clip(X2), Spring Steel
BG16G20	KC114KC1	1" To 1-1/4" Conduit Closed Clip, Spring Steel
BG16G24	KC112KC1	1" To 1-1/2" Conduit Closed Clip, Spring Steel
BG16G32	KC2KC1	1" To 2" Conduit Closed Clip, Spring Steel
BG16G6	KC38KC1	3/8" Flexible Conduit and Kc1 Conduit Clip 1" Conduit, Conduit To Conduit Trapeze Assembly, Spring Steel
BG16G812	KC1234KC1	1/2" To 1" Conduit Closed Clip, Spring Steel
BG16S18	CBS18KC1	1" Conduit, 18" Bar Support With 1/4" Star Hole and Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel
BG16S18S	CBS18KC1ST	1" Conduit, 1/4"-20 x 1/2" Stud, 18" Bar Support With Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel
BG16S18U24	CBS18KC118	1" Conduit, Beam Clamp 1/8-1/4" Flange, 18" Bar Support, Spring Steel
BG16S18U58	CBS18KC1516	1" Conduit, Beam Clamp 5/16-1/2" Flange, 18" Bar Support With Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel





B-Line Cross Reference

Competitor	Minerallac	Description
BG16S18W2	CBS18KC1APS	1"Conduit Clamp With Multi Function Clip, Spring Steel
BG16S18W6	CBS18KC1APS	1"Conduit Clamp With Multi Function Clip, Spring Steel
BG16U24	BC18KC1	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1" Conduit, Spring Steel
BG16U58	BC516KC1	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1" Conduit, Spring Steel
BG16U912	BC916KC1	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 1" Conduit, Spring Steel
BG16W2	APSKC1	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, Conduit Clip 1" Conduit, Spring Steel
BG16W6	APSKC1	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, Conduit Clip 1" Conduit, Spring Steel
BG20	KC114	1-1/4" Conduit, 1/4" Mounting Hole, Closed Conduit Clip, Squeeze Closed To Engage Locking Tab, Spring Steel
BG204T	KC114T	Closed Conduit Clip with 1/4"-20 Thread Impression, Fits 1-1/4", Squeeze Closed to Engage Locking Tab, Spring Steel
BG20B5	SBKC114	Designed To Quickly Secure Horizontal Runs Of Rigid, EMT, Ac, Mc, Bx Or Pvc Tometal Studs Conduit 1-1/4".
BG20C1	500KC114B	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2"Flange and Conduit Clip 1-1/4"Conduit, Spring Steel
BG20C2	500KC114	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2"Flange and Conduit Clip 1-1/4"Conduit, Spring Steel
BG20E24	SFC18KC114	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
BG20E58	SFC516KC114	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
BG20E912	SFC916KC114	Side Mount Flange Clamp with Closed Conduit Clip, Hammer On Clamp Fits 9/16 to 3/4" Flange, Conduit Clip Fits 1-1/4" Conduit, Spring Steel
BG20F13	PKC114	Hammer On Z Purlin Hanger And Closed Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 1-1/4" Conduit, Spring Steel
BG20U24	BC18KC114	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
BG20U58	BC516KC114	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
BG20U912	BC916KC114	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
BG24	KC112	1-1/2" Conduit, 1/4" Mounting Hole, Closed Conduit Clip, Spring Steel
BG24C1	500KC112B	Beam Clamp And Closed Conduit Clip (Back Mount) , Beam Clamp Up to 1/2"Flange and Conduit Clip 1-1/2"Conduit, Spring Steel





B-Line Cross Reference

Competitor	Minerallac	Description
BG24C2	500KC112	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1-1/2" Conduit, Spring Steel
BG24E24	SFC18KC112	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
BG24E58	SFC516KC112	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
BG24E912	SFC916KC112	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
BG24U24	BC18KC112	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
BG24U58	BC516KC112	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
BG24U912	BC916KC112	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
BG32	KC2	2" Conduit, Closed Conduit Clip, 1/4" Mounting Hole, Squeeze Closed To Engage Locking Tab, Spring Steel
BG32C1	500KC2B	Beam Clamp And Closed Conduit Clip (Back Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 2" Conduit, Spring Steel
BG32C2	500KC2	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 2" Conduit, Spring Steel
BG32E24	SFC18KC2	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 2" Conduit, Spring Steel
BG32E58	SFC516KC2	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 2" Conduit, Spring Steel
BG32E912	SFC916KC2	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 2" Conduit, Spring Steel
BG32U24	BC18KC2	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 2" Conduit, Spring Steel
BG32U58	BC516KC2	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 2" Conduit, Spring Steel
BG32U912	BC916KC2	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 2" Conduit, Spring Steel
BG5	95072	5/8" Ground Rod Clamps, Direct Burial, Brass, Stainless Steel Hex Head Bolt, Wire Size: 10 Sol - 2 Str
BG6	KC38	3/8" Flexible Conduit, 1/4" Mounting Hole, Closed Conduit Clip, Squeeze Closed To Engage Locking Tab, Spring Steel
BG64T	KC38T	Kombo Clip Threaded
BG6A5	TSKC38	T-Bar Clip (Side Mount) With Closed Conduit Clip For 3/8" Flexible Conduit, Spring Steel
BG6A6	TBKC38	Right Angle (Top Mount) T-Bar Clip With Closed Conduit Clip For 3/8" Flexible Conduit, Spring Steel





B-Line Cross Reference

Competitor	Minerallac	Description
BG6B5	SBKC38	Conduit To Metal Stud Fastener, Hammer On Stud Clip, Closed Conduit Clip 3/8" Flexible Conduit, Spring Steel
BG6E24	SFC18KC38	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
BG6E58	SFC516KC38	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
BG6E912	SFC916KC38	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
BG6F13	PKC38	Hammer On Z Purlin Hanger And Closed Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 3/8" Flexible Conduit, Spring Steel
BG6H7	BAKC38	Right Angle Bracket Assembly And Closed Conduit Clip Assembly, 1/4" Mounting Hole, Conduit Clip 3/8" Flexible Conduit, Pre-Galvanized/Spring Steel
BG6S18	CBS18KC38	3/8" Flexible Conduit, 18" Bar Support With 1/4" Star Hole and Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel
BG6S18DH	CBS18KC38SBD	1-1/2" Standoff Bracket for Decking (Complies NEC® Sec. 300.4(E)), 1/4" Mounting Holes, Pre-Galvanized Steel; Closed Conduit Clip, Fits 3/8" Conduit,
BG6S18S	CBS18KC38ST	3/8" Flexible Conduit, 1/4"-20 x 1/2" Stud, 18" Bar Support, Spring Steel
BG6S18U24	CBS18KC3818	3/8" Flexible Conduit, Beam Clamp 1/8-1/4" Flange, 18" Bar Support, Spring Steel
BG6S18U58	CBS18KC38516	3/8" Flexible Conduit, Beam Clamp 5/16-1/2" Flange, 18" Bar Support, Spring Steel
BG6S18W2	CBS18KC38APS	3/8" Metal And Aluminum Clad Cable And Conduit With Multifunction Clip, Spring Steel
BG6S18W6	CBS18KC38APS	3/8" Metal And Aluminum Clad Cable And Conduit With Multifunction Clip, Spring Steel
BG6U24	BC18KC38	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
BG6U58	BC516KC38	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
BG6U912	BC916KC38	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
BG812	KC1234	1/2" and 3/4" Conduit, 1/4" Mounting Hole, Closed Conduit Clip, , Spring Steel
BG812	KC1234	1/2" and 3/4" Conduit, 1/4" Mounting Hole, Closed Conduit Clip, , Spring Steel
BG8124T	KC1234T	1/2" and 3/4" Conduit, Closed Conduit Clip With 1/4"-20 Thread Impression, Squeeze Closed To Engage Locking Tab, Spring Steel
BG812A5	TSKC1234	T-Bar Clip (Side Mount) With Closed Conduit Clip For 1/2 and 3/4" Conduit, Spring Steel
BG812A6	TBKC1234	Right Angle (Top Mount) T-Bar Clip With Closed Conduit Clip For 1/2 and 3/4" Conduit, Spring Steel





B-Line Cross Reference

Competitor	Minerallac	Description
BG812B1	SSKC1234	Conduit To Stud Fastener, Screw On Stud Support With 5/32" (#8 Screw) Mounting Holes (3), Closed Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
BG812B5	SBKC1234	Conduit To Metal Stud Fastener, Hammer On Stud Clip, Closed Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
BG812C1	500KC1234B	Beam Clamp And Closed Conduit Clip (Back Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
BG812C2	500KC1234	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1/2" and 3/4" Conduit, Spring St
BG812D3	NBKC1234	Nail Bracket with Clip, 1/2" Or 3/4" Conduit.
BG812DH	SBDKC1234	1-1/2" Standoff Bracket for Decking
BG812E24	SFC18KC1234	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
BG812E58	SFC516KC1234	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
BG812E912	SFC916KC1234	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
BG812F13	PKC1234	Hammer On Z Purlin Hanger And Closed Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
BG812G6	KC38KC1234	3/8" Flexible Conduit and Kc1234 Conduit Clip 1/2" and 3/4" Conduit, Conduit To Conduit Trapeze Assembly, Spring Steel
BG812G812	KC1234KC1234	1/2"-3/4" Conduit Closed Clip(X2), Spring Steel
BG812H7	BAKC1234	Right Angle Bracket Assembly And Closed Conduit Clip Assembly, 1/4" Mounting Hole, Conduit Clip 1/2" & 3/4" Conduit, Pre-Galvanized/Spring Steel
BG812S18	CBS18KC1234	1/2" and 3/4" Conduit, 18" Bar Support With 1/4" Star Hole and Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel
BG812S18	CBS18KC1234	1/2" and 3/4" Conduit, 18" Bar Support With 1/4" Star Hole and Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel
BG812S18DH	CBS18KC1234S BD	Conduit & Electrical Box Support, Fits 1/2" & 3/4" Conduit
BG812S18S	CBS18KC1234S T	1/2" and 3/4" Conduit, 1/4"-20 x 1/2" Stud, 18" Bar Support With Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel
BG812S18U24	CBS18KC12341 8	1/2" and 3/4" Conduit, Beam Clamp 1/8-1/4" Flange, 18" Bar Support, Spring Steel
BG812S18U58	CBS18KC12345 16	1/2" and 3/4" Conduit, Beam Clamp 5/16-1/2" Flange, 18" Bar Support, Spring Steel
BG812S18W2	CBS18KC1234A PS	1/2 And 3/4 EMT With Multifunction Clip, Spring Steel
BG812S18W6	CBS18KC1234A PS	1/2 And 3/4 EMT With Multifunction Clip, Spring Steel





B-Line Cross Reference

Competitor	Minerallac	Description
BG812U24	BC18KC1234	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
BG812U58	BC516KC1234	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
BG812U912	BC916KC1234	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
BG812W2	APSKC1234	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, Conduit Clip 1/2" & 3/4" Conduit, Spring Steel
BG812W6	APSKC1234	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, Conduit Clip 1/2" & 3/4" Conduit, Spring Steel
BGU24	BC18KC38	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
BH-H7	BAPS	Angle Bracket With Strap Bracket Used For Hanging Straps.
BH1	R14	Rod/Wire Hanger, #8 Wire Or 1/4" Plain Rod.
BH10	70020J	1-1/4" S-Hooks, Zinc Plated
BH12R	PSF332R	Side Mount Flange Clamp with Right Angle Strap Hanger, Fits 1/16 to 3/32" Flange, Suspends Strap up to 1" Wide, Spring Steel
BH15	70000	10 Gauge Side Mount V-Hooks, Fluorescent Fixture Hangers, Zinc Plated
BH16	70002	10 Gauge End Mount V-Hooks, Fluorescent Fixture Hangers, Zinc Plated
BH1E24	R1814	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 1/8 To 1/4" Flange, Rod/Wire Hanger Suspends #8 Wire Or 1/4" Plain Rod, Spring Steel
BH1E58	R51614	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 5/16 To 1/2" Flange, Rod/Wire Hanger Suspends #8 Wire Or 1/4" Plain Rod, Spring Steel
BH1E912	R91614	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 9/16 To 3/4" Flange, Rod/Wire Hanger Suspends #8 Wire Or 1/4" Plain Rod, Spring Steel
BH1F1	RF11614	Suspends #8 Wire, And 1/4" Or 3/8" Plain Rod From Vertical Flange 1/16" - 5/32" Thick, Spring Steel
BH1F12	PH14	Hammer On Z Purlin Hanger And 1/4"-20 Threaded Rod Hanger Assembly, Z Purlin 13 To 16 Gauge, #8 Wire Or 1/4" Plain Rod. , Spring Steel
BH1H7	RA14	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends #8-1/4" Plain Rod, Pre-Galvanized/Spring Steel
BH1H8	RO14	Offset Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends #8-1/4" Plain Rod, Pre-Galvanized/Spring Steel
BH2	R38	Rod Hanger, 3/8" Plain Rod.
BH24	PSF18	Side Mount Flange Clamp With Strap Hanger, 1/8 To 1/4" Flange, Suspends Strap Up To 1" Wide, Spring Steel





B-Line Cross Reference

Competitor	Minerallac	Description
BH24R	PSF18R	Side Mount Flange Clamp With Right Angle Strap Hanger, 1/8 To 1/4" Flange, Suspends Strap Up To 1" Wide, Spring Steel
BH2E24	R1838	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 1/8 To 1/4" Flange, Rod/Wire Hanger Suspends 3/8" Plain Rod, Spring Steel
BH2E58	R51638	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 5/16 To 1/2" Flange, Rod/Wire Hanger Suspends 3/8" Plain Rod, Spring Steel
BH2E912	R91638	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 9/16 To 3/4" Flange, Rod/Wire Hanger Suspends 3/8" Plain Rod, Spring Steel
BH2F1	RF11638	Suspends 3/8" Plain Rod From Vertical Flange 1/16" - 5/32" Thick, Spring Steel
BH2F12	PH38	1/4"-20 Threaded Rod Hanger Assembly, Z Purlin 13 To 16 Gauge, Used For Hanging Rod, Used For Hanging Rod, 3/8" Plain Rod. , Spring Steel
BH2H7	RA38	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 3/8" Plain Rod, Pre-Galvanized/Spring Steel
BH2H8	RO38	Offset Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 3/8" Plain Rod, Pre-Galvanized/Spring Steel
BH4	R14T	1/4"-20 Threaded Rod Hanger, 1/4"-20 Thread Impression, Spring Steel
BH4E24	R1814T	Rod To Beam Assembly, 1/8 To 1/4" Flange and 1/4" Threaded Rod, Spring Steel
BH4E58	R51614T	Rod To Beam Assembly, 5/16 To 1/2" Flange and 1/4" Threaded Rod, Spring Steel
BH4E912	R91614T	Rod To Beam Assembly, 9/16 To 3/4" Flange and 1/4" Threaded Rod, Spring Steel
BH4F1	RF11614T	1/4"-20 Threaded Rod Hanger Assembly, Vertical Flange Hanger Flange 1/16-5/32", Rod Hanger With 1/4"-20 Thread Impression, Spring Steel
BH4F12	PH14T	Hammer On Z Purlin Hanger And 1/4"-20 Threaded Rod Hanger Assembly, Z Purlin 13 To 16 Gauge, Rod Hanger With 1/4"-20 Thread Impression, Spring Steel
BH4F3	VBC25R14T	1/16-1/4" Flange (C Purlin 13 To 16 Gauge) With 1/4"-20 Threaded Rod Hanger, 1/4"-20 Thread Impression, load Rating: 160Lbs, Spring Steel
BH4F4	ABC25R14T	1/4 Rod Hangr , 1/16-1/4 Z Purln Clip Hammer On, Spring Steel
BH4H7	RA14T	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 1/4" Threaded Rod (With Thread Impression), Pre-Galvanized/Spring Steel
BH4H8	RO14T	Offset Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 1/4" Threaded Rod (With Thread Impression), Pre-Galvanized/Spring Steel
BH5	R1438N	1/4 Or 3/8" Threaded Rod Hanger, Nut Required, Spring Steel
BH58	PSF516	Side Mount Flange Clamp With Strap Hanger, 5/16 To 1/2" Flange, Suspends Strap Up To 1" Wide, Spring Steel
BH58R	PSF516R	Side Mount Flange Clamp With Right Angle Strap Hanger, 5/16 To 1/2" Flange, Suspends Strap Up To 1" Wide, Spring Steel





B-Line Cross Reference

Competitor	Minerallac	Description
BH5E24	R181438N	Suspends 1/4" And 3/8" Threaded Rod From Overhead Mountings With A Clearance Hole For 1/4" Bolt. Flange Thickness: 1/8"-1/4"
BH5E58	R5161438N	Suspends 1/4" or 3/8" Threaded Rod. Nut Required. Flange Thickness: 5/16"-1/2" Spring Steel
BH5E912	R9161438N	Suspends 1/4" or 3/8" Threaded Rod. Nut Required. Flange Thickness: 9/16"-3/4" Spring Steel
BH5F1	RF1161438N	Suspends 1/4" And 3/8" Threaded Rod From Overhead Mountings. Flange Thickness: 5/32"-1/4" Spring Steel
BH5F12	PH1438N	1/4"-20 Threaded Rod Hanger Assembly, Z Purlin 13 To 16 Gauge, Used For Hanging Rod, 1/4 Or 3/8" Threaded Rod Hanger, Nut Required, Spring Steel
BH5F2	VBC25R1438N	1/16-1/4" Flange (C Purlin 13 To 16 Gauge) With 1/4 Or 3/8" Threaded Rod Hanger, Nut Required, load Rating: 160Lbs, Spring Steel
BH5F3	VBC25R1438N	1/16-1/4" Flange (C Purlin 13 To 16 Gauge) With 1/4 Or 3/8" Threaded Rod Hanger, Nut Required, load Rating: 160Lbs, Spring Steel
BH5F4	ABC25R1438N	1/16-1/4" Flange (Purlin 13 To 16 Gauge) With 1/4 Or 3/8" Threaded Rod Hanger, Hammer On Nut Required, Spring Steel load Rating: 160Lbs
BH5H7	RA1438N	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 1/4-3/8" Threaded Rod (Nut Required), Pre-Galvanized/Spring Steel
BH5H8	RO1438N	Offset Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 1/4-3/8" Threaded Rod (Nut Required), Pre-Galvanized/Spring Steel
BH6	R38T	3/8"-16 Threaded Rod Hanger, 3/8"-16 Thread Impression, Spring Steel
BH6E24	R1838T	Rod To Beam Assembly, 1/8 To 1/4" Flange and 3/8" Threaded Rod, Spring Steel
BH6E58	R51638T	Rod To Beam Assembly, 5/16 To 1/2" Flange and 3/8" Threaded Rod, Spring Steel
BH6E912	R91638T	Rod To Beam Assembly, 9/16 To 3/4" Flange and 3/8" Threaded Rod, Spring Steel
BH6F1	RF11638T	3/8"-16 Threaded Rod Hanger Assembly, Vertical Flange Hanger Flange 1/16-5/32", Rod Hanger With 3/8"-16 Thread Impression, Spring Steel
BH6F12	PH38T	Hammer On Z Purlin Hanger And 3/8"-16 Threaded Rod Hanger Assembly, Z Purlin 13 To 16 Gauge, Rod Hanger With 3/8"-16 Thread Impression, Spring Steel
BH6F2	VBC25R38T	1/16-1/4" Flange (C Purlin 13 To 16 Gauge) With 3/8"-16 Threaded Rod Hanger, 3/8"-16 Thread Impression, load Rating: 160Lbs Spring Steel
BH6F3	VBC25R38T	1/16-1/4" Flange (C Purlin 13 To 16 Gauge) With 3/8"-16 Threaded Rod Hanger, 3/8"-16 Thread Impression, load Rating: 160Lbs Spring Steel
BH6F4	ABC25R38T	Hammer On Z Purlin Hanger (Angled), Fits 1/16-1/4" Flange, 3/8"-16 Threaded Rod Hanger, 3/8"-16 Thread Impression, Spring Steel
BH6H7	RA38T	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 3/8" Threaded Rod (With Thread Impression), Pre-Galvanized/Spring Steel
BH6H8	RO38T	Offset Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 3/8" Threaded Rod (With Thread Impression), Pre-Galvanized/Spring Steel





B-Line Cross Reference

Competitor	Minerallac	Description
BH7	BA	Right Angle Bracket, 1/4" Mounting Holes, Pre-Galvanized
BH8	BO	1/2" Offset Bracket, 1/4" Mounting Holes, Pre-Galvanized
BH9	72013	#12 Jack Chain, 100Ft, Box, Zinc Plated
BH912	PSF916	Side Mount Flange Clamp With Strap Hanger, 9/16 To 3/4" Flange, Suspends Strap Up To 1" Wide, Spring Steel
BH912R	PSF916R	Side Mount Flange Clamp With Right Angle Strap Hanger, 9/16 To 3/4" Flange, Suspends Strap Up To 1" Wide, Spring Steel
BHE12	PSF332	Side Mount Flange Clamp with Strap Hanger, Fits 1/16 to 3/32" Flange, Suspends Strap up to 1" Wide, Spring Steel
BHF12	PHPSR	Hammer On Z Purlin Hanger And Right Angle Strap Hanger Assembly, Z Purlin 13 To 16 Gauge, Strap Hanger Up To 1" Strap, Spring Steel
BHF12R	PHPS	Hammer On Z Purlin Hanger And Right Angle Strap Hanger Assembly, Z Purlin 13 To 16 Gauge, Strap Hanger Up To 1" Strap, Spring Steel
BJ2124	95158	2-1/2"-4" Ground Clamps, Brass, For Bare Wire #2, 4, 6, 8 and 10 Awg Copper
BJD	95152	1/2"-1" Ground Clamps, Brass, For Bare Wire #2, 4, 6, 8 and 10 Awg Copper
BL050	CCOP50	One Piece Strut Clamp With Saddle, 1/2" EMT, Pre-Galvanized
BL075	CCOP75	One Piece Strut Clamp With Saddle, 3/4" EMT and 1/2" RMC, Pre-Galvanized
BL100	CCOP100	One Piece Strut Clamp With Saddle, 1" EMT and 3/4" RMC, Pre-Galvanized
BL1400	K0B	1/2" EMT Or 3/8 To 1/2" Rigid/RMC, Conduit Hanger With Bolt, Keyholed - No Nut Required, Pre-Galvanized
BL1400C442	A0600B	1/2" Conduit Hanger With Beam Clamp Up To 1/2" Flange, 1/4"-20 Tap On Back, 1/2" EMT & 3/8-1/2" Rigid/RMC, W/Nut&Bolt ZP
BL1400SS4	0SB	1/2" Conduit Hanger With Bolt and Nut, 1/2" EMT Or 3/8 To 1/2" Rigid/RMC, Hanger-Type 304 SS, Bolt and Nut-Type 18-8 Stainless Steel
BL1410	K1B	3/4" EMT Or 3/4" Rigid/RMC, Conduit Hanger With Bolt, Keyholed - No Nut Required, Pre-Galvanized
BL1410C442	A1600B	3/4" Conduit Hanger With Beam Clamp Up To 1/2" Flange, 1/4"-20 Tap On Back, 3/4" EMT and Rigid/RMC, With Nut and Bolt Zinc Plated
BL1410SS4	1SB	3/4" Conduit Hanger With Bolt and Nut, 3/4" EMT Or 3/4" Rigid/RMC, Hanger-Type 304 SS, Bolt and Nut-Type 18-8 Stainless Steel
BL1420	K2B	1" EMT Or 1" Rigid/RMC, Conduit Hanger With Bolt, Keyholed - No Nut Required, Pre-Galvanized
BL1420C442	A2600B	1" Conduit Hanger With Beam Clamp Up To 1/2" Flange, 1/4"-20 Tap On Back, With Nut and Bolt Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
BL1420SS4	2SB	1" Conduit Hanger With Bolt and Nut, 1" EMT Or 1" Rigid/RMC, 304 Stainless Steel
BL1425	2-1/2B	1-1/4"Conduit Hanger With Bolt and Nut, 1-1/4" EMT, Zinc Plated
BL1425C442	A2-1/2-600B	1-1/4" EMT"Conduit Hanger With Beam Clamp Up To 1/2" Flange, 1/4"-20 Tap On Back, With Nut and Bolt Zinc Plated
BL1425SS4	2-1/2SB	1-1/4"Conduit Hanger With Bolt and Nut, 1-1/4" EMT, Hanger-Type 304 Stainless Steel, Bolt and Nut-Type 18-8 Stainless Steel
BL1430	3B	1-1/2" EMT Conduit Hanger With Bolt & Nut, 1-1/2" EMT Or 1-1/4" Rigid/RMC, Zinc Plated
BL1430C442	A3600B	1-1/2" Conduit Hanger With Beam Clamp Up To 1/2" Flange, 1/4"-20 Tap On Back, 1-1/2" EMT & 1-1/4" Rigid/RMC, W/Nut&Bolt ZP
BL1430SS4	3SB	1-1/2" EMT Conduit Hanger With Bolt and Nut, 1-1/2" EMT Or 1-1/4" Rigid/RMC, Hanger-Type 304 SS, Bolt and Nut-Type 18-8 Stainless Steel
BL1440	4B	1-1/2"RMC Conduit Hanger With Bolt and Nut, 1-1/2" Rigid/RMC, Zinc Plated
BL1440C442	A4600B	1-1/2"RMC Conduit Hanger With Beam Clamp Up To 1/2" Flange, 1/4"-20 Tap On Back, With Nut and Bolt Zinc Plated
BL1440SS4	4SB	1-1/2"RMC Conduit Hanger With Bolt and Nut, 1-1/2" Rigid/RMC, Hanger-Type 304 SS, Bolt and Nut-Type 18-8 Stainless steel
BL1450	5B	2" Conduit Hanger With Bolt and Nut, 2" EMT Or 2" Rigid/RMC, Zinc Plated
BL1450C442	A5600B	2" Conduit Hanger With Beam Clamp Up To 1/2" Flange, 1/4"-20 Tap On Back, With Nut and Bolt Zinc Plated
BL1450SS4	5SB	2" Conduit Hanger With Bolt and Nut, 2" EMT Or 2" Rigid/RMC, Hanger-Type 304 Stainless Steel, Bolt and Nut-Type 18-8 Stainless Steel
BL1460	6B	2-1/2"Conduit Hanger With Bolt & Nut, 2-1/2" EMT Or 2-1/2" Rigid/RMC, Zinc Plated
BL1460SS4	6SB	2-1/2"Conduit Hanger With Bolt and Nut, 2-1/2" EMT Or 2-1/2" Rigid/RMC, Hanger-Type 304 Stainless Steel, Bolt and Nut-Type 18-8 Stainless Steel
BL1470	7B	3"Conduit Hanger With Bolt and Nut, 3" EMT Or 3" Rigid/RMC, Zinc Plated
BL1470SS4	7SB	3"Conduit Hanger With Bolt and Nut, 3" EMT Or 3" Rigid/RMC, Hanger-Type 304 Stainless Steel, Bolt & Nut-Type 18-8 Stainless Steel
BL1480	8B	3-1/2"Conduit Hanger With Bolt and Nut, 3-1/2" EMT Or 3-1/2" Rigid/RMC, Zinc Plated
BL1480SS4	8SB	3-1/2"Conduit Hanger With Bolt and Nut, 3-1/2" EMT Or 3-1/2" Rigid/RMC, Hanger-Type 304 SS, Bolt and Nut-Type 18-8 Stainless Steel
BL1490	9B	4"Conduit Hanger With Bolt and Nut, 4" EMT Or 4" Rigid/RMC, Zinc Plated
BL1490SS4	9SB	4"Conduit Hanger With Bolt and Nut, 4" EMT Or 4" Rigid/RMC, Hanger-Type 304 Stainless steel, Bolt and Nut-Type 18-8 Stainless Steel





B-Line Cross Reference

Competitor	Minerallac	Description
BM1	G100	Universal Stud Grommet For Metal Studs, Plastic, Yellow
BM2	G100	Universal Stud Grommet For Metal Studs, Plastic, Yellow
BM3	90100	1-1/2 x 3" Nail Plate, 16 Gauge
BM3M	NPMS	3 x 1-1/2" Nail Plate for Metal Studs, Four 3/16 in. Mounting Holes, Spring Steel
BP12	HIC75	Push In Conduit Clip, 3/4" EMT and 1/2" Rigid/RMC, 1/4" Mounting Hole, Spring Steel
BP12A5	TS75	T-Bar Clip (Side Mount) With Push In Conduit Clip For 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
BP12A6	TB75	Right Angle (Top Mount) T-Bar Clip With Push In Conduit Clip For 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
BP12B1	SS75	Conduit To Stud Fastener, Screw On Stud Support With 5/32" Mounting Holes (3), Push In Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
BP12B5	SB75	Switch Box 2 Stud Support Clip, Conduit To Metal Stud Fastener, Hammer On Stud Clip, Push In Conduit Clip 3/4" EMT & 1/2" Rigid/RMC, Spring Steel
BP12C1	50075B	Beam Clamp And Push In Conduit Clip (Back Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Sp
BP12C2	50075	Beam Clamp And Push In Conduit Clip (Bottom Mount) , Beam Clamp Up To 1/2" Flange & Conduit Clip 3/4" EMT & 1/2" Rigid/RMC, Sp
BP12D3	NB75	Nail Bracket with Clip, 3/4" EMT Or 1/2" Rigid/RMC.
BP12E24	SFC1875	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
BP12E58	SFC51675	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
BP12E912	SFC91675	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
BP12F13	P75	Hammer On Z Purlin Hanger And Push In Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
BP12H7	BA75	Right Angle Bracket Assembly And Push In Conduit Clip Assembly, 1/4" Mounting Hole, Conduit Clip 3/4" EMT & 1/2" Rigid/RMC, PG/Spring Steel
BP12P12	HIC7575	Conduit To Conduit Trapeze Assembly, Both Push In Conduit Clips Fit 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
BP12P16	HIC75100	Conduit To Conduit Trapeze Assembly, Both Push In Conduit Clips HIC75 Fit 3/4" EMT and 1/2" Rigid/RMC & HIC100 Fit 1" EMT and 3/4" Rigid/RMC, SP
BP12S18	CBS18HIC75	3/4" EMT and 1/2" Rigid/RMC, 18" Bar Support With 1/4" Star Hole and Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel
BP12S18S	CBS18HIC75ST	1/4"-20 x 1/2" Stud, 3/4" EMT and 1/2" Rigid/RMC, 18" Bar Support, Spring Steel





B-Line Cross Reference

Competitor	Minerallac	Description
BP12S18U24	CBS18HIC7518	3/4" EMT Clip, Beam Clamp 1/8-1/4" Flange, 18" Bar Support, Spring Steel
BP12S18U58	CBS18HIC75516	3/4 EMT And 1/2 RMC Clip With 5/16-1/2 Beam Clamp, 18" Bar Support, Spring Steel
BP12S18W2	CBS18HIC75AP S	3/4 EMT Clip With 5/16 - 1/2 Bean Clamp, Spring Steel
BP12S18W6	CBS18HIC75AP S	3/4 EMT Clip With 5/16 - 1/2 Bean Clamp, Spring Steel
BP12U24	BC1875	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
BP12U58	BC51675	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
BP12U912	BC91675	Hammer On Beam Clamp and Push In Conduit Clip Assembly, Beam Clamp Fits 9/16-3/4" Flange, Conduit Clip Fits 3/4" EMT and 1/2" Rigid/IMC, Spring Steel
BP12W2	APS75	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, Conduit Clip 3/4" EMT & 1/2" Rigid/RMC, Spring Steel
BP12W6	APS75	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, Conduit Clip 3/4" EMT & 1/2" Rigid/RMC, Spring Steel
BP16	HIC100	Push In Conduit Clip, 1" EMT and 3/4" Rigid/RMC, 1/4" Mounting Hole, Spring Steel
BP16A5	TS100	T-Bar Clip (Side Mount) With Push In Conduit Clip For 1" EMT and 3/4" Rigid/RMC, Spring Steel
BP16A6	TB100	Right Angle (Top Mount) T-Bar Clip With Push In Conduit Clip For 1" EMT and 3/4" Rigid/RMC, Spring Steel
BP16B1	SS100	Conduit To Stud Fastener, Screw On Stud Support With 5/32" (#8 Screw) Mounting Holes (3), Push In Conduit Clip 1" EMT & 3/4" Rigid/RMC, Spring Steel
BP16B5	SB100	Conduit To Metal Stud Fastener, Hammer On Stud Clip, Push In Conduit Clip 1" EMT & 3/4" Rigid/RMC, Spring Steel
BP16C1	500100B	Beam Clamp And Push In Conduit Clip (Back Mount) Assembly, Beam Clamp Up To 1/2" Flange & Conduit Clip 1" EMT & 3/4" Rigid/RMC, Spring Steel
BP16C2	500100	Beam Clamp (Bottom Mount) Assembly, Beam Clamp Up to 1/2" Flange and Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
BP16E24	SFC18100	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
BP16E58	SFC516100	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
BP16E912	SFC916100	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
BP16F13	P100	Hammer On Z Purlin Hanger And Push In Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
BP16P16	HIC100100	Back To Back Push In Conduit Clip, 1" EMT and 3/4" Rigid/RMC, Spring Steel





B-Line Cross Reference

Competitor	Minerallac	Description
BP16S18	CBS18HIC100	1" EMT and 3/4" Rigid/RMC, 18" Bar Support With 1/4" Star Hole and Two Mounting Holes For #6 Sms Or Tek Screw, Spring Steel
BP16S18S	CBS18HIC100S T	1" EMT and 3/4" Rigid/RMC With 1/4"-20 x 1/2" Stud, 18" Bar Support Spring Steel
BP16S18U24	CBS18HIC10018	1" EMT and 3/4" Rigid/RMC, Beam Clamp 1/8-1/4" Flange, 18" Bar Support, Spring Steel
BP16S18U58	CBS18HIC10051 6	1" EMT and 3/4" Rigid/RMC, Beam Clamp 5/16-1/2" Flange, 18" Bar Support, Spring Steel
BP16S18W2	CBS18HIC100A PS	1" EMT Clip With Multi-Functionn Clip Spring Steel
BP16S18W6	CBS18HIC100A PS	1" EMT Clip With Multi-Functionn Clip Spring Steel
BP16U24	BC18100	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
BP16U58	BC516100	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
BP16U912	BC916100	Hammer On Beam Clamp and Push In Conduit Clip Assembly, Beam Clamp Fits 9/16-3/4" Flange, Conduit Clip Fits 1" EMT and 3/4" Rigid/IMC, Spring Steel
BP16W2	APS100	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Conduit Clip 1" EMT & 3/4" Rigid/RMC,Multi-Function Clip, Spring Steel
BP16W6	APS100	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Conduit Clip 1" EMT & 3/4" Rigid/RMC,Multi-Function Clip, Spring Steel
BP8	HIC50	Push In Conduit Clip, 1/2" EMT, 1/4" Mounting Hole, Spring Steel
BP8A5	TS50	T-Bar Clip (Side Mount) With Push In Conduit Clip For 1/2" EMT, Spring Steel
BP8A6	TB50	Right Angle (Top Mount) T-Bar Clip With Push In Conduit Clip For 1/2" EMT, Spring Steel
BP8B1	SS50	Conduit To Stud Fastener, Screw On Stud Support With 5/32" (#8 Screw) Mounting Holes (3), Push In Conduit Clip 1/2" EMT, Spring Steel
BP8B5	SB50	Switch Box 2 Stud Support Clip,Conduit To Metal Stud Fastener, Hammer On Stud Clip, Push In Conduit Clip 1/2" EMT, Spring Steel
BP8C1	50050B	Beam Clamp And Push In Conduit Clip (Back Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1/2" EMT, Spring Steel
BP8C2	50050	Beam Clamp And Push In Conduit Clip (Bottom Mount), Beam Clamp Up to 1/2" Flange and Conduit Clip 1/2" EMT, Spring Steel
BP8D3	NB50	Nail Bracket with Clip, 1/2" EMT.
BP8E24	SFC1850	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1/2" EMT, Spring Steel
BP8E58	SFC51650	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1/2" EMT, Spring Steel





B-Line Cross Reference

Competitor	Minerallac	Description
BP8E912	SFC91650	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1/2" EMT, Spring Steel
BP8F13	P50	Hammer On Z Purlin Hanger And Push In Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 1/2" EMT, Spring Steel
BP8H7	BA50	Right Angle Bracket Assembly And Push In Conduit Clip Assembly, 1/4" Mounting Hole, Conduit Clip 1/2" EMT, Pre-Galvanized/Spring Steel
BP8P12	HIC5075	Conduit To Conduit Trapeze Assembly, Hi50 Conduit Clip 1/2" EMT and Hic75 Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
BP8P16	HIC50100	Back To Back Push In Conduit Clip, HIC50 Fits 1/2" EMT, Push In Conduit Clip, HIC100 Fits 1" EMT and 3/4" Rigid/IMC, Spring Steel
BP8P8	HIC5050	Conduit To Conduit Trapeze Assembly, Both Push In Conduit Clips Fit 1/2" EMT, Spring Steel
BP8S18	CBS18HIC50	1/2" EMT, 18" Bar Support With 1/4" Star Hole and Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel
BP8S186W	CBS18HIC50AP S	1/2" EMT Clip With Multi Function Clip, Spring Steel
BP8S18S	CBS18HIC50ST	1/2" EMT, 1/4"-20 X 1/2" Stud, 18" Bar Support With Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel
BP8S18U24	CBS18HIC5018	1/2" EMT, Beam Clamp 1/8-1/4" Flange, 18" Bar Support, Spring Steel
BP8S18U58	CBS18HIC50516	1/2" EMT, Beam Clamp 5/16-1/2" Flange, 18" Bar Support, Spring Steel
BP8S18W2	CBS18HIC50AP S	1/2" EMT Clip With Multi Function Clip, Spring Steel
BP8S112W	CBS18HIC50AP S	1/2" EMT Clip With Multi Function Clip, Spring Steel
BP8U24	BC1850	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1/2" EMT, Spring Steel
BP8U58	BC51650	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1/2" EMT, Spring Steel
BP8U912	BC91650	Hammer On Beam Clamp and Push In Conduit Clip Assembly, Beam Clamp Fits 9/16-3/4" Flange, Conduit Clip Fits 1/2" EMT, Spring Steel
BP8W2	APS50	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip Conduit Clip 1/2" EMT, Spring Steel
BP8W6	APS50	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip Conduit Clip 1/2" EMT, Spring Steel
BPC-16	CCU100EG	Conduit Strut Clamp Universal 1", Zinc Plated
BPC-56	CCR350EG	Conduit Strut Clamp Rigid 3/2
BPC12	CCU075EG	Conduit Strut Clamp Universal 3/4", Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
BPC20	CCU125EG	Conduit Strut Clamp Universal 1-1/4", Zinc Plated
BPC24	CCU150EG	Conduit Strut Clamp Universal 1-1/2", Zinc Plated
BPC32	CCU200EG	Conduit Strut Clamp Universal 2", Zinc Plated
BPC40	CCR250EG	Conduit Strut Clamp Rigid 2 1/2
BPC48	CCR300EG	Conduit Strut Clamp Rigid 3
BPC64	CCR400EG	Conduit Strut Clamp Rigid 4
BPC8	CCU050EG	Conduit Strut Clamp Universal 1/2", Zinc Plated
BR-32-4T-W2	648R	2" Diameter Bridle Ring, 1/4"-20 Thread, Zinc Plated
BR12T	634R	1" Diameter Bridle Ring, #10-24 Thread, Zinc Plated
BR163W	634RW	1" Diameter Bridle Ring For Wood, 3/16" Lag Thread, Zinc Plated
BR204T	646R	1-1/2" Diameter Bridle Ring, 1/4"-20 Thread, Zinc Plated
BR244W	646RW	1-1/2" Diameter Bridle Ring For Wood, 1/4" Lag Thread, Zinc Plated
BR324T	648R	2" Diameter Bridle Ring, 1/4"-20 Thread, Zinc Plated
BR324W	648RW	2" Diameter Bridle Ring For Wood, 1/4" Lag Thread, Zinc Plated
BR644T	654R	4" Diameter Bridle Ring, 1/4"-20 Thread, Zinc Plated
BRC1	FS4NMB	Non-Mettallic Sheathed Cable Wood Stud Suport, Fits Up to 8 -14/2, 12/2; 4 - 14/3,12/3, 10/3; 2 - 10/2, 10/3
BRC2	FS6NMB	Non-Mettallic Sheathed Cable Stud Suport, Fits Up to 4 -14/2, 12/2, 10/2; 2 - 14/3,12/3
BRC4	FCWS6	Stud Wall Multiple Flex Conduit & Wire Support; Screw-On Wood Or Metal Studs, Provides 1-1/4" Minimum Clearance
BRC51	MCACS50	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BRC51-U24	BC18MCS50	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 4 Cables, with Hammer On Beam Clamp, Fits 1/8-1/4" Flange, Spring Steel
BRC51-U58	BC516MCS50	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 4 Cables, with Hammer On Beam Clamp, Fits 5/16-1/2" Flange, Spring Steel





B-Line Cross Reference

Competitor	Minerallac	Description
BRC51-U912	BC916MCS50	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 4 Cables, with Hammer On Beam Clamp, Fits 9/16-3/4" Flange, Spring Steel
BRC51-W2	MCACS50APS	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BRC51-W6	MCACS50APS	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BRC51-W6	MCACS50APS	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BRC51U24	BC18MCS50	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 4 Cables, with Hammer On Beam Clamp, Fits 1/8-1/4" Flange, Spring Steel
BRC51U58	BC516MCS50	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 4 Cables, with Hammer On Beam Clamp, Fits 5/16-1/2" Flange, Spring Steel
BRC51U912	BC916MCS50	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 4 Cables, with Hammer On Beam Clamp, Fits 9/16-3/4" Flange, Spring Steel
BRC51W2	MCACS50APS	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BRC51W6	MCACS50APS	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BRC52	MCACS100	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BRC52-U24	BC18MCS100	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 8 Cables, with Hammer On Beam Clamp, Fits 1/8-1/4" Flange, Spring Steel
BRC52-U58	BC516MCS100	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 8 Cables, with Hammer On Beam Clamp, Fits 5/16-1/2" Flange, Spring Steel
BRC52-U912	BC916MCS100	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 8 Cables, with Hammer On Beam Clamp, Fits 9/16-3/4" Flange, Spring Steel
BRC52U24	BC18MCS100	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 8 Cables, with Hammer On Beam Clamp, Fits 1/8-1/4" Flange, Spring Steel
BRC52U58	BC516MCS100	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 8 Cables, with Hammer On Beam Clamp, Fits 5/16-1/2" Flange, Spring Steel
BRC52U912	BC916MCS100	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 8 Cables, with Hammer On Beam Clamp, Fits 9/16-3/4" Flange, Spring Steel
BRC53	MCACS101	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BRC53-C442	600BMCS101	10-3 to 8-3 MC/AC (0.560-0.690" O.D.), 12-3 to 8-2 isolated ground cable, or 12-3 to 10-2 Super Neutral Cable Support Bracket, Fits Up to 7 Cables
BRC53C442	600BMCS101	10-3 to 8-3 MC/AC (0.560-0.690" O.D.), 12-3 to 8-2 isolated ground cable, or 12-3 to 10-2 Super Neutral Cable Support Bracket, Fits Up to 7 Cables
BRC6M	FCWS6	Stud Wall Multiple Flex Conduit & Wire Support; Screw-On Wood Or Metal Studs, Provides 1-1/4" Minimum Clearance
BRCJ	FCWS6	Stud Wall Multiple Flex Conduit & Wire Support; Screw-On Wood Or Metal Studs, Provides 1-1/4" Minimum Clearance





B-Line Cross Reference

Competitor	Minerallac	Description
BRS32	BRS2	2" Bridle Ring Plastic Saddle, Snaps Into 2" Bridle Ring (648R and 648Rw), Yellow
BRS32A	648RS	2" Diameter Bridle Ring With Plastic Saddle, 1/4"-20 Thread, Saddle Provides Wide Base For Cable, Zinc Plated/Yellow
BRS64A	654RS	4" Diameter Bridle Ring With Plastic Saddle, 1/4"-20 Thread, Saddle Provides Wide Base For Cable, Zinc Plated/Yellow
BU24	BC18	Hammer On Beam Clamp, 1/8-1/4" Flange, 1/4"-20 Thread Impression On Bottom and Back Of Clamp, Spring Steel
BU24S	BC18ST	Hammer On Beam Clamp With 1/4"-20 x 3/8" Stud, 1/8-1/4" Flange, 1/4"-20 Thread Impression On Bottom & Back Of Clamp, Spring Steel
BU58	BC516	Hammer On Beam Clamp, 5/16-1/2" Flange, 1/4"-20 Thread Impression On Bottom and Back Of Clamp, Spring Steel
BU58S	BC516ST	Hammer On Beam Clamp With 1/4"-20 and 3/8" Stud, 5/16-1/2" Flange, 1/4"-20 Thread Impression On Bottom & Back Of Clamp, Spring Steel
BU912	BC916	Hammer On Beam Clamp, 9/16-3/4" Flange, 1/4"-20 Thread Impression On Bottom and Back Of Clamp, Spring Steel
BU912S	BC916ST	Hammer On Beam Clamp With 1/4"-20 x 3/8" Stud, 9/16-3/4" Flange, 1/4"-20 Thread Impression On Bottom and Back Of Clamp, Spring Steel
BVP037	CCP037YC	Cushion Clamp Pipe 3/8, Zinc Plated
BVP050	CCP050YC	Cushion Clamp Pipe 1/2, Zinc Plated
BVP075	CCP075YC	Cushion Clamp Pipe 3/4, Zinc Plated
BVP100	CCP100YC	Cushion Clamp Pipe 1, Zinc Plated
BVP125	CCP125YC	Cushion Clamp Pipe 1-1/4, Zinc Plated
BVP150	CCP150YC	Cushion Clamp Pipe 1-1/2, Zinc Plated
BVP200	CCP200YC	Cushion Clamp Pipe 2, Zinc Plated
BVP250	CCP250YC	Cushion Clamp Pipe 2-1/2, Zinc Plated
BVP300	CCP300YC	Cushion Clamp Pipe 3, Zinc Plated
BVP400	CCP400YC	Cushion Clamp Pipe 4, Zinc Plated
BVP500	CCP500YC	Cushion Clamp Pipe 5, Zinc Plated
BVT025	CCT025YC	Cushion Clamp Tubing 1/4, Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
BVT037	CCT037YC	Cushion Clamp Tubing 3/8, Zinc Plated
BVT050	CCT037YC	Cushion Clamp Tubing 3/8, Zinc Plated
BVT062	CCT050YC	Cushion Clamp Tubing 1/2, Zinc Plated
BVT075	CCT075YC	Cushion Clamp Tubing 3/4, Zinc Plated
BVT087	CCT087YC	Cushion Clamp Tubing 7/8, Zinc Plated
BVT100	CCT100YC	Cushion Clamp Tubing 1, Zinc Plated
BVT112	CCT112YC	Cushion Clamp Tubing 1-1/8, Zinc Plated
BVT125	CCT125YC	Cushion Clamp Tubing 1-1/4, Zinc Plated
BVT137	CCT137YC	Cushion Clamp Tubing 1-3/8, Zinc Plated
BVT150	CCT150YC	Cushion Clamp Tubing 1-1/2, Zinc Plated
BVT162	CCT162YC	Cushion Clamp Tubing 1-5/8, Zinc Plated
BVT175	CCT175YC	Cushion Clamp Tubing 1-3/4, Zinc Plated
BVT187	CCT187YC	Cushion Clamp Tubing 1-7/8, Zinc Plated
BVT200	CCT200YC	Cushion Clamp Tubing 2, Zinc Plated
BVT212	CCT212YC	Cushion Clamp Tubing 2-1/8, Zinc Plated
BVT250	CCT250YC	Cushion Clamp Tubing 2-1/2, Zinc Plated
BVT262	CCT262YC	Cushion Clamp Tubing 2-5/8, Zinc Plated
BVT312	CCT312YC	Cushion Clamp Tubing 3-1/8, Zinc Plated
BVT362	CCT362YC	Cushion Clamp Tubing 3-5/8, Zinc Plated
BVT412	CCT412YC	Cushion Clamp Tubing 4-1/8, Zinc Plated
BW-12	FS2	Fast Support Clip For Wire, 3/4" EMT To #10 Wire Thru 1/4" Rod Or 1/8 Thru 1/4" Flange, 1/2" EMT To 5/16" Thru 1/2" Flange, Spring Steel





B-Line Cross Reference

Competitor	Minerallac	Description
BW-20	FS4	Fast Support Conduit Clip, 1-1/4" EMT To #8 Wire Thru 1/4" Rod Or 1/8 Thru 1/4" Flange, 1" EMT To 5/16" Thru 1/2" Flange, Spring Steel
BW-8	FS1	Fast Support Conduit Clip For Wire, Rod Or Flange , 1/2" EMT To #10 Wire Thru 1/4" Rod Or 1/8 Thru 1/4" Flange, Spring Steel
BW12	FS2	Fast Support Clip For Wire, 3/4" EMT To #10 Wire Thru 1/4" Rod Or 1/8 Thru 1/4" Flange, 1/2" EMT To 5/16" Thru 1/2" Flange, Spring Steel
BW16	FS3	Fast Support Conduit Clip, 1" EMT To #8 Wire Thru 1/4" Rod Or 1/8 Thru 1/4" Flange, 3/4" EMT To 5/16" Thru 1/2" Flange, Spring Steel
BW2	APS	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, #10-24 & 1/4"-20 Thread Impressions, Spring Steel
BW20	FS4	Fast Support Conduit Clip, 1-1/4" EMT To #8 Wire Thru 1/4" Rod Or 1/8 Thru 1/4" Flange, 1" EMT To 5/16" Thru 1/2" Flange, Spring Steel
BW2S	APSST	Multi-Function Clip, Fits 1/8-1/4" Flange & #12 Wire thru 1/4" Rod, 1/4"-20 stud for fastening, Spring Steel
BW4	FSBX	Fast Support Flexible Conduit Clip For Wire, 14-2, 14-3 & 12-2 Cable To #12-#8 Wire, 12-3 Cable To #12 Wire, Spring Steel
BW6	APS	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, #10-24 & 1/4"-20 Thread Impressions, Spring Steel
BW8	FS1	Fast Support Conduit Clip For Wire, Rod Or Flange , 1/2" EMT To #10 Wire Thru 1/4" Rod Or 1/8 Thru 1/4" Flange, Spring Steel
BWHS9D	26809-6	8 x 1/2" Lath Tek Screws (K-Lath), Wafer Head, Phillips, Zinc Plated 1000/JAR
BX-18	DWCS2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BX-8	DWCS1	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BX18	DWCS2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BX2	WBX3	Flexible Conduit and Cable Hanger, 1-1/8" Diameter, for Multiple runs of MC/AC Cable, Zinc Plated
BX4	MCAC1	14-2 thru 10-3 MC/AC Support Clip for Wood or Metal Studs, Single Run, Hammer On up to 1/16" Flange, 1/4" Mounting Hole on back, 3/16" Mounting Holes
BX4C2	500MC1	Set Screw Beam Clamp Fits up to 1/2" Flange, Single Support Clip fits 14-2 thru 10-3 MC/AC, Spring Steel, Black
BX4E24	SFC18MC1	14-2 thru 10-3 MC/AC Support Clip, Single Run, with Hammer On Flange Clamp, Fits 1/8-1/4" Flange, Spring Steel
BX4E58	SFC516MC1	14-2 thru 10-3 MC/AC Support Clip, Single Run, with Hammer On Flange Clamp, Fits 5/16-1/2" Flange, Spring Steel
BX4E912	SFC916MC1	14-2 thru 10-3 MC/AC Support Clip, Single Run, with Hammer On Flange Clamp, Fits 9/16-3/4" Flange, Spring Steel
BX4M	MCAC2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black





B-Line Cross Reference

Competitor	Minerallac	Description
BX4M-E-5-8	SFC516MC2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BX4M-E-5-8	SFC516MC2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BX4M-E-9-12	SFC916MC2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BX4M-F3	VBCMC2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BX4M-U-5-8	BC516MC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Hammer On Beam Clamp, Fits 5/16-1/2" Flange, Spring Steel
BX4M-U-9-12	BC916MC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Hammer On Beam Clamp, Fits 9/16-3/4" Flange, Spring Steel
BX4M-W2	APSMC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Multi-Function Clip, Fits 1/8-3/8" Flange and #12 Wire thru 3/8" Rod, Spring Steel
BX4M-W6	APSMC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Multi-Function Clip, Fits 1/8-3/8" Flange and #12 Wire thru 3/8" Rod, Spring Steel
BX4MC2	500MC2	Set Screw Beam Clamp Fits up to 1/2" Flange, Double Run Support Clip fits 14-2 thru 10-3 MC/AC , Spring Steel, Black
BX4ME24	SFC18MC2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BX4ME58	SFC516MC2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BX4ME912	SFC916MC2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BX4MF3	VBCMC2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BX4MU24	BC18MC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Hammer On Beam Clamp, Fits 1/8-1/4" Flange, Spring Steel
BX4MU58	BC516MC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Hammer On Beam Clamp, Fits 5/16-1/2" Flange, Spring Steel
BX4MU912	BC916MC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Hammer On Beam Clamp, Fits 9/16-3/4" Flange, Spring Steel
BX4MW2	APSMC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Multi-Function Clip, Fits 1/8-3/8" Flange and #12 Wire thru 3/8" Rod, Spring Steel
BX4MW6	APSMC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Multi-Function Clip, Fits 1/8-3/8" Flange and #12 Wire thru 3/8" Rod, Spring Steel
BX4U24	BC18MC1	14-2 thru 10-3 MC/AC Support Clip, Single Run, with Hammer On Beam Clamp, Fits 1/8-1/4" Flange, Spring Steel
BX4U58	BC516MC1	14-2 thru 10-3 MC/AC Support Clip, Single Run, with Hammer On Beam Clamp, Fits 5/16-1/2" Flange, Spring Steel
BX4U912	BC916MC1	14-2 thru 10-3 MC/AC Support Clip, Single Run, with Hammer On Beam Clamp, Fits 9/16-3/4" Flange, Spring Steel





B-Line Cross Reference

Competitor	Minerallac	Description
BX5	SBX	Flexible Conduit/Cable Metal Stud Clip, Hammer On Clip (To 2" Side Of Stud) Attaches Mc Or Bx (12-2 Thru 10-3) To Metal Stud, Spring Steel
BX6	WBX6	Flexible Conduit and Cable Hanger, 1-3/4" Diameter, Up to 6 runs of MC/AC Cable, Zinc Plated
BX8	DWCS1	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
BX82	ARS	Anti-Rattle Support, Spring Steel
BX9	BXC	Flexible Conduit/Cable Metal Stud Clip, Push Clip Attaches Mc, Ac Or Bx To Open Edge Of Metal Stud, Spring Steel
BXL1011	F8C	Flange Clip For Cable Support, Flange 5/16 - 1/2" Thick, Ac/Mc Cable O.D. .375 - 0.437", Spring Steel, Zinc Plated
BXL1214	F8D	Flange Clip For Cable Support, Flange 5/16 - 1/2" Thick, Ac/Mc Cable O.D. .468 - 0.562", Spring Steel, Zinc Plated
BXL1519	F8E	Flange Clip For Cable Support, Flange 5/16 - 1/2" Thick, Ac/Mc Cable O.D. .500 - 0.718", Spring Steel, Zinc Plated
BXL2024	F8F	Flange Clip For Cable Support, Flange 5/16 - 1/2" Thick, Ac/Mc Cable O.D. .750 - 0.937", Spring Steel, Zinc Plated
BXL2530	F8G	Flange Clip For Cable Support, Flange 5/16 - 1/2" Thick, Ac/Mc Cable O.D. .968 - 1.250", Spring Steel, Zinc Plated
BXL67	F8A	Flange Clip For Cable Support, Flange 5/16 - 1/2" Thick, Ac/Mc Cable O.D. .218 - .281", Spring Steel, Zinc Plated
BXL89	F8B	Flange Clip For Cable Support, Flange 5/16 - 1/2" Thick, Ac/Mc Cable O.D. .312 - 0.375", Spring Steel, Zinc Plated
BXM1011	F4C	Flange Clip For Cable Support, Flange 3/16 - 9/32" Thick, Ac/Mc Cable O.D. .375 - 0.437", Spring Steel, Zinc Plated
BXM1214	F4D	Flange Clip For Cable Support, Flange 3/16 - 9/32" Thick, Ac/Mc Cable O.D. .468 - 0.562", Spring Steel, Zinc Plated
BXM1519	F4E	Flange Clip For Cable Support, Flange 3/16 - 9/32" Thick, Ac/Mc Cable O.D. .500 - 0.718", Spring Steel, Zinc Plated
BXM2024	F4F	Flange Clip For Cable Support, Flange 3/16 - 9/32" Thick, Ac/Mc Cable O.D. .750 - 0.937", Spring Steel, Zinc Plated
BXM2530	F4G	Flange Clip For Cable Support, Flange 3/16 - 9/32" Thick, Ac/Mc Cable O.D. .968 - 1.250", Spring Steel, Zinc Plated
BXM67	F4A	Flange Clip For Cable Support, Flange 3/16 - 9/32" Thick, Ac/Mc Cable O.D. .218 - 0.281", Spring Steel, Zinc Plated
BXM89	F4B	Flange Clip For Cable Support, Flange 3/16 - 9/32" Thick, Ac/Mc Cable O.D. .312 - 0.375", Spring Steel, Zinc Plated
BXS1011	F2C	Flange Clip For Cable Support, Flange 1/16 - 3/16" Thick, Ac/Mc Cable O.D. .375 - .437", Spring Steel, Zinc Plated
BXS1214	F2D	Flange Clip For Cable Support, Flange 1/16 - 3/16" Thick, Ac/Mc Cable O.D. .468 - .562", Spring Steel, Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
BXS1519	F2E	Flange Clip For Cable Support, Flange 1/16 - 3/16" Thick, Ac/Mc Cable O.D. O.D. .500 - .718", Spring Steel, Zinc Plated
BXS2024	F2F	Flange Clip For Cable Support, Flange 1/16 - 3/16" Thick, Ac/Mc Cable O.D. .750 - .937", Spring Steel, Zinc Plated
BXS2530	F2G	Flange Clip For Cable Support, Flange 1/16 - 3/16" Thick, Ac/Mc Cable O.D. .968 - 1.250", Spring Steel, Zinc Plated
BXS67	F2A	Flange Clip For Cable Support, Flange 1/16 - 3/16" Thick, Ac/Mc Cable O.D. .218 - .281", Spring Steel, Zinc Plated
BXS89	F2B	Flange Clip For Cable Support, Flange 1/16 - 3/16" Thick, Ac/Mc Cable O.D. .312 - .375", Spring Steel, Zinc Plated
DB10	RSB081PG	13/16" Pre-galvanize Channel on 4" Foam Roof Block, Height 4-13/16", Strut Length 9.32", Overall Leangth 10-1/2"; Uniform Load = 2,500lbs
DB610	RSB244PG	2-7/16" Pre-galvanize Channel on 4" Foam Roof Block, Height 6-7/16", Strut Length 9.32", Overall Leangth 10-1/2"; Uniform Load = 2,500lbs
N106-42	FZX2H1EG	Z Fitting Cross 2 Hole 1", Zinc Plated
N222	SN010EG	Spring Nut 10-24, Zinc Plated
N222WOZN	CNN010EG	Channel Nut No Spring 1024, Zinc Plated
N223	SN031EG	Spring Nut 5/16- 18 1/4THK
N223-W/0	CNN031EG	Channel Nut No Spring 5/16"-18
N223516	SN031EG	Spring Nut 5/16- 18 1/4THK
N223ZN	SN031EG	Spring Nut 5/16- 18 1/4THK
N224	SN025EG	Spring Nut 1/4-20 1/4 THK
N2241/4	SN025EG	Spring Nut 1/4-20 1/4 THK
N22414	SN025EG	Spring Nut 1/4-20 1/4 THK
N224CZN	SN025EGUS	Spring Nut 1/4-20 1/4 tTHK
N224SS6	SN025S6	Spring Nut 1/4 -20 1/4 THK 316 Stainless Steel
N224WOZN	CNN025EG	Channel Nut No Spring 1/4"-20, Zinc Plated
N224ZN	SN025EG	Spring Nut 1/4-20 1/4 THK





B-Line Cross Reference

Competitor	Minerallac	Description
N224ZN1/4	SN025EG	Spring Nut 1/4-20 1/4 THK
N225	SNT050EG	SPRING NUT 1/2-13 1/2THK, ZP
N22512	SN050EG	Spring Nut 1/2-13 3/8 THK, Zinc Plated
N225CZN	SN050EGUS	Spring Nut 1/2"-13, Zinc Plated
N225SS6	SN050S6	SPRING NUT 1/2-13 3/8THK 316SS
N225WO	CNNT050EG	Channel Nut No Spring Thick 1/2"—13, Zinc Plated
N225WOZN12	CNNT050EG	Channel Nut No Spring Thick 1/2"—13, Zinc Plated
N225ZN	SN050EG	Spring Nut 1/2-13 3/8 THK, Zinc Plated
N228	SNT037EG	SPRING NUT 3/8-16 3/8THK ZP
N2283/8	SN037EG	Spring Nut 3/8- 16 3/8THK Zinc Plated
N22838	SN037EG	Spring Nut 3/8- 16 3/8THK Zinc Plated
N228CZN	SN037EGUS	Spring Nut 3/8- 16 3/8THK , Zinc Plated
N228SS6	SN037S6	Spring Nut 3/8-16 3/8 THK
N228WO	CNN037EG	No Spring Nuts For 3/8-16 Rods Are Inserted Inside Strut Channel To Accept 3/8In Threaded Fasteners Or Bolts, ZP
N228WOZN	CNN037EG	No Spring Nuts For 3/8-16 Rods Are Inserted Inside Strut Channel To Accept 3/8In Threaded Fasteners Or Bolts, ZP
N228ZN	SN037EG	Spring Nut 3/8- 16 3/8THK Zinc Plated
N228ZN3/8	SN037EG	Spring Nut 3/8- 16 3/8THK Zinc Plated
N25001/4	CIN25PL	Concrete Insert Nut 1/4, Plain
N25003/8	CIN37PL	Concrete Insert Nut 3/8, Plain
N25005/8	CIN62EG	Concrete Insert Nut 5/8, Zinc Plated
N255	SN062EG	SPRING NUT 5/8-11 1/2 Thick, Zinc Plated





B-Line Cross Reference

Competitor	Minerallac	Description
N25558	SN062EG	SPRING NUT 5/8-11 1/2 Thick, Zinc Plated
N275	SN075EG	SPRING NUT 3/4-10 1/2THK, ZP
N27534	SN075EG	SPRING NUT 3/4-10 1/2THK, ZP
N275WO	CNNT075EG	Channel Nut No Spring Thick 3/4"-10, Zinc Plated
N278	SN087EG	SPRING NUT 7/8-9 1/2THK, ZP
N278WO	CNNT087EG	Channel Nut No Spring Thick 7/8"-9, Zinc Plated
N522	SNS010EG	Short Spring Nut 10-24, ZP
N523	SNS031EG	Short Spring Nut 5/16"-18, ZP
N524	SNS025EG	Short Spring Nut 1/4"-20, ZP
N524ZN	SN025EG	Spring Nut 1/4-20 1/4 THK
N525WO	CNN050EG	No Spring Nuts For 1/2-13 Rods Are Inserted Inside Strut Channel To Accept 1/2In Threaded Fasteners Or Bolts.
N525WOZN	CNN050EG	No Spring Nuts For 1/2-13 Rods Are Inserted Inside Strut Channel To Accept 1/2In Threaded Fasteners Or Bolts.
N528	SNS037EG	Short Spring Nut 3/8"-16, ZP
N555	SNS062EG	Short Spring Nut 5/8"-11, ZP
N555WO	CNN062EG	Channel Nut No Spring 5/8"-11, Zinc Plated
N575WO	CNN075EG	Channel Nut No Spring 3/4"-10, Zinc Plated
N724	SNL025EG	Long Spring Nut 1/4"-20, ZP
N725	SNL050EG	Long Spring Nut 1/2"-13, ZP
N728	SNL037EG	Long Spring Nut 3/8"-16, ZP
SFHNZN	40482J	3/8"-16 Flange Whiz Nuts, Zinc Plated
TC228ZN	TN037EG	Top Spring Nut 3/8"-16, ZP





B-Line Cross Reference

Competitor	Minerallac	Description
TN224	TN025EG	Top Spring Nut 1/4-20, ZP
TN224ZN	TN025EG	Top Spring Nut 1/4-20, ZP
TN225	TN050EG	Top Spring Nut 1/2"-13, ZP
TN225ZN	TN050EG	Top Spring Nut 1/2"-13, ZP
TN228	TN037EG	Top Spring Nut 3/8"-16, ZP
TN228ZN	TN037EG	Top Spring Nut 3/8"-16, ZP

