



Caddy Cross Reference

Competitor	Minerallac	Description
0422515EG	57024J	1/4 x 1-1/2" Lag Screw, Hex Head, Zinc Plated
0502506EG	59704	1/4"-20 x 6' Threaded Rod, Zinc Plated
0503706EG	59706	3/8"-16 x 6' Threaded Rod, Zinc Plated
0505006EG	59708	1/2"-13 x 6' Threaded Rod, Zinc Plated
122	PH	Hammer On Z Purlin Hanger, Z Purlin 13 To 16 Gauge, 1/4" Vertical Mounting Hole, Spring Steel
1224TI	PH14T	Hammer On Z Purlin Hanger And 1/4"-20 Threaded Rod Hanger Assembly, Z Purlin 13 To 16 Gauge, Rod Hanger With 1/4"-20 Thread Impression, Spring Steel
1226A	PH38	1/4"-20 Threaded Rod Hanger Assembly, Z Purlin 13 To 16 Gauge, Used For Hanging Rod, Used For Hanging Rod, 3/8" Plain Rod. , Spring Steel
1226T	PH1438N	1/4"-20 Threaded Rod Hanger Assembly, Z Purlin 13 To 16 Gauge, Used For Hanging Rod, 1/4 Or 3/8" Threaded Rod Hanger, Nut Required, Spring Steel
1226TI	PH38T	Hammer On Z Purlin Hanger And 3/8"-16 Threaded Rod Hanger Assembly, Z Purlin 13 To 16 Gauge, Rod Hanger With 3/8"-16 Thread Impression, Spring Steel
122708	PH14	Hammer On Z Purlin Hanger And 1/4"-20 Threaded Rod Hanger Assembly, Z Purlin 13 To 16 Gauge, #8 Wire Or 1/4" Plain Rod. , Spring Steel
123	P	Hammer On Z Purlin Hanger, Z Purlin 13 To 16 Gauge, 1/4" Bottom (Horizontal) Mounting Hole, Spring Steel
12312P	P75	Hammer On Z Purlin Hanger And Push In Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
12316M	PKC1	Hammer On Z Purlin Hanger And Closed Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 1" Conduit, Spring Steel
12316P	P100	Hammer On Z Purlin Hanger And Push In Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
12320M	PKC114	Hammer On Z Purlin Hanger And Closed Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 1-1/4" Conduit, Spring Steel
1236M	PKC38	Hammer On Z Purlin Hanger And Closed Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 3/8" Flexible Conduit, Spring Steel
123812M	PKC1234	Hammer On Z Purlin Hanger And Closed Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
1238P	P50	Hammer On Z Purlin Hanger And Push In Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 1/2" EMT, Spring Steel
12P	HIC75	Push In Conduit Clip, 3/4" EMT and 1/2" Rigid/RMC, 1/4" Mounting Hole, Spring Steel
12P12P	HIC7575	Conduit To Conduit Trapeze Assembly, Both Push In Conduit Clips Fit 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
12P16P	HIC75100	Conduit To Conduit Trapeze Assembly, Both Push In Conduit Clips HIC75 Fit 3/4" EMT and 1/2" Rigid/RMC & HIC100 Fit 1" EMT and 3/4" Rigid/RMC, SP





Caddy Cross Reference

Competitor	Minerallac	Description
12P24	BC1875	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
12P24SM	SFC1875	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
12P58	BC51675	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
12P58SM	SFC51675	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
12P912	BC91675	Hammer On Beam Clamp and Push In Conduit Clip Assembly, Beam Clamp Fits 9/16-3/4" Flange, Conduit Clip Fits 3/4" EMT and 1/2" Rigid/IMC, Spring Steel
12P912SM	SFC91675	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
12PATA	TB75	Right Angle (Top Mount) T-Bar Clip With Push In Conduit Clip For 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
12PATS	TS75	T-Bar Clip (Side Mount) With Push In Conduit Clip For 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
12PF	SB75	Switch Box 2 Stud Support Clip, Conduit To Metal Stud Fastener, Hammer On Stud Clip, Push In Conduit Clip 3/4" EMT & 1/2" Rigid/RMC, Spring Steel
1616M	KC1KC1	1" Conduit Closed Clip(X2), Spring Steel
1620M	KC114KC1	1" To 1-1/4" Conduit Closed Clip, Spring Steel
1624M	KC112KC1	1" To 1-1/2" Conduit Closed Clip, Spring Steel
1632M	KC2KC1	1" To 2" Conduit Closed Clip, Spring Steel
166M	KC38KC1	3/8" Flexible Conduit and Kc1 Conduit Clip 1" Conduit, Conduit To Conduit Trapeze Assembly, Spring Steel
16812M	KC1234KC1	1/2" To 1" Conduit Closed Clip, Spring Steel
16M	KC1	1" Conduit, 1/4" Mounting Hole, Closed Conduit Clip, Spring Steel
16M24	BC18KC1	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1" Conduit, Spring Steel
16M24SM	SFC18KC1	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1" Conduit, Spring Steel
16M58	BC516KC1	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1" Conduit, Spring Steel
16M58SM	SFC516KC1	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1" Conduit, Spring Steel
16M912	BC916KC1	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 1" Conduit, Spring Steel





Caddy Cross Reference

Competitor	Minerallac	Description
16M912SM	SFC916KC1	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1" Conduit, Spring Steel
16MATA	TBKC1	Right Angle (Top Mount) T-Bar Clip With Closed Conduit Clip For 1" Conduit, Spring Steel
16MATS	TSKC1	T-Bar Clip (Side Mount) With Closed Conduit Clip For 1" Conduit, Spring Steel
16MB18	CBS18KC1APS	1"Conduit Clamp With Multi Function Clip, Spring Steel
16MB1824	CBS18KC118	1" Conduit, Beam Clamp 1/8-1/4" Flange, 18" Bar Support, Spring Steel
16MB1858	CBS18KC1516	1" Conduit, Beam Clamp 5/16-1/2" Flange, 18" Bar Support With Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel
16MB186	CBS18KC1APS	1"Conduit Clamp With Multi Function Clip, Spring Steel
16MB18A	CBS18KC1	1" Conduit, 18" Bar Support With 1/4" Star Hole and Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel
16MCPNAM	SBDKC1	1-1/2" Standoff Bracket for Decking, Closed Conduit Clip, Fits 1" Conduit, Squeeze Closed to Engage Locking Tab
16MF	SBKC1	Conduit To Metal Stud Fastener, Hammer On Stud Clip, Closed Conduit Clip 1" Conduit, Spring Steel
16P	HIC100	Push In Conduit Clip, 1" EMT and 3/4" Rigid/RMC, 1/4" Mounting Hole, Spring Steel
16P16P	HIC100100	Back To Back Push In Conduit Clip, 1" EMT and 3/4" Rigid/RMC, Spring Steel
16P24	BC18100	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
16P24SM	SFC18100	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
16P58	BC516100	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
16P58SM	SFC516100	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
16P912	BC916100	Hammer On Beam Clamp and Push In Conduit Clip Assembly, Beam Clamp Fits 9/16-3/4" Flange, Conduit Clip Fits 1" EMT and 3/4" Rigid/IMC, Spring Steel
16P912SM	SFC916100	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
16PATA	TB100	Right Angle (Top Mount) T-Bar Clip With Push In Conduit Clip For 1" EMT and 3/4" Rigid/RMC, Spring Steel
16PATS	TS100	T-Bar Clip (Side Mount) With Push In Conduit Clip For 1" EMT and 3/4" Rigid/RMC, Spring Steel
16PF	SB100	Conduit To Metal Stud Fastener, Hammer On Stud Clip, Push In Conduit Clip 1" EMT & 3/4" Rigid/RMC, Spring Steel





Caddy Cross Reference

Competitor	Minerallac	Description
20M	KC114	1-1/4" Conduit, 1/4" Mounting Hole, Closed Conduit Clip, Squeeze Closed To Engage Locking Tab, Spring Steel
20M24	BC18KC114	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
20M24SM	SFC18KC114	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
20M4I	KC114T	Closed Conduit Clip with 1/4"-20 Thread Impression, Fits 1-1/4", Squeeze Closed to Engage Locking Tab, Spring Steel
20M58	BC516KC114	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
20M58SM	SFC516KC114	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
20M912	BC916KC114	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
20M912SM	SFC916KC114	Side Mount Flange Clamp with Closed Conduit Clip, Hammer On Clamp Fits 9/16 to 3/4" Flange, Conduit Clip Fits 1-1/4" Conduit, Spring Steel
20MCPNAM	SBDKC114	1-1/2" Standoff Bracket for Decking, Closed Conduit Clip, Fits 1-1/4" Conduit, Squeeze Closed to Engage Locking Tab, Spring Steel
20MF	SBKC114	Designed To Quickly Secure Horizontal Runs Of Rigid, EMT, Ac, Mc, Bx Or Pvc Tometal Studs Conduit 1-1/4".
24M	KC112	1-1/2" Conduit, 1/4" Mounting Hole, Closed Conduit Clip, Spring Steel
24M24	BC18KC112	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
24M24SM	SFC18KC112	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
24M58	BC516KC112	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
24M58SM	SFC516KC112	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
24M912	BC916KC112	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
24M912SM	SFC916KC112	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
2BRT12	634R	1" Diameter Bridle Ring, #10-24 Thread, Zinc Plated
2BRT20	634R	1" Diameter Bridle Ring, #10-24 Thread, Zinc Plated
2BRT32	648R	2" Diameter Bridle Ring, 1/4"-20 Thread, Zinc Plated
2FMP28	BRFC	Hammer-On Bridle Ring Flange Clamp, Supports 1/4-20 & 10-24 Bridle Rings from 1/8 - 1/2 in. Flange, Fits 1/4 in. and No. 10 Wire Drive Rings and Plain





Caddy Cross Reference

Competitor	Minerallac	Description
2H4	SFC332	Side Mount Flange Clamp, 3/32" to 9/64" Flange, Hammer On, 1/4" Mounting Hole, Spring Steel, Black
3000037EG	BCUM37EG	Beam Clamp Universal Malleable Iron 5/8" Flange 3/8" Rod, Zinc Plated
3000050EG	BCUM50EG	Beam Clamp Universal Malleable Iron 5/8" Flange 1/2" Rod, Zinc Plated
304B2	NPMS	3 x 1-1/2" Nail Plate for Metal Studs, Four 3/16 in. Mounting Holes, Spring Steel
31000037EG	702	3/8-16 Beam Clamp (Malleable Iron), Up To 3/4" Flange, 3/8"-16 Tapped Holes Bottom and Back Of Beam Clamp, Malleable Iron
3100037EG	BCUMW37EG	Beam Clamp Universal Malleable Iron Wide Mouth 1-1/16" Flange 3/8" Rod, Zinc Plated
32M	KC2	2" Conduit,Closed Conduit Clip, 1/4" Mounting Hole, Squeeze Closed To Engage Locking Tab, Spring Steel
32M24	BC18KC2	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 2" Conduit, Spring Steel
32M24SM	SFC18KC2	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 2" Conduit, Spring Steel
32M41	KC2	2" Conduit,Closed Conduit Clip, 1/4" Mounting Hole, Squeeze Closed To Engage Locking Tab, Spring Steel
32M58	BC516KC2	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 2" Conduit, Spring Steel
32M58SM	SFC516KC2	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 2" Conduit, Spring Steel
32M912	BC916KC2	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 2" Conduit, Spring Steel
32M912SM	SFC916KC2	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 2" Conduit, Spring Steel
350	SS	Electrical Box To Stud Fastener, Screw On Stud Support With 5/32" (#8 Screw) Mounting Holes (3), Spring Steel
35012P	SS75	Conduit To Stud Fastener, Screw On Stud Support With 5/32" Mounting Holes (3), Push In Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
35016M	SSKC1	Conduit To Stud Fastener, Screw On Stud Support With 5/32" (#8 Screw) Mounting Holes (3), Closed Conduit Clip 1" Conduit, Spring Steel
35016P	SS100	Conduit To Stud Fastener, Screw On Stud Support With 5/32" (#8 Screw) Mounting Holes (3), Push In Conduit Clip 1" EMT & 3/4" Rigid/RMC, Spring Steel
350812M	SSKC1234	Conduit To Stud Fastener, Screw On Stud Support With 5/32" (#8 Screw) Mounting Holes (3), Closed Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
3508P	SS50	Conduit To Stud Fastener, Screw On Stud Support With 5/32" (#8 Screw) Mounting Holes (3), Push In Conduit Clip 1/2" EMT, Spring Steel
449	BXC	Flexible Conduit/Cable Metal Stud Clip, Push Clip Attaches Mc, Ac Or Bx To Open Edge Of Metal Stud, Spring Steel





Caddy Cross Reference

Competitor	Minerallac	Description
4BRT20	646R	1-1/2" Diameter Bridle Ring, 1/4"-20 Thread, Zinc Plated
4BRT20WS	646RW	1-1/2" Diameter Bridle Ring For Wood, 1/4" Lag Thread, Zinc Plated
4BRT32	648R	2" Diameter Bridle Ring, 1/4"-20 Thread, Zinc Plated
4BRT32WS	648RW	2" Diameter Bridle Ring For Wood, 1/4" Lag Thread, Zinc Plated
4BRT64	654R	4" Diameter Bridle Ring, 1/4"-20 Thread, Zinc Plated
4G16	SCT3	Twist On T-Bar Hanger, 1" T-Bar, 1/4"-20 x 5/8" Stud With Wing Nut Washer, Spring Steel
4G8	SCT3	Twist On T-Bar Hanger, 1" T-Bar, 1/4"-20 x 5/8" Stud With Wing Nut Washer, Spring Steel
4H24	SFC18	Side Mount Flange Clamp, 1/8 to 1/4" Flange, Hammer On, 1/4" Mounting Hole, Spring Steel
4H58	SFC516	Side Mount Flange Clamp, 5/16 to 1/2" Flange, Hammer On, 1/4" Mounting Hole, Spring Steel
4H912	SFC916	Side Mount Flange Clamp, 9/16 to 3/4" Flange, Hammer On, 1/4" Mounting Hole, Spring Steel
4TI	R14T	1/4"-20 Threaded Rod Hanger, 1/4"-20 Thread Impression, Spring Steel
4TI24	R1814T	Rod To Beam Assembly, 1/8 To 1/4" Flange and 1/4" Threaded Rod, Spring Steel
4TI58	R51614T	Rod To Beam Assembly, 5/16 To 1/2" Flange and 1/4" Threaded Rod, Spring Steel
4TI912	R91614T	Rod To Beam Assembly, 9/16 To 3/4" Flange and 1/4" Threaded Rod, Spring Steel
4TIB	RA14T	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 1/4" Threaded Rod (With Thread Impression), Pre-Galvanized/Spring Steel
4TIO	RO14T	Offset Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 1/4" Threaded Rod (With Thread Impression), Pre-Galvanized/Spring Steel
4WN	14WNW	1/4"-20 Wing Nut Washer, Zinc Plated
4Z34	APS	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, #10-24 & 1/4"-20 Thread Impressions, Spring Steel
4Z3412P	APS75	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, Conduit Clip 3/4" EMT & 1/2" Rigid/RMC, Spring Steel
4Z3416M	APSKC1	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, Conduit Clip 1" Conduit, Spring Steel
4Z3416P	APS100	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Conduit Clip 1" EMT & 3/4" Rigid/RMC, Multi-Function Clip, Spring Steel





Caddy Cross Reference

Competitor	Minerallac	Description
4Z346M	APSKC1	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, Conduit Clip 1" Conduit, Spring Steel
4Z34812M	APSKC1234	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, Conduit Clip 1/2" & 3/4" Conduit, Spring Steel
4Z348P	APS50	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip Conduit Clip 1/2" EMT, Spring Steel
4Z4S	APSST	Multi-Function Clip, Fits 1/8-1/4" Flange & #12 Wire thru 1/4" Rod, 1/4"-20 stud for fastening, Spring Steel
510HD	TBARHDCLIP	Heavy Duty T-Bar Box Bracket Clip
512	TBAR	24" Electrical Box To T-Bar Assembly, Dual Height 3/4" For Flush Or Offset Mount, Includes Box Mounting Clip and Screw, Pre-Galvanized/Spring Steel
512A	TBARA	24" Electrical Box To T-Bar Assembly, 8" Adjustable Height, Includes Box Mounting Clip and Screw, Zinc Plated/Spring Steel
512HD	TBARHD	Hd Box Bracket For 24 In. T-Bar Grid, For Use With 1-1/2 In. Or 2-1/8 In. Electrical Box, Spring Steel.
512HDFM70	FBST1624	Telescoping 1-1/2" Octagon Elec. Box Mounting Bracket, Stud Spacing 15-1/2 to 26 in.,
512HDXT	TBARHDXT	3-5/8" Extension For Hd T-Bar Box Bracket (TBARHD), Provides 3-5/8 In. Spacing For 2-1/8 In. Box With 1-1/2 In. Extension Ring, PG
515	FT	T-Bar Clip, Positive Support For Troffers And Lay-In Fixtures, Round And Rectangular T-Bar, Spring Steel
515A	FT	T-Bar Clip, Positive Support For Troffers And Lay-In Fixtures, Round And Rectangular T-Bar, Spring Steel
517A	TBAR	24" Electrical Box To T-Bar Assembly, Dual Height 3/4" For Flush Or Offset Mount, Includes Box Mounting Clip and Screw, Pre-Galvanized/Spring Steel
520	LSBAR	24" Lighting Support Assembly, Lightolier 5 and Calculite Series Fixtures, Includes T-Bar Clip and Screw, Pre-Galvanized/Spring Steel
56250	CULWM045	Wire and Cable Marker Book, 0 (45 Each), 1-45 (10 Each)
6A	R38	Rod Hanger, 3/8" Plain Rod.
6A24	R1838	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 1/8 To 1/4" Flange, Rod/Wire Hanger Suspends 3/8" Plain Rod, Spring Steel
6A58	R51638	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 5/16 To 1/2" Flange, Rod/Wire Hanger Suspends 3/8" Plain Rod, Spring Steel
6A912	R91638	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 9/16 To 3/4" Flange, Rod/Wire Hanger Suspends 3/8" Plain Rod, Spring Steel
6AB	RA38	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 3/8" Plain Rod, Pre-Galvanized/Spring Steel
6AO	RO38	Offset Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 3/8" Plain Rod, Pre-Galvanized/Spring Steel





Caddy Cross Reference

Competitor	Minerallac	Description
6M	KC38	3/8" Flexible Conduit, 1/4" Mounting Hole, Closed Conduit Clip, Squeeze Closed To Engage Locking Tab, Spring Steel
6M24	BC18KC38	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
6M24SM	SFC18KC38	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
6M4I	KC38T	Kombo Clip Threaded
6M58	BC516KC38	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
6M58SM	SFC516KC38	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
6M912	BC916KC38	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
6M912SM	SFC916KC38	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
6MATA	TBKC38	Right Angle (Top Mount) T-Bar Clip With Closed Conduit Clip For 3/8" Flexible Conduit, Spring Steel
6MATS	TSKC38	T-Bar Clip (Side Mount) With Closed Conduit Clip For 3/8" Flexible Conduit, Spring Steel
6MB18	CBS18KC38APS	3/8" Metal And Aluminum Clad Cable And Conduit With Multifunction Clip, Spring Steel
6MB1824	CBS18KC3818	3/8" Flexible Conduit, Beam Clamp 1/8-1/4" Flange, 18" Bar Support, Spring Steel
6MB1858	CBS18KC38516	3/8" Flexible Conduit, Beam Clamp 5/16-1/2" Flange, 18" Bar Support, Spring Steel
6MB186	CBS18KC38APS	3/8" Metal And Aluminum Clad Cable And Conduit With Multifunction Clip, Spring Steel
6MB18A	CBS18KC38	3/8" Flexible Conduit, 18" Bar Support With 1/4" Star Hole and Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel
6MF	SBKC38	Conduit To Metal Stud Fastener, Hammer On Stud Clip, Closed Conduit Clip 3/8" Flexible Conduit, Spring Steel
6P24SM	SFC18100	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
6T	R1438N	1/4 Or 3/8" Threaded Rod Hanger, Nut Required, Spring Steel
6TA24	R181438N	Suspends 1/4" And 3/8" Threaded Rod From Overhead Mountings With A Clearance Hole For 1/4" Bolt. Flange Thickness: 1/8"-1/4"
6TA58	R5161438N	Suspends 1/4" or 3/8" Threaded Rod. Nut Required. Flange Thickness: 5/16"-1/2" Spring Steel
6TA912	R9161438N	Suspends 1/4" or 3/8" Threaded Rod. Nut Required. Flange Thickness: 9/16"-3/4" Spring Steel





Caddy Cross Reference

Competitor	Minerallac	Description
6TB	RA1438N	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 1/4-3/8" Threaded Rod (Nut Required), Pre-Galvanized/Spring Steel
6TI	R38T	3/8"-16 Threaded Rod Hanger, 3/8"-16 Thread Impression, Spring Steel
6TI24	R1838T	Rod To Beam Assembly, 1/8 To 1/4" Flange and 3/8" Threaded Rod, Spring Steel
6TI58	R51638T	Rod To Beam Assembly, 5/16 To 1/2" Flange and 3/8" Threaded Rod, Spring Steel
6TI912	R91638T	Rod To Beam Assembly, 9/16 To 3/4" Flange and 3/8" Threaded Rod, Spring Steel
6TIB	RA38T	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 3/8" Threaded Rod (With Thread Impression), Pre-Galvanized/Spring Steel
6TIO	RO38T	Offset Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 3/8" Threaded Rod (With Thread Impression), Pre-Galvanized/Spring Steel
6TO	RO1438N	Offset Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 1/4-3/8" Threaded Rod (Nut Required), Pre-Galvanized/Spring Steel
6Z34	APS	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, #10-24 & 1/4"-20 Thread Impressions, Spring Steel
6Z3412P	APS75	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, Conduit Clip 3/4" EMT & 1/2" Rigid/RMC, Spring Steel
6Z3416M	APSKC1	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, Conduit Clip 1" Conduit, Spring Steel
6Z3416P	APS100	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Conduit Clip 1" EMT & 3/4" Rigid/RMC, Multi-Function Clip, Spring Steel
6Z34812M	APSKC1234	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, Conduit Clip 1/2" & 3/4" Conduit, Spring Steel
6Z348P	APS50	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip Conduit Clip 1/2" EMT, Spring Steel
708	R14	Rod/Wire Hanger, #8 Wire Or 1/4" Plain Rod.
70824	R1814	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 1/8 To 1/4" Flange, Rod/Wire Hanger Suspends #8 Wire Or 1/4" Plain Rod, Spring Steel
70858	R51614	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 5/16 To 1/2" Flange, Rod/Wire Hanger Suspends #8 Wire Or 1/4" Plain Rod, Spring Steel
708912	R91614	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 9/16 To 3/4" Flange, Rod/Wire Hanger Suspends #8 Wire Or 1/4" Plain Rod, Spring Steel
708AB	RA14	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends #8-1/4" Plain Rod, Pre-Galvanized/Spring Steel
708AO	RO14	Offset Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends #8-1/4" Plain Rod, Pre-Galvanized/Spring Steel
740	M740	Hammer On - Pipe Sleeve Positioner, Fits Schedule #40, #80 and smaller wall thickness, Sleeve Diameter 4-6in., Spring Steel





Caddy Cross Reference

Competitor	Minerallac	Description
766	SBS	Adjustable Far Side Box Stabilizer, 2-1/2-4" Studs, Pre-Galvanized
766A	DLS1	Plastic Far Side Electrical Box Support, Mounts To Back Of 1-1/2 Or 2-1/8" Boxes, Designed For 3-5/8 " Metal Studs, Black
766M	DLS1	Plastic Far Side Electrical Box Support, Mounts To Back Of 1-1/2 Or 2-1/8" Boxes, Designed For 3-5/8 " Metal Studs, Black
766PM	DLS1	Plastic Far Side Electrical Box Support, Mounts To Back Of 1-1/2 Or 2-1/8" Boxes, Designed For 3-5/8 " Metal Studs, Black
766PMD	DLS1	Plastic Far Side Electrical Box Support, Mounts To Back Of 1-1/2 Or 2-1/8" Boxes, Designed For 3-5/8 " Metal Studs, Black
770	72013	#12 Jack Chain, 100Ft, Box, Zinc Plated
771	70020J	1-1/4" S-Hooks, Zinc Plated
781	ARS	Anti-Rattle Support, Spring Steel
781TRANSVE RSE	ARS	Anti-Rattle Support, Spring Steel
812M	KC1234	1/2" and 3/4" Conduit, 1/4" Mounting Hole, Closed Conduit Clip, , Spring Steel
812M24	BC18KC1234	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
812M24I	KC1234T	1/2" and 3/4" Conduit,Closed Conduit Clip With 1/4"-20 Thread Impression, Squeeze Closed To Engage Locking Tab, Spring Steel
812M24SM	SFC18KC1234	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
812M4I	KC1234T	1/2" and 3/4" Conduit,Closed Conduit Clip With 1/4"-20 Thread Impression, Squeeze Closed To Engage Locking Tab, Spring Steel
812M58	BC516KC1234	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
812M58SM	SFC516KC1234	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
812M912	BC916KC1234	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
812M912SM	SFC916KC1234	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
812MATA	TBKC1234	Right Angle (Top Mount) T-Bar Clip With Closed Conduit Clip For 1/2 and 3/4" Conduit, Spring Steel
812MATS	TSKC1234	T-Bar Clip (Side Mount) With Closed Conduit Clip For 1/2 and 3/4" Conduit, Spring Steel
812MB18	CBS18KC1234A PS	1/2 And 3/4 EMT With Multifunction Clip, Spring Steel





Caddy Cross Reference

Competitor	Minerallac	Description
812MB1824	CBS18KC123418	1/2" and 3/4" Conduit, Beam Clamp 1/8-1/4" Flange, 18" Bar Support, Spring Steel
812MB1858	CBS18KC1234516	1/2" and 3/4" Conduit, Beam Clamp 5/16-1/2" Flange, 18" Bar Support, Spring Steel
812MB186	CBS18KC1234APS	1/2 And 3/4 EMT With Multifunction Clip, Spring Steel
812MB18A	CBS18KC1234	1/2" and 3/4" Conduit, 18" Bar Support With 1/4" Star Hole and Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel
812MB18CPNAM	CBS18KC1234SBD	Conduit & Electrical Box Support, Fits 1/2" & 3/4" Conduit
812MB18S	CBS18KC1234ST	1/2" and 3/4" Conduit, 1/4"-20 x 1/2" Stud, 18" Bar Support With Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel
812MCPNAM	SBDKC1234	1-1/2" Standoff Bracket for Decking
812MF	SBKC1234	Conduit To Metal Stud Fastener, Hammer On Stud Clip, Closed Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
8P	HIC50	Push In Conduit Clip, 1/2" EMT, 1/4" Mounting Hole, Spring Steel
8P12P	HIC5075	Conduit To Conduit Trapeze Assembly, Hi50 Conduit Clip 1/2" EMT and Hic75 Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
8P16P	HIC50100	Back To Back Push In Conduit Clip, HIC50 Fits 1/2" EMT, Push In Conduit Clip, HIC100 Fits 1" EMT and 3/4" Rigid/IMC, Spring Steel
8P24	BC1850	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1/2" EMT, Spring Steel
8P24SM	SFC1850	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1/2" EMT, Spring Steel
8P58	BC51650	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1/2" EMT, Spring Steel
8P58SM	SFC51650	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1/2" EMT, Spring Steel
8P8P	HIC5050	Conduit To Conduit Trapeze Assembly, Both Push In Conduit Clips Fit 1/2" EMT, Spring Steel
8P912	BC91650	Hammer On Beam Clamp and Push In Conduit Clip Assembly, Beam Clamp Fits 9/16-3/4" Flange, Conduit Clip Fits 1/2" EMT, Spring Steel
8P912SM	SFC91650	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1/2" EMT, Spring Steel
8PATA	TB50	Right Angle (Top Mount) T-Bar Clip With Push In Conduit Clip For 1/2" EMT, Spring Steel
8PATS	TS50	T-Bar Clip (Side Mount) With Push In Conduit Clip For 1/2" EMT, Spring Steel
8PF	SB50	Switch Box 2 Stud Support Clip, Conduit To Metal Stud Fastener, Hammer On Stud Clip, Push In Conduit Clip 1/2" EMT, Spring Steel





Caddy Cross Reference

Competitor	Minerallac	Description
AB	BA	Right Angle Bracket, 1/4" Mounting Holes, Pre-Galvanized
AF14	ABC25	1/16-1/4" Flange (Z Purlin 13 to 16 Gauge), 1/4" Mounting Hole, Spring Steel
AF144TI	ABC25R14T	1/4 Rod Hangr ,1/16-1/4 Z Purln Clip Hammer On, Spring Steel
AF146T	ABC25R1438N	1/16-1/4" Flange (Purlin 13 To 16 Gauge) With 1/4 Or 3/8" Threaded Rod Hanger,Hammer On Nut Required, Spring Steelload Rating: 160Lbs
AF146TI	ABC25R38T	Hammer On Z Purlin Hanger (Angled), Fits 1/16-1/4" Flange, 3/8"-16 Threaded Rod Hanger, 3/8"-16 Thread Impression, Spring Steel
AF477TI	ABC25R14T	1/4 Rod Hangr ,1/16-1/4 Z Purln Clip Hammer On, Spring Steel
AO	BO	1/2" Offset Bracket, 1/4" Mounting Holes, Pre-Galvanized
AOL12P	HIC75	Push In Conduit Clip, 3/4" EMT and 1/2" Rigid/RMC, 1/4" Mounting Hole, Spring Steel
AR812	BAKC1234	Right Angle Bracket Assembly And Closed Conduit Clip Assembly, 1/4" Mounting Hole, Conduit Clip 1/2" & 3/4" Conduit, Pre-Galvanized/Spring Steel
ATA4I	TBT	Right Angle (Top Mount) T-Bar Clip With 1/4"-20 Thread Impression, Spring Steel
ATS4I	TST	T-Bar Clip (Side Mount) with 1/4"-20 Thread Impression, SP
BC	500	Beam Clamp Up to 1/2" Flange, Pass Hole For 1/4" And 3/8" Threaded Rod, 1/4"-20 Bottom and Back, #10-24 Back, Spring Steel
BC12P	50075	Beam Clamp And Push In Conduit Clip (Bottom Mount) , Beam Clamp Up To 1/2"Flange & Conduit Clip 3/4"EMT & 1/2"Rigid/RMC, Sp
BC12PSM	50075B	Beam Clamp And Push In Conduit Clip (Back Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 3/4"EMT and 1/2"Rigid/RMC, Sp
BC140037EG	BCHD37162EG	Beam Clamp Heavy Duty 3/8" Rod 3/4" to 1-5/8" Flange, Zinc Plated
BC15	BCSA	Beam Clamp Swivel Adaptor For BC075EG, Zinc Plated
BC16M	500KC1	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1" Conduit, Spring Steel
BC16MSM	500KC1B	Beam Clamp And Closed Conduit Clip (Back Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1" Conduit, Spring Steel
BC16P	500100	Beam Clamp (Bottom Mount) Assembly, Beam Clamp Up to 1/2" Flange and Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
BC16PSM	500100B	Beam Clamp And Push In Conduit Clip (Back Mount) Assembly, Beam Clamp Up To 1/2" Flange & Conduit Clip 1" EMT & 3/4" Rigid/RMC, Spring Steel
BC17A000EG	BCSU162EG	Beam Clamp To Strut With Ubolt For 13/16" and 1-5/8" Channel, Zinc Plated





Caddy Cross Reference

Competitor	Minerallac	Description
BC17D000EG	BCSU162EG	Beam Clamp To Strut With Ubolt For 13/16" and 1-5/8" Channel, Zinc Plated
BC200	600	1/4"Beam Clamp , Up to 1/2" Flange, 1/4"-20 Tapped Holes Bottom and Back Of Beam Clamp, Zinc Plated
BC200000EG	BCSNTEG	Beam Clamp to Strut Notched Type, Zinc Plated
BC200CD0B	A0600B	1/2" Conduit Hanger With Beam Clamp Up To 1/2" Flange, 1/4"-20 Tap On Back, 1/2" EMT & 3/8-1/2" Rigid/RMC, W/Nut&Bolt ZP
BC200CD1B	A1600B	3/4" Conduit Hanger With Beam Clamp Up To 1/2" Flange, 1/4"-20 Tap On Back, 3/4" EMT and Rigid/RMC, With Nut and Bolt Zinc Plated
BC200CD2.5B	A2-1/2-600B	1-1/4" EMT"Conduit Hanger With Beam Clamp Up To 1/2" Flange, 1/4"-20 Tap On Back, With Nut and Bolt Zinc Plated
BC200CD2B	A2600B	1" Conduit Hanger With Beam Clamp Up To 1/2" Flange, 1/4"-20 Tap On Back, With Nut and Bolt Zinc Plated
BC200CD3B	A3600B	1-1/2" Conduit Hanger With Beam Clamp Up To 1/2" Flange, 1/4"-20 Tap On Back, 1-1/2" EMT & 1-1/4" Rigid/RMC, W/Nut&Bolt ZP
BC200CD4B	A4600B	1-1/2"RMC Conduit Hanger With Beam Clamp Up To 1/2" Flange, 1/4"-20 Tap On Back, With Nut and Bolt Zinc Plated
BC200CD5B	A5600B	2" Conduit Hanger With Beam Clamp Up To 1/2" Flange, 1/4"-20 Tap On Back, With Nut and Bolt Zinc Plated
BC20M	500KC114	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2"Flange and Conduit Clip 1-1/4"Conduit, Spring Steel
BC20MSM	500KC114B	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2"Flange and Conduit Clip 1-1/4"Conduit, Spring Steel
BC23A000EG	BCSSCEG	Beam To Strut Spreader Caps, ZP
BC24M	500KC112	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2"Flange and Conduit Clip 1-1/2"Conduit, Spring Steel
BC24MSM	500KC112B	Beam Clamp And Closed Conduit Clip (Back Mount) , Beam Clamp Up to 1/2"Flange and Conduit Clip 1-1/2"Conduit, Spring Steel
BC260025EG	BCUBM25EG	Beam Clamp Universal Malleable Iron 5/8" Flange 1/4" Rod Size, Zinc Plated
BC32M	500KC2	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 2" Conduit, Spring Steel
BC32MSM	500KC2B	Beam Clamp And Closed Conduit Clip (Back Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 2" Conduit, Spring Steel
BC400	602B	3/8"Beam Clamp, Up to 3/4" Flange, 3/8"-16 Tapped Holes Bottom and Back Of Beam Clamp, Zinc Plated
BC812M	500KC1234	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2"Flange and Conduit Clip 1/2" and 3/4"Conduit, Spring St
BC812MSM	500KC1234B	Beam Clamp And Closed Conduit Clip (Back Mount) , Beam Clamp Up to 1/2"Flange and Conduit Clip 1/2" and 3/4"Conduit, Spring Steel





Caddy Cross Reference

Competitor	Minerallac	Description
BC8P	50050	Beam Clamp And Push In Conduit Clip (Bottom Mount), Beam Clamp Up to 1/2" Flange and Conduit Clip 1/2" EMT, Spring Steel
BC8PSM	50050B	Beam Clamp And Push In Conduit Clip (Back Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1/2" EMT, Spring Steel
BHC	BBC	Electrical Box To Bar Mounting Clip, Use With Bar, Rbar & Tbar, Includes 1/4-20 X 3/8" Screw, Spring Steel
BHCCHB	BBC	Electrical Box To Bar Mounting Clip, Use With Bar, Rbar & Tbar, Includes 1/4-20 X 3/8" Screw, Spring Steel
BRT32WS	648RW	2" Diameter Bridle Ring For Wood, 1/4" Lag Thread, Zinc Plated
BT305	94625	3" x 1000' "CAUTION" Barricade Tape; 2 Mil; Yellow w/ Black Lettering
C23	FBO23	Electrical Box Mounting Bracket, Box Support For 2-1/2 and 3-1/2" Wood Or Metal Studs, Pre-Galvanized
C4	FBO234	Electrical Box Mounting Bracket, Box Support For 2-1/2, 3-1/2 and 4" Wood Or Metal Studs, Pre-Galvanized
C6	FBO6	Electrical Box Mounting Bracket, Box Support For 6" Wood Or Metal Studs, Pre-Galvanized
CAT12	J75	3/4" J-Hook, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
CAT1224	J75BBC18	3/4" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 1/8-1/4" Flange & Rotates 360° degrees, Includes Steel Retaining P
CAT1224SM	J75SFC18	3/4" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 1/8-1/4" Flange, Includes Steel Retaining Pin, Pre-Galvanized
CAT124Z34	J75APS	3/4 J-Hook W/MultiFnctn Clp SP
CAT1258	J75BBC516	3/4" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 5/16-1/2" Flange & Rotates 360° degrees, Includes Steel Retaining
CAT1258SM	J75SFC516	3/4" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 5/16-1/2" Flange, Includes Steel Retaining Pin, Pre-Galvanize
CAT126Z34	J75APS	3/4 J-Hook W/MultiFnctn Clp SP
CAT12912	J75BBC916	3/4" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 9/16-3/4" Flange & Rotates 360° degrees, Includes Steel Retaining
CAT12912SM	J75SFC916	3/4" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 5/16-1/2" Flange, Includes Steel Retaining Pin, Pre-Galvanize
CAT12AB	J75B	3/4" J-Hook and Right Angle Bracket Assembly, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
CAT12AF14	J75ABC	3/4 J-Hook W/ 1/4 Purlin, Spring Steel
CAT12BC	J75500	3/4 J-Hook W/Beam Clamp, Spring Steel





Caddy Cross Reference

Competitor	Minerallac	Description
CAT12BC200	J75600	3/4 J-Hook W/Univ Beam Clamp ZP
CAT12BC200B	J75B600	3/4 J-Hook W/Univ Beam Clamp ZP
CAT12BCB	J75B500	3/4 J-Hook W/Beam Clamp, Spring Steel
CAT12VF14	J75VBC	3/4 J-Hook W/ 1/4 Vertical Flange, Spring Steel
CAT16HP	J100	1" J-Hook, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
CAT16HP58	J100BBC516	1" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 5/16-1/2" Flange & Rotates 360° degrees, Includes Steel Retaining Pi
CAT21	J131	1-5/16" J-Hook, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
CAT2124	J131BBC18	1-5/16" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 1/8-1/4" Flange & Rotates 360° degrees, Includes Steel Retaini
CAT2124SM	J131SFC18	1-5/16" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 1/8-1/4" Flange, Includes Steel Retaining Pin, Pre-Galvani
CAT214Z34	J131APS	1-5/16 J-Hook W/Multi-Function Clip
CAT2158	J131BBC516	1-5/16" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 1/8-1/4" Flange & Rotates 360° degrees, Includes Steel Retaini
CAT2158SM	J131SFC516	1-5/16" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 5/16-1/2" Flange, Includes Steel Retaining Pin, Pre-Galvan
CAT216Z34	J131APS	1-5/16 J-Hook W/Multi-Function Clip
CAT21912	J131BBC916	1-5/16" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 9/16-3/4" Flange & Rotates 360° degrees, Includes Steel Retain
CAT21912SM	J131SFC916	1-5/16" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 9/16-3/4" Flange, Includes Steel Retaining Pin, Pre-Galvan
CAT21AB	J131B	1-5/16" J-Hook and Right Angle Bracket Assembly, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
CAT21AF14	J131ABC	1-5/16 J-Hook W/1/4 Purlin Spring Steel
CAT21BC	J131500	1-5/16 J-Hook W/Beam Clamp Spring Steel
CAT21BC200	J131600	1-5/16 J-Hook With Unv BeamClamp Zinc Plated
CAT21BC200B	J131B600	1-5/16 J-Hook W/Unv Beam Clamp Zinc
CAT21BCB	J131B500	1-5/16 J-Hook W/Beam Clamp Spring Steel





Caddy Cross Reference

Competitor	Minerallac	Description
CAT21HP	J131	1-5/16" J-Hook, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
CAT21HP24	J131BBC18	1-5/16" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 1/8-1/4" Flange & Rotates 360° degrees, Includes Steel Retaini
CAT21HP24S M	J131SFC18	1-5/16" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 1/8-1/4" Flange, Includes Steel Retaining Pin, Pre-Galvani
CAT21HP4Z34	J131APS	1-5/16 J-Hook W/Multi-Function Clip
CAT21HP58	J131BBC516	1-5/16" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 1/8-1/4" Flange & Rotates 360° degrees, Includes Steel Retaini
CAT21HP58S M	J131SFC516	1-5/16" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 5/16-1/2" Flange, Includes Steel Retaining Pin, Pre-Galvan
CAT21HP6Z34	J131APS	1-5/16 J-Hook W/Multi-Function Clip
CAT21HP912S M	J131SFC916	1-5/16" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 9/16-3/4" Flange, Includes Steel Retaining Pin, Pre-Galvan
CAT21HPAB	J131B	1-5/16" J-Hook and Right Angle Bracket Assembly, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
CAT21HPAF14	J131ABC	1-5/16 J-Hook W/1/4 Purlin Spring Steel
CAT21HPBA	J131B	1-5/16" J-Hook and Right Angle Bracket Assembly, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
CAT21HPBC	J131500	1-5/16 J-Hook W/Beam Clamp Spring Steel
CAT21HPBC2 00	J131600	1-5/16 J-Hook With Unv BeamClamp Zinc Plated
CAT21HPBC2 00B	J131B600	1-5/16 J-Hook W/Unv Beam Clamp Zinc
CAT21HPBCB	J131B500	1-5/16 J-Hook W/Beam Clamp Spring Steel
CAT21HPVF1 4	J131VBC	1-5/16 J-Hook W/1/4 Vertical Flange Hanger Spring Steel
CAT21VF14	J131VBC	1-5/16 J-Hook W/1/4 Vertical Flange Hanger Spring Steel
CAT32	J200	2" J-Hook, 1/4" Mounting Hole, Includes Plastic Wire Retaining Clip, PG
CAT3224	J200BBC18	2" J-Hook, Right Angle Bracket And Hammer On Beam Clamp 1/8-1/4" Flange, W/ Plastic Wire Retaining Clip, PG/SP
CAT3224SM	J200SFC18	2" J-Hook And Hammer On Side Mount Flange Clamp 1/8-1/4" Flange, W/ Plastic Wire Retaining Clip, PG/SP
CAT324Z34	J200APS	2" J-Hook, Multi-Function Clip 1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, W/ Plastic Wire Retaining Clip, PG/Sp





Caddy Cross Reference

Competitor	Minerallac	Description
CAT3258	J200BBC516	2" J-Hook, Right Angle Bracket And Hammer On Beam Clamp 5/16-1/2" Flange, W/ Plastic Wire Retaining Clip, PG/SP
CAT3258SM	J200SFC516	2" J-Hook And Hammer On Side Mount Flange Clamp 5/16-1/2" Flange, W/ Plastic Wire Retaining Clip, PG/SP
CAT326Z34	J200APS	2" J-Hook, Multi-Function Clip 1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, W/ Plastic Wire Retaining Clip, PG/Sp
CAT32912	J200BBC916	2" J-Hook, Right Angle Bracket And Hammer On Beam Clamp 9/16-3/4" Flange, W/ Plastic Wire Retaining Clip, PG/SP
CAT32912SM	J200SFC916	2" J-Hook And Hammer On Side Mount Flange Clamp 9/16-3/4" Flange, W/ Plastic Wire Retaining Clip, PG/SP
CAT32AB	J200B	2" J-Hook, 1/4" Mounting Hole, W/ Plastic Wire Retaining Clip, PG
CAT32AF14	J200ABC25	2" J-Hook, Hammer On, Z Purlin Hanger 1/16-1/4" Flange, Includes Plastic Wire Retaining Clip, PG/Spring Steel
CAT32BC	J200500	2" J-Hook, Beam Clamp , Beam Clamp Up To 1/2" Flange, Includes Plastic Wire Retaining Clip, PG/Spring Steel
CAT32BC200	J200600	2" J-Hook, Beam Clamp , Beam Clamp Up To 1/2" Flange, Includes Plastic Wire Retaining Clip, Pre-Galvanized/Zinc Plated
CAT32BC200B	J200B600	2" J-Hook, Right Angle Bracket, Beam Clamp Up To 1/2" Flange, W/ Plastic Wire Retaining Clip, PG/ZP
CAT32BCB	J200B500	2" J-Hook, Right Angle Bracket, Beam Clamp Up To 1/2" Flange, W/ Plastic Wire Retaining Clip, PG/Spring Steel
CAT32HP	J200	2" J-Hook, 1/4" Mounting Hole, Includes Plastic Wire Retaining Clip, PG
CAT32HP24	J200BBC18	2" J-Hook, Right Angle Bracket And Hammer On Beam Clamp 1/8-1/4" Flange, W/ Plastic Wire Retaining Clip, PG/SP
CAT32HP24SM	J200SFC18	2" J-Hook And Hammer On Side Mount Flange Clamp 1/8-1/4" Flange, W/ Plastic Wire Retaining Clip, PG/SP
CAT32HP4Z34	J200APS	2" J-Hook, Multi-Function Clip 1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, W/ Plastic Wire Retaining Clip, PG/Sp
CAT32HP58	J200BBC516	2" J-Hook, Right Angle Bracket And Hammer On Beam Clamp 5/16-1/2" Flange, W/ Plastic Wire Retaining Clip, PG/SP
CAT32HP58SM	J200SFC516	2" J-Hook And Hammer On Side Mount Flange Clamp 5/16-1/2" Flange, W/ Plastic Wire Retaining Clip, PG/SP
CAT32HP6Z34	J200APS	2" J-Hook, Multi-Function Clip 1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, W/ Plastic Wire Retaining Clip, PG/Sp
CAT32HP912	J200BBC916	2" J-Hook, Right Angle Bracket And Hammer On Beam Clamp 9/16-3/4" Flange, W/ Plastic Wire Retaining Clip, PG/SP
CAT32HP912SM	J200SFC916	2" J-Hook And Hammer On Side Mount Flange Clamp 9/16-3/4" Flange, W/ Plastic Wire Retaining Clip, PG/SP
CAT32HPAB	J200B	2" J-Hook, 1/4" Mounting Hole, W/ Plastic Wire Retaining Clip, PG





Caddy Cross Reference

Competitor	Minerallac	Description
CAT32HPAF14	J200ABC25	2" J-Hook, Hammer On, Z Purlin Hanger 1/16-1/4" Flange, Includes Plastic Wire Retaining Clip, PG/Spring Steel
CAT32HPBA	J200B	2" J-Hook, 1/4" Mounting Hole, W/ Plastic Wire Retaining Clip, PG
CAT32HPBC	J200500	2" J-Hook, Beam Clamp , Beam Clamp Up To 1/2" Flange, Includes Plastic Wire Retaining Clip, PG/Spring Steel
CAT32HPBC200	J200600	2" J-Hook, Beam Clamp , Beam Clamp Up To 1/2" Flange, Includes Plastic Wire Retaining Clip, Pre-Galvanized/Zinc Plated
CAT32HPBC200B	J200B600	2" J-Hook, Right Angle Bracket, Beam Clamp Up To 1/2" Flange, W/ Plastic Wire Retaining Clip, PG/ZP
CAT32HPBCB	J200B500	2" J-Hook, Right Angle Bracket, Beam Clamp Up To 1/2" Flange, W/ Plastic Wire Retaining Clip, PG/Spring Steel
CAT32HPVF14	J200VBC25	2" J-Hook And Hammer On Vertical Flange Hanger 1/16-1/4" Flange, W/ Plastic Wire Retaining Clip, PG/SP
CAT32VF14	J200VBC25	2" J-Hook And Hammer On Vertical Flange Hanger 1/16-1/4" Flange, W/ Plastic Wire Retaining Clip, PG/SP
CAT64	J400	4" J-Hook Cable Support Pre-Galvanized
CAT6424	J400BBC18	4" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 1/8-1/4" Flange & Rotates 360° degrees, Includes Steel Retaining Pin
CAT6424SM	J400SFC18	4" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 1/8-1/4" Flange, Includes Steel Retaining Pin, Pre-Galvanized/S
CAT6458	J400BBC516	4" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 5/16-1/2" Flange & Rotates 360° degrees, Includes Steel Retaining P
CAT6458SM	J400SFC516	4" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 5/16-1/2" Flange, Includes Steel Retaining Pin, Pre-Galvanized/
CAT64912	J400BBC916	4" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 9/16-3/4" Flange & Rotates 360° degrees, Includes Steel Retaining P
CAT64912SM	J400SFC916	4" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 9/16-3/4" Flange, Includes Steel Retaining Pin, Pre-Galvanized/
CAT64AB	J400B	4" J-Hook and Right Angle Bracket Assembly, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
CAT64AF14	J400ABC	4 J-Hook W/ 1/4 Purlin Spring Steel
CAT64AFAB4	J400B	4" J-Hook and Right Angle Bracket Assembly, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
CAT64BC	J400500	4 J-Hook W/Beam Clamp Spring Steel
CAT64BC200	J400600	4 J-Hook W/Univ Beam Clamp Zinc
CAT64BC200B	J400B600	4 J-Hook W/Univ Beam Clamp Zinc





Caddy Cross Reference

Competitor	Minerallac	Description
CAT64BCB	J400B500	4 J-Hook W/Beam Clamp Spring Steel
CAT64HP	J400	4" J-Hook Cable Support Pre-Galvanized
CAT64HP24	J400BBC18	4" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 1/8-1/4" Flange & Rotates 360° degrees, Includes Steel Retaining Pin
CAT64HP24SM	J400SFC18	4" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 1/8-1/4" Flange, Includes Steel Retaining Pin, Pre-Galvanized/S
CAT64HP58	J400BBC516	4" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 5/16-1/2" Flange & Rotates 360° degrees, Includes Steel Retaining P
CAT64HP58SM	J400SFC516	4" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 5/16-1/2" Flange, Includes Steel Retaining Pin, Pre-Galvanized/
CAT64HP912	J400BBC916	4" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 9/16-3/4" Flange & Rotates 360° degrees, Includes Steel Retaining P
CAT64HP912SM	J400SFC916	4" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 9/16-3/4" Flange, Includes Steel Retaining Pin, Pre-Galvanized/
CAT64HPAB	J400B	4" J-Hook and Right Angle Bracket Assembly, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
CAT64HPAB4	J400B	4" J-Hook and Right Angle Bracket Assembly, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
CAT64HPAF14	J400ABC	4 J-Hook W/ 1/4 Purlin Spring Steel
CAT64HPBC	J400500	4 J-Hook W/Beam Clamp Spring Steel
CAT64HPBC200	J400600	4 J-Hook W/Univ Beam Clamp Zinc
CAT64HPBC200B	J400B600	4 J-Hook W/Univ Beam Clamp Zinc
CAT64HPBCB	J400B500	4 J-Hook W/Beam Clamp Spring Steel
CAT64HPVF14	J400VBC	4 J-Hook W/ 1/4 Vertical Flange Hanger Spring Steel
CAT64VF14	J400VBC	4 J-Hook W/ 1/4 Vertical Flange Hanger Spring Steel
CATHP24SM	J400SFC18	4" J-Hook and Hammer On Side Mount Flange Clamp Assembly, Side Mount Flange Clamp Fits 1/8-1/4" Flange, Includes Steel Retaining Pin, Pre-Galvanized/S
CAULKGUN	96001	Economy Caulking Gun
CD0B	K0B	1/2" EMT Or 3/8 To 1/2" Rigid/RMC, Conduit Hanger With Bolt, Keyholed - No Nut Required, Pre-Galvanized
CD0BSS	0SB	1/2" Conduit Hanger With Bolt and Nut, 1/2" EMT Or 3/8 To 1/2" Rigid/RMC, Hanger-Type 304 SS, Bolt and Nut-Type 18-8 Stainless Steel





Caddy Cross Reference

Competitor	Minerallac	Description
CD1B	K1B	3/4" EMT Or 3/4" Rigid/RMC, Conduit Hanger With Bolt, Keyholed - No Nut Required, Pre-Galvanized
CD1B37	1B	3/4"Conduit Hanger With Bolt and Nut, 3/4" EMT Or 3/4" Rigid/RMC, Zinc Plated
CD1BSS	1SB	3/4"Conduit Hanger With Bolt and Nut, 3/4" EMT Or 3/4" Rigid/RMC, Hanger-Type 304 SS, Bolt and Nut-Type 18-8 Stainless Steel
CD2.5B	2-1/2B	1-1/4"Conduit Hanger With Bolt and Nut, 1-1/4" EMT, Zinc Plated
CD2.5BSS	2-1/2SB	1-1/4"Conduit Hanger With Bolt and Nut, 1-1/4" EMT, Hanger-Type 304 Stainless Steel, Bolt and Nut-Type 18-8 Stainless Steel
CD25B	2-1/2B	1-1/4"Conduit Hanger With Bolt and Nut, 1-1/4" EMT, Zinc Plated
CD2B	K2B	1" EMT Or 1" Rigid/RMC, Conduit Hanger With Bolt, Keyholed - No Nut Required, Pre-Galvanized
CD2BSS	2SB	1" Conduit Hanger With Bolt and Nut, 1" EMT Or 1" Rigid/RMC, 304 Stainless Steel
CD3B	3B	1-1/2" EMT Conduit Hanger With Bolt & Nut, 1-1/2" EMT Or 1-1/4" Rigid/RMC, Zinc Plated
CD3BSS	3SB	1-1/2" EMT Conduit Hanger With Bolt and Nut, 1-1/2" EMT Or 1-1/4" Rigid/RMC, Hanger-Type 304 SS, Bolt and Nut-Type 18-8 Stainless Steel
CD4B	4B	1-1/2"RMC Conduit Hanger With Bolt and Nut, 1-1/2" Rigid/RMC, Zinc Plated
CD4BSS	4SB	1-1/2"RMC Conduit Hanger With Bolt and Nut, 1-1/2" Rigid/RMC, Hanger-Type 304 SS, Bolt and Nut-Type 18-8 Stainless steel
CD5B	5B	2" Conduit Hanger With Bolt and Nut, 2" EMT Or 2" Rigid/RMC, Zinc Plated
CD5BSS	5SB	2" Conduit Hanger With Bolt and Nut, 2" EMT Or 2" Rigid/RMC, Hanger-Type 304 Stainless Steel, Bolt and Nut-Type 18-8 Stainless Steel
CD6B	6B	2-1/2"Conduit Hanger With Bolt & Nut, 2-1/2" EMT Or 2-1/2" Rigid/RMC, Zinc Plated
CD6BSS	6SB	2-1/2"Conduit Hanger With Bolt and Nut, 2-1/2" EMT Or 2-1/2" Rigid/RMC, Hanger-Type 304 Stainless Steel, Bolt and Nut-Type 18-8 Stainless Steel
CD7B	7B	3"Conduit Hanger With Bolt and Nut, 3" EMT Or 3" Rigid/RMC, Zinc Plated
CD7BSS	7SB	3"Conduit Hanger With Bolt and Nut, 3" EMT Or 3" Rigid/RMC, Hanger-Type 304 Stainless Steel, Bolt & Nut-Type 18-8 Stainless Steel
CD8B	8B	3-1/2"Conduit Hanger With Bolt and Nut, 3-1/2" EMT Or 3-1/2" Rigid/RMC, Zinc Plated
CD8BSS	8SB	3-1/2"Conduit Hanger With Bolt and Nut, 3-1/2" EMT Or 3-1/2" Rigid/RMC, Hanger-Type 304 SS, Bolt and Nut-Type 18-8 Stainless Steel
CD9B	9B	4"Conduit Hanger With Bolt and Nut, 4" EMT Or 4" Rigid/RMC, Zinc Plated





Caddy Cross Reference

Competitor	Minerallac	Description
CD9BSS	9SB	4"Conduit Hanger With Bolt and Nut, 4" EMT Or 4" Rigid/RMC, Hanger-Type 304 Stainless steel, Bolt and Nut-Type 18-8 Stainless Steel
CER4	CS4	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
CG4	C6B	2-1/2"Conduit Hanger With Bolt and Nut, 2-1/2" EMT Or 2-1/2" Rigid/RMC, Zinc Plated
CHB	BBC	Electrical Box To Bar Mounting Clip, Use With Bar, Rbar & Tbar, Includes 1/4-20 X 3/8" Screw, Spring Steel
CJ6	FCWS6	Stud Wall Multiple Flex Conduit & Wire Support; Screw-On Wood Or Metal Studs, Provides 1-1/4" Minimum Clearance
CM-BHA-16	BMB16T	Telescoping 11-18" Box Mounting Bracket, For 1-1/2" Or 2-1/8" Deep Electrical Box, PG
CM-BHT-1HD	TBARHD	Hd Box Bracket For 24 In. T-Bar Grid, For Use With 1-1/2 In. Or 2-1/8 In. Electrical Box, Spring Steel.
CMBHA16	BMB16T	Telescoping 11-18" Box Mounting Bracket, For 1-1/2" Or 2-1/8" Deep Electrical Box, PG
CMBHA24	BMB24T	Telescoping 17-26" Box Mounting Bracket, For 1-1/2" Or 2-1/8" Deep Electrical Box, PG
CMBHT1	TBAR	24" Electrical Box To T-Bar Assembly, Dual Height 3/4" For Flush Or Offset Mount, Includes Box Mounting Clip and Screw, Pre-Galvanized/Spring Steel
CMT-3000	67700	3/16" x 3000Ft Polyester Conduit Measuring Tape, Tensile 130 Lbs
CNB12P	NB75	Nail Bracket with Clip, 3/4" EMT Or 1/2" Rigid/RMC.
CNB812M	NBKC1234	Nail Bracket with Clip, 1/2" Or 3/4" Conduit.
CNB8P	NB50	Nail Bracket with Clip, 1/2" EMT.
CP34	95074	3/4" Ground Rod Clamps, Direct Burial, Brass, Stainless Steel Hex Head Bolt, Wire Size: 10 Sol - 2 Str
CP58	95072	5/8" Ground Rod Clamps, Direct Burial, Brass, Stainless Steel Hex Head Bolt, Wire Size: 10 Sol - 2 Str
CPNAM	SBD	1-1/2" Standoff Bracket for Decking (Complies NEC® Sec. 300.4(E)), 1/4" Mounting Holes, Pre-Galvanized
CS16	CS100	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
CS812	CS1234	1/2-3/4" EMT & Mc/Ac Cable Support For 1-1/2" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, SP
CS812D	CS1234D	1/2-3/4" EMT & Mc/Ac Cable Support For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, SP
CUT OIL	96033	Dark Cutting Oil, Quart





Caddy Cross Reference

Competitor	Minerallac	Description
CWP2JSH	95156	1-1/4"-2" Ground Clamps, Brass, For Bare Wire #2, 4, 6, 8 and 10 Awg Copper
DS12A	BST	Box Mount, Box Supported By Drywall, Break- Apart Design, Screwless, Pre-Galvanized
DSI12A	BST	Box Mount, Box Supported By Drywall, Break- Apart Design, Screwless, Pre-Galvanized
DSI2A	BST	Box Mount, Box Supported By Drywall, Break- Apart Design, Screwless, Pre-Galvanized
EC311	EDWC	Electrical Drop Wire/Rod Securing Clip, Wire Size: #13 To #8, Spring Steel, Yellow
EC3114Z34	EDWCAPS	Electrical Drop Wire/Rod Securing Clip, Wire Size: #13 to #8, Spring Steel
EC3116Z34	EDWCAPS	Electrical Drop Wire/Rod Securing Clip, Wire Size: #13 to #8, Spring Steel
EK16	95154	1/2"-1" Ground Clamps, Direct Burial, Bronze, For Bare Wire #2, 4, 6, 8 and 10 Awg Copper
EMTC0050EG	CCE050EG	Conduit Strut Clamp EMT 1/2, Zinc Plated
EMTC0075EG	CCE075EG	Conduit Strut Clamp EMT 3/4, Zinc Plated
EMTC0100EG	CCE100EG	Conduit Strut Clamp EMT 1, Zinc Plated
EMTC0125EG	CCE125EG	Conduit Strut Clamp EMT 1-1/4, Zinc Plated
EMTC0150EG	CCE150EG	Conduit Strut Clamp EMT 1-1/2, Zinc Plated
EMTC0200EG	CCE200EG	Conduit Strut Clamp EMT 2, Zinc Plated
ERC 16P58	BC516100	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
ERC 20M58	BC516KC114	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
ERC 350	SS	Electrical Box To Stud Fastener, Screw On Stud Support With 5/32" (#8 Screw) Mounting Holes (3), Spring Steel
ESG1	G100	Universal Stud Grommet For Metal Studs, Plastic, Yellow
ESG1M	G100BFG	Grommet Universal Steel Stud
F090000EG	SP2HEG	2 Hole Splice Plate, Zinc Plated
F130000EG	SW025EG	Square Washer 1/4, Zinc Plated





Caddy Cross Reference

Competitor	Minerallac	Description
F140000EG	SW037EG	3/8" Square Washer, Zinc Plated
F150000EG	SW050EG	Square Washer 1/2, Zinc Plated
F230000EG	SP4HEG	4 Hole Splice Plate, Zinc Plated
F250000EG	TP4HEG	4 Hole Tee Plate, Zinc Plated
F360000EG	CP3HEG	3 Hole Corner Plate, Zinc Plated
F370000EG	CP4HEG	4 Hole Corner Plate, Zinc Plated
FB12P	BA75	Right Angle Bracket Assembly And Push In Conduit Clip Assembly, 1/4" Mounting Hole, Conduit Clip 3/4" EMT & 1/2" Rigid/RMC, PG/Spring Steel
FB6M	BAKC38	Right Angle Bracket Assembly And Closed Conduit Clip Assembly, 1/4" Mounting Hole, Conduit Clip 3/8" Flexible Conduit, Pre-Galvanized/Spring Steel
FB812M	BAKC1234	Right Angle Bracket Assembly And Closed Conduit Clip Assembly, 1/4" Mounting Hole, Conduit Clip 1/2" & 3/4" Conduit, Pre-Galvanized/Spring Steel
FB8P	BA50	Right Angle Bracket Assembly And Push In Conduit Clip Assembly, 1/4" Mounting Hole, Conduit Clip 1/2" EMT, Pre-Galvanized/Spring Steel
FBS12	BS18	12, 16 and 18" Lengths, Floor Channel Electrical Box Mounting Bracket, Break-Away Feature, Pre-Galvanized
FBS16	BS18	12, 16 and 18" Lengths, Floor Channel Electrical Box Mounting Bracket, Break-Away Feature, Pre-Galvanized
FBS18	BS18	12, 16 and 18" Lengths, Floor Channel Electrical Box Mounting Bracket, Break-Away Feature, Pre-Galvanized
FH031C0507	BC18KC1234	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
FH031C100	BC18KC1	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1" Conduit, Spring Steel
FH031C125	BC18KC114	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
FHSM025C0507	SFC18KC1234	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
FSPP	96230	Firestop Putty Pad, 6 x 7 x 1/8", Covers Two Gang Boxes
FXC20	SBX	Flexible Conduit/Cable Metal Stud Clip, Hammer On Clip (To 2" Side Of Stud) Attaches Mc Or Bx (12-2 Thru 10-3) To Metal Stud, Spring Steel
H23	FBO23	Electrical Box Mounting Bracket, Box Support For 2-1/2 and 3-1/2" Wood Or Metal Studs, Pre-Galvanized
H4	FBO234	Electrical Box Mounting Bracket, Box Support For 2-1/2, 3-1/2 and 4" Wood Or Metal Studs, Pre-Galvanized





Caddy Cross Reference

Competitor	Minerallac	Description
H6	FBO6	Electrical Box Mounting Bracket, Box Support For 6" Wood Or Metal Studs, Pre-Galvanized
HDC34SP	95074	3/4" Ground Rod Clamps, Direct Burial, Brass, Stainless Steel Hex Head Bolt, Wire Size: 10 Sol - 2 Str
HMZG160	61160J	1/4-20 x 1" Sammys® For Steel with Nut, Vertical Mounting, 1/4" Rod, Zinc Plated
HMZG315	61144J	1/4 x 1" Sammys® For Wood, Vertical Mounting, 1/4" Rod, Zinc Plated
HMZG365	61185J	5/16 x 1-3/4" Sammys® For Concrete, Vertical Mounting, 1/4" Rod, Zinc Plated
HMZG471	61169J	1/4-20 x 1" Sammys® For Steel, Vertical Mounting, 3/8" Rod, Zinc Plated
HMZG550	61170J	1/4-14 x 1" Sammys® For Steel, Vertical Mounting, 3/8" Rod, Zinc Plated
HMZG650	61182J	3/8 x 2-1/2" Sammys® For Wood, Vertical Mounting, 3/8" Rod, Zinc Plated
HMZG730	61186J	5/16 x 1-3/4" Sammys® For Concrete, Vertical Mounting, 3/8" Rod, Zinc Plated
HMZG740	61169J	1/4-20 x 1" Sammys® For Steel, Vertical Mounting, 3/8" Rod, Zinc Plated
HMZH475	61177J	1/4-14 x 1" Sammys® For Steel, Horizontal Mounting, 3/8" Rod, Zinc Plated
IDS	DWC1	1" T-Bar Drop Wire Clip, 1/4"-20 x 5/8" Stud With Wing Nut Washer, Pre-Galvanized
J1A35	SBS3.5	Far Side Box Stabilizer For 3-1/2" Studs, Pre-Galvanized/Spring Steel
K12	FS2	Fast Support Clip For Wire, 3/4" EMT To #10 Wire Thru 1/4" Rod Or 1/8 Thru 1/4" Flange, 1/2" EMT To 5/16" Thru 1/2" Flange, Spring Steel
K16	FS3	Fast Support Conduit Clip, 1" EMT To #8 Wire Thru 1/4" Rod Or 1/8 Thru 1/4" Flange, 3/4" EMT To 5/16" Thru 1/2" Flange, Spring Steel
K16	FS3	Fast Support Conduit Clip, 1" EMT To #8 Wire Thru 1/4" Rod Or 1/8 Thru 1/4" Flange, 3/4" EMT To 5/16" Thru 1/2" Flange, Spring Steel
K20	FS4	Fast Support Conduit Clip, 1-1/4" EMT To #8 Wire Thru 1/4" Rod Or 1/8 Thru 1/4" Flange, 1" EMT To 5/16" Thru 1/2" Flange, Spring Steel
K8	FS1	Fast Support Conduit Clip For Wire, Rod Or Flange, 1/2" EMT To #10 Wire Thru 1/4" Rod Or 1/8 Thru 1/4" Flange, Spring Steel
K8	FS1	Fast Support Conduit Clip For Wire, Rod Or Flange, 1/2" EMT To #10 Wire Thru 1/4" Rod Or 1/8 Thru 1/4" Flange, Spring Steel
KX	FSBX	Fast Support Flexible Conduit Clip For Wire, 14-2, 14-3 & 12-2 Cable To #12-#8 Wire, 12-3 Cable To #12 Wire, Spring Steel
L100000EG	CA2HEG	2 Hole Corner Angle, Zinc Plated





Caddy Cross Reference

Competitor	Minerallac	Description
L110000EG	CA2HEG	2 Hole Corner Angle, Zinc Plated
L180000EG	CA3HEG	3 Hole Corner Angle
L200000G	CA3HLEG	3 Hole Long Corner Angle
L220000EG	CA4H3WEG	4 Hole 3 Way Corner Angle, Zinc Plated
L220000G	CA4H3WEG	4 Hole 3 Way Corner Angle, Zinc Plated
L23U0000EG	CAUG7HEG	7 Hole Universal Gusset Corner Angle, Zinc Plated
L460450EG	CAO2H45EG	2 Hole Open 45 Degree Corner Angle, Zinc Plated
L470450EG	CAC2H45EG	2 Hole Closed 45 Degree Corner Angle, Zinc Plated
LA0037EG	60404J	3/8-16 x 1-9/16" Steel Drop-In Anchors, Includes Setting Tool, Zinc Plated
LFC	70000	10 Gauge Side Mount V-Hooks, Fluorescent Fixture Hangers, Zinc Plated
LFC90	70002	10 Gauge End Mount V-Hooks, Fluorescent Fixture Hangers, Zinc Plated
M24	BC18	Hammer On Beam Clamp, 1/8-1/4" Flange, 1/4"-20 Thread Impression On Bottom and Back Of Clamp, Spring Steel
M24S	BC18ST	Hammer On Beam Clamp With 1/4"-20 x 3/8" Stud, 1/8-1/4" Flange, 1/4"-20 Thread Impression On Bottom & Back Of Clamp, Spring Steel
M58	BC516	Hammer On Beam Clamp, 5/16-1/2" Flange, 1/4"-20 Thread Impression On Bottom and Back Of Clamp, Spring Steel
M58S	BC516ST	Hammer On Beam Clamp With 1/4"-20 and 3/8" Stud, 5/16-1/2" Flange, 1/4"-20 Thread Impression On Bottom & Back Of Clamp, Spring Steel
M912	BC916	Hammer On Beam Clamp, 9/16-3/4" Flange, 1/4"-20 Thread Impression On Bottom and Back Of Clamp, Spring Steel
M912S	BC916ST	Hammer On Beam Clamp With 1/4"-20 x 3/8" Stud, 9/16-3/4" Flange, 1/4"-20 Thread Impression On Bottom and Back Of Clamp, Spring Steel
MAC2	MCAC2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
MAC21318	BC516MC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Hammer On Beam Clamp, Fits 5/16-1/2" Flange, Spring Steel
MAC224	BC18MC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Hammer On Beam Clamp, Fits 1/8-1/4" Flange, Spring Steel
MAC224SM	SFC18MC2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black





Caddy Cross Reference

Competitor	Minerallac	Description
MAC24Z34	APSMC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Multi-Function Clip, Fits 1/8-3/8" Flange and #12 Wire thru 3/8" Rod, Spring Steel
MAC258	BC516MC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Hammer On Beam Clamp, Fits 5/16-1/2" Flange, Spring Steel
MAC258SM	SFC516MC2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
MAC26Z34	APSMC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Multi-Function Clip, Fits 1/8-3/8" Flange and #12 Wire thru 3/8" Rod, Spring Steel
MAC2912	BC916MC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Hammer On Beam Clamp, Fits 9/16-3/4" Flange, Spring Steel
MAC2912SM	SFC916MC2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
MAC2BC	500MC2	Set Screw Beam Clamp Fits up to 1/2" Flange, Double Run Support Clip fits 14-2 thru 10-3 MC/AC, Spring Steel, Black
MAC2VF14	VBCMC2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
MCS100	MCACS100	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
MCS100	MCACS100	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
MCS100	MCACS100	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
MCS100	MCACS100	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
MCS10024	BC18MCS100	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 8 Cables, with Hammer On Beam Clamp, Fits 1/8-1/4" Flange, Spring Steel
MCS10058	BC516MCS100	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 8 Cables, with Hammer On Beam Clamp, Fits 5/16-1/2" Flange, Spring Steel
MCS100912	BC916MCS100	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 8 Cables, with Hammer On Beam Clamp, Fits 9/16-3/4" Flange, Spring Steel
MCS101	MCACS101	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
MCS10124	BC18MCS100	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 8 Cables, with Hammer On Beam Clamp, Fits 1/8-1/4" Flange, Spring Steel
MCS101BC200	600BMCS101	10-3 to 8-3 MC/AC (0.560-0.690" O.D.), 12-3 to 8-2 isolated ground cable, or 12-3 to 10-2 Super Neutral Cable Support Bracket, Fits Up to 7 Cables
MCS50	MCACS50	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
MCS5024	BC18MCS50	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 4 Cables, with Hammer On Beam Clamp, Fits 1/8-1/4" Flange, Spring Steel
MCS504Z	MCACS50APS	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black





Caddy Cross Reference

Competitor	Minerallac	Description
MCS5058	BC516MCS50	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 4 Cables, with Hammer On Beam Clamp, Fits 5/16-1/2" Flange, Spring Steel
MCS506Z	MCACS50APS	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
MCS50912	BC916MCS50	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 4 Cables, with Hammer On Beam Clamp, Fits 9/16-3/4" Flange, Spring Steel
MEB1	FBO234DS	2-1/2, 3-1/2, & 4 Stud Double Sided Box Support PG
MF625	SB58	Switch Box 2 Stud Support Clip, Box To Stud Support Offset For 5/8" Drywall, Spring Steel
MFS	SBC	Electrical Box To Metal Stud Support, Hammer On Stud Clip, Assembly Adjustable For 1/4-3/4" Drywall, Spring Steel
MP1	WB1	Low Voltage Mounting Bracket (Class 2 wiring), Mounts Standard Low Voltage Wall Plates without Electrical Box, Includes 1-5/8" Dry Wall Screws, Pre-Ga
MP1P	WBF1P	Non-Metallic Single Gang Low Voltage Mounting Bracket, Mounts Standard Low Voltage (Class 2) Wall Plates without Electrical Box, Plastic
MP1S	WB1S	Single Gang Low Voltage Mounting Bracket (Class 2 wiring), Mounts Standard Low Voltage Wall Plates without Electrical Box, New Construction, Pre-Galva
MP2	WB2	Double Gang Low Voltage Mounting Bracket (Class 2 wiring), Mounts Standard Low Voltage Wall Plates without Electrical Box, Pre-Galvanized
MP2S	WB2S	Double Gang Low Voltage Mounting Bracket (Class 2 wiring), Mounts Standard Low Voltage Wall Plates without Electrical Box, New Construction, Pre-Galva
MPAL2	WBF2P	Non-Metallic Double Gang Low Voltage Mounting Bracket, Mounts Standard Low Voltage (Class 2) Wall Plates without Electrical Box, Plastic
MPLS	WBF1	Low Voltage Mounting Bracket, Mounts Standard Low Voltage Wall Plates Without Electrical Box, Includes 1-5/8" Screws, Pre-Galvanized
MPLS2	WBF2	Double Gang Low Voltage Mounting Bracket, Mounts Standard Low Voltage Wall Plates without Electrical Box, Includes 1-5/8" Dry Wall Screws, Pre-Galv
MSC100	MCACS100	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
MSF	S1900	Electrical Box To Metal Stud Support, Hammer On, Spring Steel
MSR24	PSF18R	Side Mount Flange Clamp With Right Angle Strap Hanger, 1/8 To 1/4" Flange, Suspends Strap Up To 1" Wide, Spring Steel
MSR4	PSF332R	Side Mount Flange Clamp with Right Angle Strap Hanger, Fits 1/16 to 3/32" Flange, Suspends Strap up to 1" Wide, Spring Steel
MSR58	PSF516R	Side Mount Flange Clamp With Right Angle Strap Hanger, 5/16 To 1/2" Flange, Suspends Strap Up To 1" Wide, Spring Steel
MSR912	PSF916R	Side Mount Flange Clamp With Right Angle Strap Hanger, 9/16 To 3/4" Flange, Suspends Strap Up To 1" Wide, Spring Steel
MSS122	PHPS	Hammer On Z Purlin Hanger And Right Angle Strap Hanger Assembly, Z Purlin 13 To 16 Gauge, Strap Hanger Up To 1" Strap, Spring Steel





Caddy Cross Reference

Competitor	Minerallac	Description
MSS24	PSF18	Side Mount Flange Clamp With Strap Hanger, 1/8 To 1/4" Flange, Suspends Strap Up To 1" Wide, Spring Steel
MSS4	PSF332	Side Mount Flange Clamp with Strap Hanger, Fits 1/16 to 3/32" Flange, Suspends Strap up to 1" Wide, Spring Steel
MSS58	PSF516	Side Mount Flange Clamp With Strap Hanger, 5/16 To 1/2" Flange, Suspends Strap Up To 1" Wide, Spring Steel
MSS912	PSF916	Side Mount Flange Clamp With Strap Hanger, 9/16 To 3/4" Flange, Suspends Strap Up To 1" Wide, Spring Steel
MSSAB	BAPS	Angle Bracket With Strap Bracket Used For Hanging Straps.
MSSR122	PHPSR	Hammer On Z Purlin Hanger And Right Angle Strap Hanger Assembly, Z Purlin 13 To 16 Gauge, Strap Hanger Up To 1" Strap, Spring Steel
NUT0025EG	40125J	1/4"-20 Hex Nut, Coarse, Low Carbon, Zinc plated
NUT0031EG	40130J	5/16"-18 Hex Nuts, Zinc Plated
NUT0037EG	40135J	3/8"-16 Hex Nuts, Zinc Plated
NUT0050EG	40140J	1/2"-13 Hex Nuts, Zinc Plated
NUT0062EG	40145J	5/8"-11 Hex Nuts, Zinc Plated
NUT0075EG	40150J	3/4" -10 Hex Nuts, Zinc Plated
P11SQ000EG	PBS4H350SQUE G	Post Base Single Channel, 4 Hole Square 3-1/2, Zinc Plated
P130000EG	PBD4H350EG	Post Base Double Channel 4 Hole Standard 3-1/2, Zinc Plated
PCS1	DWCS1	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
PCS2	DWCS2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
PHSW4	PCSW25	C or "Z" Purlin Set Screw Clamp, Swivel Rod Hanger fits 1/4"-20 threaded rod, Fits up to 1/4" Flange, Zinc Plated
PHSW6	PCSW37	C or "Z" Purlin Set Screw Clamp, Swivel Rod Hanger fits 3/8"-16 threaded rod, Fits up to 1/4" Flange, Zinc Plated
POST4HSQ3-1/2EG	PBS4H350SQUE G	Post Base Single Channel, 4 Hole Square 3-1/2, Zinc Plated
PPRPS25H4	RSB081PG	13/16" Pre-galvanize Channel on 4" Foam Roof Block, Height 4-13/16", Strut Length 9.32", Overall Leangth 10-1/2"; Uniform Load = 2,500lbs
PSF10C	RSB081PG	13/16" Pre-galvanize Channel on 4" Foam Roof Block, Height 4-13/16", Strut Length 9.32", Overall Leangth 10-1/2"; Uniform Load = 2,500lbs





Caddy Cross Reference

Competitor	Minerallac	Description
PSF10D	RSB244PG	2-7/16" Pre-galvanize Channel on 4" Foam Roof Block, Height 6-7/16", Strut Length 9.32", Overall Leangth 10-1/2"; Uniform Load = 2,500lbs
PSMS8	26809-6	8 x 1/2" Lath Tek Screws (K-Lath), Wafer Head, Phillips, Zinc Plated 1000/JAR
RA0075HD	RAC075HDG	Right Angle Clamp 3/4, Hot dipped Galvanized
RBS16	BMB164S3P	16 In. Multi Box Mounting Bracket (Between Studs), Mounts Up To Three 4" Or 4-11/16" Electrical Boxes, PG
RBS16HD	BMB164S3P	16 In. Multi Box Mounting Bracket (Between Studs), Mounts Up To Three 4" Or 4-11/16" Electrical Boxes, PG
RBS24	BMB244S4P	Electrical Box Mounting Bracket, 24 In. Bracket, Mounts Up To Four 4 In. Or 4 11/16 In. Boxes/Plaster Rings, PG
RIGD0050EG	CCR050EG	Conduit Strut Clamp Rigid 1/2, Zinc Plated
RIGD0075EG	CCR075EG	Conduit Strut Clamp Rigid 3/4
RIGD0100EG	CCR100EG	Conduit Strut Clamp Rigid 1
RIGD0125EG	CCR125EG	Conduit Strut Clamp Rigid 1 1/4
RIGD0150EG	CCR150EG	Conduit Strut Clamp Rigid 1-1/2
RIGD0200EG	CCR200EG	Conduit Strut Clamp Rigid 2
RIGD0250EG	CCR250EG	Conduit Strut Clamp Rigid 2 1/2
RIGD0300EG	CCR300EG	Conduit Strut Clamp Rigid 3
RIGD0350EG	CCR350EG	Conduit Strut Clamp Rigid 3 1/2
RIGD0400EG	CCR400EG	Conduit Strut Clamp Rigid 4
RIGD400EG	CCR400EG	Conduit Strut Clamp Rigid 4
RLC	OR	Outlet Retainer, Retains Standard Outlets In Oversize Openings, Pre-Galvanized
S3575BP100	53006J	1/4-20 x 3/8" Machine Screws, Round Head, Combo Phillips/Slotted, Zinc Plated
S3575DP100	53012J	1/4-20 x 3/4" Machine Screws, Round Head, Combo Phillips/Slotted, Zinc Plated
SC2A	F2A	Flange Clip For Cable Support, Flange 1/16 - 3/16" Thick, Ac/Mc Cable O.D. .218 - .281", Spring Steel, Zinc Plated





Caddy Cross Reference

Competitor	Minerallac	Description
SC2B	F2B	Flange Clip For Cable Support, Flange 1/16 - 3/16" Thick, Ac/Mc Cable O.D. .312 - .375", Spring Steel, Zinc Plated
SC2C	F2C	Flange Clip For Cable Support, Flange 1/16 - 3/16" Thick, Ac/Mc Cable O.D. .375 - .437", Spring Steel, Zinc Plated
SC2D	F2D	Flange Clip For Cable Support, Flange 1/16 - 3/16" Thick, Ac/Mc Cable O.D. .468 - .562", Spring Steel, Zinc Plated
SC2E	F2E	Flange Clip For Cable Support, Flange 1/16 - 3/16" Thick, Ac/Mc Cable O.D. O.D. .500 - .718", Spring Steel, Zinc Plated
SC2F	F2F	Flange Clip For Cable Support, Flange 1/16 - 3/16" Thick, Ac/Mc Cable O.D. .750 - .937", Spring Steel, Zinc Plated
SC2G	F2G	Flange Clip For Cable Support, Flange 1/16 - 3/16" Thick, Ac/Mc Cable O.D. .968 - 1.250", Spring Steel, Zinc Plated
SC4A	F4A	Flange Clip For Cable Support, Flange 3/16 - 9/32" Thick, Ac/Mc Cable O.D. .218 - 0.281", Spring Steel, Zinc Plated
SC4B	F4B	Flange Clip For Cable Support, Flange 3/16 - 9/32" Thick, Ac/Mc Cable O.D. .312 - 0.375", Spring Steel, Zinc Plated
SC4C	F4C	Flange Clip For Cable Support, Flange 3/16 - 9/32" Thick, Ac/Mc Cable O.D. .375 - 0.437", Spring Steel, Zinc Plated
SC4D	F4D	Flange Clip For Cable Support, Flange 3/16 - 9/32" Thick, Ac/Mc Cable O.D. .468 - 0.562", Spring Steel, Zinc Plated
SC4E	F4E	Flange Clip For Cable Support, Flange 3/16 - 9/32" Thick, Ac/Mc Cable O.D. .500 - 0.718", Spring Steel, Zinc Plated
SC4F	F4F	Flange Clip For Cable Support, Flange 3/16 - 9/32" Thick, Ac/Mc Cable O.D. .750 - 0.937", Spring Steel, Zinc Plated
SC4G	F4G	Flange Clip For Cable Support, Flange 3/16 - 9/32" Thick, Ac/Mc Cable O.D. .968 - 1.250", Spring Steel, Zinc Plated
SC8A	F8A	Flange Clip For Cable Support, Flange 5/16 - 1/2" Thick, Ac/Mc Cable O.D. .218 - .281", Spring Steel, Zinc Plated
SC8B	F8B	Flange Clip For Cable Support, Flange 5/16 - 1/2" Thick, Ac/Mc Cable O.D. .312 - 0.375", Spring Steel, Zinc Plated
SC8C	F8C	Flange Clip For Cable Support, Flange 5/16 - 1/2" Thick, Ac/Mc Cable O.D. .375 - 0.437", Spring Steel, Zinc Plated
SC8D	F8D	Flange Clip For Cable Support, Flange 5/16 - 1/2" Thick, Ac/Mc Cable O.D. .468 - 0.562", Spring Steel, Zinc Plated
SC8E	F8E	Flange Clip For Cable Support, Flange 5/16 - 1/2" Thick, Ac/Mc Cable O.D. .500 - 0.718", Spring Steel, Zinc Plated
SC8F	F8F	Flange Clip For Cable Support, Flange 5/16 - 1/2" Thick, Ac/Mc Cable O.D. .750 - 0.937", Spring Steel, Zinc Plated
SC8G	F8G	Flange Clip For Cable Support, Flange 5/16 - 1/2" Thick, Ac/Mc Cable O.D. .968 - 1.250", Spring Steel, Zinc Plated
SCH12	CCOP75	One Piece Strut Clamp With Saddle, 3/4" EMT and 1/2" RMC, Pre-Galvanized





Caddy Cross Reference

Competitor	Minerallac	Description
SCH12B	CCOP75	One Piece Strut Clamp With Saddle, 3/4" EMT and 1/2" RMC, Pre-Galvanized
SCH16	CCOP100	One Piece Strut Clamp With Saddle, 1" EMT and 3/4" RMC, Pre-Galvanized
SCH16B	CCOP100	One Piece Strut Clamp With Saddle, 1" EMT and 3/4" RMC, Pre-Galvanized
SCH20	CCOP125	One Piece Strut Clamp With Saddle, 1-1/4" EMT and 1" RMC, Pre-Galvanized
SCH20B	CCOP125	One Piece Strut Clamp With Saddle, 1-1/4" EMT and 1" RMC, Pre-Galvanized
SCH24B	CCOP150	One Piece Strut Clamp With Saddle, 1-1/2" EMT and 1-1/4" RMC, Pre-Galvanized
SCH32B	CCOP200	One Piece Strut Clamp with Saddle, Fits 2" EMT and 1-1/2" RMC, Pre-Galvanized
SCH40B	CCOP200R	One Piece Strut Clamp With Saddle, 2" RMC, Pre-Galvanized
SCH48B	CCOP250	One Piece Strut Clamp With Saddle, 2-1/2" EMT and 2-1/2" RMC, Pre-Galvanized
SCH56B	CCOP300	One Piece Strut Clamp With Saddle, 3" EMT and 3" RMC, Pre-Galvanized
SCH64B	CCOP350	One Piece Strut Clamp With Saddle, 3-1/2" EMT and 3-1/2" RMC, Pre-Galvanized
SCH6B	CCOP37	One Piece Strut Clamp With Saddle, 3/8" EMT, Pre-Galvanized
SCH72B	CCOP400	One Piece Strut Clamp With Saddle, 4" EMT and 4" RMC, Pre-Galvanized
SCH8	CCOP50	One Piece Strut Clamp With Saddle, 1/2" EMT, Pre-Galvanized
SCH8B	CCOP50	One Piece Strut Clamp With Saddle, 1/2" EMT, Pre-Galvanized
SCHB	CCOP37	One Piece Strut Clamp With Saddle, 3/8" EMT, Pre-Galvanized
SGB16A	BMB16D	16" Electrical Box Mounting Bracket, Mounts 2 1/2" Electrical Box To Studs 16" On Center, PG
SGB24A	BMB24D	24" Electrical Box Mounting Bracket, Mounts 2-1/2" Electrical Box To Studs 24" On Center, PG
SK125I	CCU075EG	Conduit Strut Clamp Universal 3/4", Zinc Plated
SK125I	CCU075EG	Conduit Strut Clamp Universal 3/4", Zinc Plated
SK165I	CCU100EG	Conduit Strut Clamp Universal 1", Zinc Plated





Caddy Cross Reference

Competitor	Minerallac	Description
SK165I	CCU100EG	Conduit Strut Clamp Universal 1", Zinc Plated
SK205I	CCU125EG	Conduit Strut Clamp Universal 1-1/4", Zinc Plated
SK205I	CCU125EG	Conduit Strut Clamp Universal 1-1/4", Zinc Plated
SK245I	CCU150EG	Conduit Strut Clamp Universal 1-1/2", Zinc Plated
SK245I	CCU150EG	Conduit Strut Clamp Universal 1-1/2", Zinc Plated
SK325I	CCU200EG	Conduit Strut Clamp Universal 2", Zinc Plated
SK325I	CCU200EG	Conduit Strut Clamp Universal 2", Zinc Plated
SK405I	CCR250EG	Conduit Strut Clamp Rigid 2 1/2
SK485I	CCR300EG	Conduit Strut Clamp Rigid 3
SK565I	CCR350EG	Conduit Strut Clamp Rigid 3 1/2
SK645I	CCR400EG	Conduit Strut Clamp Rigid 4
SK85I	CCU050EG	Conduit Strut Clamp Universal 1/2", Zinc Plated
SK85I	CCU050EG	Conduit Strut Clamp Universal 1/2", Zinc Plated
SMS8	26809-6	8 x 1/2" Lath Tek Screws (K-Lath), Wafer Head, Phillips, Zinc Plated 1000/JAR
SP58	95070	1/2" Ground Rod Clamps, Direct Burial, Brass, Stainless Steel Hex Head Bolt, Wire Size: 10 Sol - 2 Str
SPNUT1/2	SN050EG	Spring Nut 1/2-13 3/8 THK, Zinc Plated
SPNUT1/4	SN025EG	Spring Nut 1/4-20 1/4 THK
SPNUT3/8	SN037EG	Spring Nut 3/8- 16 3/8THK Zinc Plated
SPRA0025EG	SN025EG	Spring Nut 1/4-20 1/4 THK
SPRA0037EG	SN037EG	Spring Nut 3/8- 16 3/8THK Zinc Plated
SPRA0050EG	SN050EG	Spring Nut 1/2-13 3/8 THK, Zinc Plated





Caddy Cross Reference

Competitor	Minerallac	Description
SPRC0025EG	SNS025EG	Short Spring Nut 1/4"-20, ZP
SPRC0037EG	SNST037EG	Short Spring Nut 3/8-16, ZP
TEB23	FBO23DS	Double Sided Electrical Box Mounting Bracket, Mounts To Either Side Of 2-1/2 & 3-1/2" Wood Or Metal Studs, 4" Or 4-11/16" Electrical Box, PG
TEB6XT	FBO23DS	Double Sided Electrical Box Mounting Bracket, Mounts To Either Side Of 2-1/2 & 3-1/2" Wood Or Metal Studs, 4" Or 4-11/16" Electrical Box, PG
TLSGDR1	BMBTSLDR	Box Bracket Slider for Minerallac BMB...T Series only, designed to be used with BMB16T,BMB1624T&BMB24T, allows box to slide into final position after
TSGB16	BMB16T	Telescoping 11-18" Box Mounting Bracket, For 1-1/2" Or 2-1/8" Deep Electrical Box, PG
TSGB1624	BMB1624T	Telescoping Box Mounting Bracket, Stud Spacing 15-1/2 To 25 In., For Use With 1-1/2 In. Or 2-1/8 In. Electrical Box, PG
TSGB24	BMB24T	Telescoping 17-26" Box Mounting Bracket, For 1-1/2" Or 2-1/8" Deep Electrical Box, PG
TSGLDR1	BMBTSLDR	Box Bracket Slider for Minerallac BMB...T Series only, designed to be used with BMB16T,BMB1624T&BMB24T, allows box to slide into final position after
TSNT0025EG	TN025EG	Top Spring Nut 1/4-20, ZP
TSNT0037EG	TN037EG	Top Spring Nut 3/8"-16, ZP
TSNT0050EG	TN050EG	Top Spring Nut 1/2"-13, ZP
TSRBS1625	BMBT16244SL	Telescoping Box Slider Wall Mounting Bracket for Wood or Metal Studs 16-24" on Center, Allows 4" or 4-11/16" Electrical Box to Slide into Position bet
U24A0000EG	UFS4H162EG	Ufitting Splice 4 Hole 1-5/8 Channel, Zinc Plated
ULT327	94605	3" x 1000' Non-Detectable "CAUTION: BURIED ELECTRIC LINE BELOW" Underground Burial Tape; 4 Mil; Red w/ Black Lettering
UNIV0075	CCU075EG	Conduit Strut Clamp Universal 3/4", Zinc Plated
UNIV00950	CCU050EG	Conduit Strut Clamp Universal 1/2", Zinc Plated
UNIV0125	CCU125EG	Conduit Strut Clamp Universal 1-1/4", Zinc Plated
UNIV0200	CCU200EG	Conduit Strut Clamp Universal 2", Zinc Plated
UNIV0250	CCR250EG	Conduit Strut Clamp Rigid 2 1/2
UNIV0400	CCR400EG	Conduit Strut Clamp Rigid 4





Caddy Cross Reference

Competitor	Minerallac	Description
USC020EG	CCU050EG	Conduit Strut Clamp Universal 1/2", Zinc Plated
USC025EG	CCU075EG	Conduit Strut Clamp Universal 3/4", Zinc Plated
USC031EG	CCU100EG	Conduit Strut Clamp Universal 1", Zinc Plated
USC040EG	CCU125EG	Conduit Strut Clamp Universal 1-1/4", Zinc Plated
USC046EG	CCU150EG	Conduit Strut Clamp Universal 1-1/2", Zinc Plated
USC058EG	CCU200EG	Conduit Strut Clamp Universal 2", Zinc Plated
USC073EG	CCR250EG	Conduit Strut Clamp Rigid 2 1/2
USC086EG	CCR300EG	Conduit Strut Clamp Rigid 3
USC101EG	CCR350EG	Conduit Strut Clamp Rigid 3 1/2
USC113EG	CCR400EG	Conduit Strut Clamp Rigid 4
VF013TI	VBC25R38T	1/16-1/4" Flange (C Purlin 13 To 16 Gauge) With 3/8"-16 Threaded Rod Hanger, 3/8"-16 Thread Impression, load Rating: 160Lbs Spring Steel
VF14	VBC25	Hammer On Vertical Flange Hanger, 1/16-1/4" Flange (C Purlin 13 to 16 Gauge), 1/4" Mounting Hole, Spring Steel
VF144TI	VBC25R14T	1/16-1/4" Flange (C Purlin 13 To 16 Gauge) With 1/4"-20 Threaded Rod Hanger, 1/4"-20 Thread Impression, load Rating: 160Lbs, Spring Steel
VF146A	RF11638	Suspends 3/8" Plain Rod From Vertical Flange 1/16" - 5/32" Thick, Spring Steel
VF146T	VBC25R1438N	1/16-1/4" Flange (C Purlin 13 To 16 Gauge) With 1/4 Or 3/8" Threaded Rod Hanger, Nut Required, load Rating: 160Lbs, Spring Steel
VF146TI	VBC25R38T	1/16-1/4" Flange (C Purlin 13 To 16 Gauge) With 3/8"-16 Threaded Rod Hanger, 3/8"-16 Thread Impression, load Rating: 160Lbs Spring Steel
VF14708	RF11614	Suspends #8 Wire, And 1/4" Or 3/8" Plain Rod From Vertical Flange 1/16" - 5/32" Thick, Spring Steel
WMX3	WBX3	Flexible Conduit and Cable Hanger, 1-1/8" Diameter, for Multiple runs of MC/AC Cable, Zinc Plated
WMX6	WBX6	Flexible Conduit and Cable Hanger, 1-3/4" Diameter, Up to 6 runs of MC/AC Cable, Zinc Plated
ZGA512	PBS2H350SQEG	Post Base Single Channel 2 Hole Square 3-1/2, Zinc Plated

